

窒素分施方法이水稻의 維管束發育에 미치는 影響

湖南作物試驗場 : 李 東 珍*, 國際米作研究所 : 비 에스 벨가라
檀國大學校: 金 凤 九, 蔡 清 天

Split Application of Nitrogen and Development of Vascular Bundles in Rice

Honam Crop Experiment Station : D.J.Lee
International Rice Research Institute : B.S.Vergara
Dankook University : B.K.Kim and J.C.Chae

Objective :

A field experiment was conducted using different split applications of nitrogen to determine their effect on the number and cross sectional area of the large vascular bundles(LVB) and small vascular bundles(SVB) in the rice plant and possible implication on grain yields.

Materials and Methods :

Experiment site : IRRI experimental farm

Cultivars : IR58(indica), Unbong 7(japonica)

Sowing and transplanting date : November 17 and December 2, 1989

Fertilizer application : N - P₂O₅ - K₂O (120-40-40kg/ha)

N split application treatments : basal-tillering stage-necknode differentiation-heading (%25-25-25-25, 30-20-30-20, 30-30-40-0, 50-20-20-10, 70-0-20-10, 100-0-0-0)

Experimental design : strip plot design with 3 replications

Results and Discussion :

1. The number and cross sectional area of LVB in the peduncle were higher in split application of N (30-30-40-0) than in basal (100-0-0-0) treatment.
2. High N split application at panicle initiation stage can result in better development of VB in the peduncle, flag leaf blade and leaf sheath.
3. The total cross sectional area of LVB in peduncle was highly correlated with number of spikelets.
4. The number of high density grains significantly increased with N split application (50-20-20-10 and 70-0-20-10) in IR58. High grain yield at 70-0-20-10 was the result of high density grains.

Table 2. Number and cross sectional area of LVB (mm) and small (SM) vascular bundle in the products as affected by split application of nitrogen in TBSB and Unborg 7.

SPLIT APPLICATION (2)	NUMBER OF VB		AREA OF VB (X10 ⁻³ mm ²)		SPLIT APPLICATION (2)	
	TBSB Unborg 7	TBSB Unborg 7	TBSB Unborg 7	TBSB Unborg 7	TBSB Unborg 7	TBSB Unborg 7
25-25-25-25	21.7 b	21.0	20.3	25.0	15.62	14.54 ab
30-20-30-20	21.3 b	11.7	22.3	25.3	15.75	14.66 ab
30-30-40-0	23.7 a	11.7	22.7	24.7	16.07	15.02 a
50-20-20-10	22.0 b	12.0	21.0	24.0	15.63	14.98 a
70-0-20-10	22.3 b	12.0	23.0	24.0	15.76	14.52 ab
100-0-0-0	21.3 b	11.3	21.0	22.3	15.28	14.07 b
F-value	79.06 **	20.21 **	61.36 **	16.56 **	12.37 ns	12.36 **
N split application	3.67 a	0.92 ns	2.08 ns	0.72 ns		
Interaction	2.21 ns		0.72 ns	0.27 ns		

a, ** means are significantly different at 5% and 1% level, respectively.

Means followed by a common letter in a column are not significantly different at the 5% level by DRT.

Table 3. Number and cross sectional area of large (LVB) and small (SM) vascular bundles in the last leaf blade of the main culm as affected by split application of nitrogen in TBSB and Unborg 7.

SPLIT APPLICATION (2)	NUMBER OF VB		AREA OF VB (X10 ⁻³ mm ²)		SPLIT APPLICATION (2)	
	TBSB Unborg 7	TBSB Unborg 7	TBSB Unborg 7	TBSB Unborg 7	TBSB Unborg 7	TBSB Unborg 7
25-25-25-25	16.0	14.3	62.0 b	62.0	9.97 b	9.17 a
30-20-30-20	16.3	15.0	69.3 b	62.3	10.50 b	9.39 a
30-30-40-0	17.0	15.0	70.0 a	56.7	12.30 a	9.26 a
50-20-20-20	17.0	16.7	65.3 ab	57.0	9.71 b	9.32 a
70-0-20-10	17.0	16.7	66.7 ab	58.7	9.82 b	9.41 a
100-0-0-0	16.3	16.0	61.0 b	56.3	9.64 b	8.88 b
F-value	64.30 **	30.27 **	20.45 **	9.24 ns	1.60 ns	2.46 *
N split application	1.40 ns	2.40 ns	2.46 *			
Interaction	0.48 ns	2.07 ns	3.14 *		0.21 ns	

a, ** means are significantly different at 5% and 1% level, respectively.

Means followed by a common letter in a column are not significantly different at the 5% level by DRT.

Table 4. Ratio of grain weight at different grain density ratios with various split application of nitrogen in TBSB and Unborg 7.

TREATMENTS (2)	SPLIT APPLICATION		VEG. FERT.		GRAIN GROWTH FACT. (2)	
	TBSB	Unborg 7	TBSB	Unborg 7	TBSB	Unborg 7
25-25-25-25			2.0	2.3 b	0.4 b	1.5
30-20-30-20			2.1	2.7 b	0.3 b	1.5
30-30-40-0			2.5	2.4 b	0.5 b	3.2
50-20-20-10			1.8	2.1 b	0.1 b	1.4
70-0-20-10			1.6	2.1 b	0.1 b	0.9
100-0-0-0			2.4	8.6 a	2.6 a	3.5
F-value	16.37 **	12.34 **	7.36 **	63.18 **	0.18 ns	113.76 **
N split application					1.83 ns	2.20 **
Interaction	6.89 ns		0.59 ns	0.14 ns	3.09 *	6.39 **

a, ** means are significantly different at 5% and 1% level, respectively.
Means followed by a common letter in a column are not significantly different at the 5% level by DRT.

Table 5. Yield and yield components as affected by split application of nitrogen in TBSB and Unborg 7.

TREATMENTS (2)	SPLIT APPLICATION		PANICLE (no./mid)		SPIKELET (no./panicle)		FERTILITY (%)		1000 GRAIN WEIGHT		GRAIN YIELD (kg/m ²)	
	TBSB	Unborg 7	TBSB	Unborg 7	TBSB	Unborg 7	TBSB	Unborg 7	TBSB	Unborg 7	TBSB	Unborg 7
25-25-25-25			35.0 d	37.5 d	71.8 a	89.3 a	91.2 a	92.3 c	26.8 b	51.13 ab	4.51 b	
30-20-30-20			35.2 d	349.3 d	76.2 a	72.3 a	88.1 a	90.1 ab	24.4 bc	26.8 b	5.13 ab	4.65 ab
30-30-40-0			370.0 d	364.3 cd	81.9 a	76.1 a	85.5 ab	89.0 ab	24.1 c	24.5 bc	5.41 ab	5.05 a
50-20-20-10			390.7 bc	383.7 bc	82.2 a	76.4 a	87.8 a	95.0 a	25.5 a	5.46 ab	5.12 a	
70-0-20-10			406.7 ab	403.7 ab	79.9 a	72.7 a	87.7 a	88.9 ab	24.8 ab	25.4 a	5.56 a	5.07 a
100-0-0-0			422.0 a	419.6 a	70.0 b	64.4 b	82.3 b	86.4 b	27.6 d	26.1 c	5.30 b	4.74 c
F-value	1.47 ns		26.39 **	11.45 ns		9.07 ab		31.68 **		21.41 ns		4.16 ns
N split application						5.31 ab		23.57 **				
Interaction	0.12 ns		0.15 ns		0.12 ns		0.16 ns		0.29 ns			

a, ** means are significantly different at 5% and 1% level.
Means followed by a common letter in a column are not significantly different at the 5% level by DRT.

* and ** means are significantly different at 5% and 1% level, respectively.