

Carbon dioxide (CO₂) concentrations and activated carbon fiber filters in passenger vehicles in urban areas of Jeonju, Korea

Hong Gun Kim¹, Yunhua Yu², Xiaoping Yang², and Seung Kon Ryu^{1,*}

¹Institute of Carbon Technology, Jeonju University, Jeonju 55069, Korea

²State Key Laboratory of Organic-Inorganic Composites, College of Materials Science and Engineering, Beijing University of Chemical Technology, Beijing 100029, China

Article Info

Received 30 September 2017 **Accepted** 19 December 2017

*Corresponding Author E-mail: skryu@jj.ac.kr Tel: +82-63-220-3158

Open Access

DOI: http://dx.doi.org/ 10.5714/CL.2018.26.074

This is an Open Access article distributed under the terms of the Creative Commons Attribution Non-Commercial License (http://creativecommons.org/licenses/by-nc/3.0/) which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.



http://carbonlett.org

pISSN: 1976-4251 eISSN: 2233-4998

Copyright © Korean Carbon Society

Abstract

The South Korean Ministry of the Environment has revised the laws relating to the management of interior air quality for multiple use facilities, and recommends maintaining carbon dioxide ($\rm CO_2$) concentration in passenger vehicles below 1000 ppm during operation in urban areas of large cities. However, the interior $\rm CO_2$ concentration of passenger vehicles can rapidly increase and exceed 5000 ppm within 30 min, as observed when two passengers are traveling in urban areas of the South Korean city of Jeonju with the air conditioner blower turned off and the actuator mode set to internal circulation mode. With four passengers, $\rm CO_2$ concentration can reach up to 6000 ppm within 10 min. To counter this, when the actuator is set to external mode, $\rm CO_2$ concentration can be maintained below 1000 ppm, even after a long period of running time. As part of the air conditioning system, alkali-treated activated carbon fiber filters are considered to be far superior to the commercial non-woven filters or combination filters currently commonly in use.

Key words: carbon dioxide, passenger vehicle, air cleaning filter, activated carbon filter

1. Introduction

Due to the relatively recent increase of energy consumption and number of vehicles in big cities, air pollution becomes ever more severe. The continuous emission of carbon dioxide (CO₂) in particular is linked to the rapid acceleration in global warming [1,2]. Yi and Shin [3] reported that the air temperature in the year 2100 will be 2°C greater than current temperatures, which will increase sea levels by an average of 50 cm, and this 2°C increase of temperature may also cause wider changes to land and ocean ecosystems, resulting in the extinction of many species and posing a great threat to humankind. Humans are not greatly impacted when the surrounding CO₂ concentration is below 400 ppm. However, when CO₂ concentration exceeds 1000 ppm, there is a marked difference. At levels of 2000 ppm and above, a person may experience muscle pain, headaches and dizziness, or even death. Interior air CO₂ concentration provides an important index of interior air quality (IAQ). Yoon et al. [4] warn about the danger of CO₂ in confined spaces, and reveal that the measured CO₂ concentration in a passenger vehicle with one passenger typically reaches about 5000 ppm after 1 h. Lee et al. [5] report that in the case of two passengers in a vehicle, the concentration becomes close to 5000 ppm after 20 min. Shin et al. [6] report that CO₂ concentration in express buses typically satisfies level 1 (2000 ppm) and level 2 (3000 ppm) in the South Korean Ministry of the Environment guideline for measurements in the summer and the fall seasons, while the measurement result for other seasons is shown to exceed level 1 in certain cases. Jung et al. [7] investigated the concentration of CO₂ in public transportation vehicles (express

bus, normal train, high-speed KTX train, and subway) during the rush hour and non-rush hour in Korea. They reported that the average CO₂ concentration was about 2500 ppm for the non-rush hour and about 3000 ppm for the rush hour. Of course, the concentration was dependent on operating conditions and the type of vehicle. Kim et al. [8] reported that if the interior is confined to increase the energy efficiency, the CO₂ concentration increases to threaten the health of persons present in the interior so that symptoms such as those of sick building syndrome may result. To date, studies related to air quality have been conducted mostly only on large cities (the Seoul Metropolitan region, Gyeonggi-do, and other large cities). Zhao et al. [9] have also studied CO₂ concentration while walking along streets in urban Guangzhou, China. Lee et al. [10] conducted a study of IAQ of domestic and imported automobiles. However, that study was limited to the Seoul area. There is now greater necessity to investigate the concentrations of ultrafine particles and CO₂ and improve air quality in vehicles in small and medium cites having populations of 60 thousand or fewer.

Jeonju (population 650,000) is a historical city 250 km southwest of Seoul. The city used to be an agricultural region, emphasizing traditional culture. However, due to recent industrialization, the city's environment has gradually degraded. In particular, in the central area, the increase of automobiles has caused the rapid increase of air pollutions. Therefore, it becomes pressing to examine the measurement of changes of ultrafine particles and CO₂ concentration in automobiles running on the central streets of Jeonju and to consider some ways to effectively lower pollution levels. Moon et al. [11] measured the change of ultrafine particle (PM_{2.5}) concentration in running vehicles, and reported that activated carbon fiber (ACF) filters show a better removal effect of PM_{2.5} than commercial air filters for automobiles due to their large surface micropores. Also, they reported the removal capacity of ACF filters on toluene to be excellent, and that the improved capacity depended on the micropore size being in the range of 2-5 nm [12]. Kwon and Ahn [13] also reported on CO₂ concentration in vehicle interiors.

In consideration of enclosed vehicles, removal of CO_2 can be done by using proper adsorbents such as zeolite, activated carbon, and ACFs. Among them, Hwang et al. [14] reported that nitrogen functionalized ACF is the best adsorbent for low-level CO_2 capture due to its well-developed micropore size distribution on the surface. CO_2 capture was much improved by using impregnation of nitrogen-functionalized ACF. Therefore, proper surface modification of an ACF can be useful for the removal of CO_2 in running vehicles.

In this paper, the purpose of the study is the investigation of CO₂ concentration in running passenger vehicles in urban areas of Jeonju. To achieve this purpose, 1) CO₂ concentrations in vehicles were measured under various conditions such as considering the number of passengers, window opening or closing, and different air cleaning filters, 2) an efficient method to reduce the concentration of the interior source is proposed by finding a correlation between the running condition and the interior pollution based on the measurement results.

2. Experimental

2.1. Experimental vehicles and measurement devices

Two types of popular vehicles, a used vehicle (KIA's K5) bought in 2010 and having the mileage of 70,000 km and another used vehicle (Hyundai's Avante MD) bought in 2012 and having a mileage of 25,000 km are selected for the experiment. Table 1 shows the specifications of the vehicles used for the experiment. CO₂ measurements were conducted in a similar fashion to the measurement method of CO₂ concentration in vehicle interiors as performed by Kwon and Ahn [14]. A GFC Infrared Analyzer (Model 7200FM, Signal Group Ltd., UK), which is a CO2 measurement device was used. The GFC Infrared Analyzer was installed in the middle of the backseat, and the probe was installed 10 cm below the front passenger mirror. The GFC Infrared Analyzer was powered by installing an AC-DC Trans1000A at the vehicle's battery, and the probe was connected to store measured data. Three types of CO₂ removing filters were prepared. Two commercial air filters for an automobile are 1) a genuine PP non-woven air filter (80 g, 1100 cm² filtering rate, 3.7 MPa internal intensity test; HD-Mobis Co, Korea), 2) a combination filter (127 g, glass fiber+chemical filter; WoorhiTech Co, Korea), and 3) a woven ACF (76 g, 1500 m²g⁻¹; Toyobo Co. Japan) the same size as the PP non-woven filter was prepared.

2.2. Experiment method

The experiment was conducted in April 2016, a total of 91 times, 13 times a day for 7 d referring to the conditions suggested by Lee et al. [10]. The vehicles were driven in suburban and urban areas of Jeonju between 11:00-19:30 for 8-9 hours each day. CO₂ measurements were made by alternating between window open and window close, passenger number, vehicle type, the actuator's internal circulation and external mode, the air conditioner's blower operation being on and off, and the filter type. Fig. 1 shows the driving route through the urban and the suburban areas of Jeonju. The driving distance in the urban and the suburban areas totaled approximately 15 km. The speed was 30 km h⁻¹ in the urban area and 70 km h⁻¹ in the suburban area. The interiors of the experiment vehicles were ventilated for 5 min by opening the windows before the experiment to maintain the same environment. While each vehicle was driven, the experiment was conducted for a total of 30 min by activating the monitor and measuring the data at 1 min intervals. CO₂ concentration was measured around the seats of the vehicle by one or three

Table 1. Specifications of the test cars										
Unit (mm)	K5 (2000 cc midsize car)	MD (1600 cc small car)								
Whole length	4845	4530								
Whole piece	1835	1775								
Overall height	1455	1435								
Wheel base	2795	2700								





Fig. 1. Driving route in the urban (a) and suburban (b) areas of Jeonju.

persons other than the driver. The average value of CO_2 concentration for each experimental condition was obtained from seven measurements. Table 2 shows the experimental conditions.

3. Results and Discussion

3.1. Change of CO₂ concentration in the passenger vehicles between morning (AM) and afternoon (PM)

Fig. 2 illustrates the timely changes of CO_2 concentration in the passenger vehicles running in the mornings and afternoons in an urban area of Jeonju. According to the graph, the first CO_2 concentration before the vehicle running was 800 ± 50 ppm in the morning (AM) and 790 ± 50 ppm in the afternoon (PM), showing



 ${f Fig.}$ 2. ${\sf CO}_2$ concentrations in the passenger vehicles during the (A) morning and (B) afternoon in urban area of Jeonju.

only a 6% difference. The study regarding the changing characteristic of CO₂ concentration in the background atmosphere of the Korean Peninsula, reported by Park et al. [15], also states that the reason for the small differences shown in hourly concentrations is determined to be influenced by the busy activity of people's commuting and plants' photo-synthesis, and no significant difference is found between the morning and the afternoon. The result of CO₂ concentration measurements in 18 locations in


Table 2. Experimental conditions											
Item	Time	Actuator	Window	Persons	Urban/suburban	Blower	Filter	Model	Diagram		
A	AM	Inside air	Close	2	Urban	Off	Non-woven	K5	•••• А		
В	PM	Inside air	Close	2	Urban	Off	Non-woven	K5	— в		
С	PM	Outside air	Close	2	Urban	Off	Non-woven	K5	C		
D	PM	Outside air	Close	2	Urban	2	Non-woven	K5	-·- D		
Е	PM	Inside air	Close	2	Urban	2	Non-woven	K5	— — E		
F	PM	Inside air	Front windows open	2	Urban	Off	Non-woven	K5	F		
G	PM	Inside air	All windows open	2	Urban	Off	Non-woven	K5	— — G		
Н	PM	Inside air	Close	4	Urban	Off (probe front)	Non-woven	K5	— н		
I	PM	Inside air	Close	4	Urban	Off (probe rear)	Non-woven	K5	1		
J	PM	Inside air	Close	2	Urban	Off	Non-woven	MD	– – J		
K	PM	Inside air	Close	2	Suburban	Off	Non-woven	K5	—•· · K		
L	PM	Inside air	Close	2	Urban	2	Combination	K5	—*— L		
M	PM	Inside air	Close	2	Urban	2	ACF	K5	M		

ACF, activated carbon fiber.

Seoul conducted in April 2013 showed a daily average of 706 ppm. This value was much higher than the measurement of 396 ppm at Anmyeondo, the background measurement location in Korea. In this study, a 790 ppm CO₂ concentration on the street in Seoul's urban areas was higher than in residential areas (683 ppm) and school areas (649 ppm). Kwon and Ahn [13] report CO₂ concentration in the range of 580-760 ppm, with an average of 670 ppm in the central city area, and being in the range of 500-600 ppm with an average of 550 ppm so that the central area is about 1.2 times greater. The fact that the first concentration at street side in the central area of Jeonju city was 800 ppm and a higher value than central Seoul's average of 706 ppm demonstrates that the air in the central area of Jeonju is as polluted as Seoul's air. In another study, Zhao et al. [9] reported the CO₂ concentration in central urban areas of Guangdong, China, was 786 ppm on average, which is very similar to that of the urban area of Jeonju. The result of change of CO₂ concentration in passenger vehicles running in the central area of Jeonju setting the actuator to internal circulation mode and having the blower turned off showed no influence of external air in the internal circulation mode during the morning [A] and the afternoon [B]. The reason for such a result was determined to be that CO₂ exhaled by the passengers is not discharged to the outside of the passenger vehicle. The CO₂ concentration initially was approx. Eight hundred parts per million, and this rapidly increased to 5000 ppm after 25 min. Such a result is almost identical to the results reported by Yoon et al. [4] and Lee et al. [5].

3.2. CO₂ concentration change in the passenger vehicle according to actuator and blower operation

Fig. 3 illustrates the CO₂ concentration changing over 30 min in one of the passenger vehicles, varying the actuator and the



 $Fig.\ 3.\ CO_2$ concentration in passenger ve hicle K5 with respect to actuator and blower condition; conditions B, C, D, and E (see Table 2).


blower operations (experiment key: B, C, D, E).

When the actuator was set to external air mode and the blower was set to off (C) or level 2 (D), concentration increased to approx. Five hundred parts per million during the first 1-2 min and gradually decreased as time passed to maintain the initial CO₂ level continuously. In the case of (E), which maintains the internal circulation mode at level 2 of the blower, and CO₂ concentration increases continuously similarly to (B) having the blower turned off and, after 30 min, the initial CO₂ concentration was continuously maintained as (D). This shows that the ventilation through the actuator and the blower is critical in reducing CO₂ concentration in a passenger vehicle. Also, when the actuator was set to external air mode, an adequate air inflow during the vehicle running seemed to result. Such a result emphasizes the necessity for fresh air inflow and the installation of an excellent air cleaning filter. Research conducted by Wargocki et al. [16] also reported that as air inflow speed increases, CO2 concentration reduces, and an air inflow amount of 2.5 L s⁻¹ for each person is required.

3.3. CO₂ concentration change in the passenger vehicle according to window opening and closing

Fig. 4 shows the results of observation on the interior CO₂ concentration changes when the passenger vehicle's window was opened [F, G] and closed [B] while the actuator was set to internal circulation mode and the blower was turned off.

When the window was closed, the interior CO_2 concentration reached 5000 ppm within 30 min. This was caused by the gradual increase of CO_2 concentration due to CO_2 creation by breathing and the space restriction. Both the case of only front windows opened [F] and the case of opening




 $Fig.\ 4.\ CO_2$ concentration in passenger vehicle K5 with respect to window opening and closing; conditions B, F, and G (see Table 2).

all four windows showed interior CO2 concentration reduced to a small degree, eventually becoming the same as the CO₂ concentration outside. Zhao et al. [9] also reported that air conditioned transportation modes circulate and cool only the air inside the vehicle compartment, with limited air exchange with outdoor air. Therefore, air ventilation by opening the windows of the passenger vehicle to reduce CO2 concentration is acquired. Such a result is also confirmed through Shin et al. [6] who also discussed the status of IAQ in public transportation. Since conditions such as winter weather often do not permit the opening of windows, the importance of excellent air cleaning filters is emphasized again, and the connection to the interior of public transportation where the external air inflow is limited becomes greater. Shin et al. state that the necessity of ventilation during public transportation operation becomes more important.

3.4. CO₂ concentration change in the passenger vehicle according to the number of passengers

Fig. 5 shows the results of the investigation on CO₂ influence on the passenger vehicle according to the number of passengers. Previously, it was shown that when two passengers are in a vehicle in the condition of [B], CO₂ concentration rapidly increased. In the case of four passengers, CO₂ concentration rapidly increased up to 5700 ppm no matter how the measurement was made at the front seat [H] or at the rear seat [I] area, and those concentration levels could not be measured by this detector. Zhu et al. [17] reported CO₂ concentration rapidly rose to 4500 ppm over 10 min for three passengers in a vehicle. The measurement of air quality and CO₂ concentration in a vehicle's interior presented by So and Yoo [18] also shows that the interior CO₂ concentra-




 $Fig.\ 5.\ \text{CO}_2$ concentration in passenger vehicle K5 with respect to number of person; condition B, H, and I (see Table 2).

tion is proportional to the number of passengers. Therefore, CO_2 concentration in the passenger vehicle is found to be influenced most greatly by the number of passengers. Shin et al. [6] also report that since the number of passengers riding intercity buses is higher on average, the CO_2 concentration in intercity buses (1460 ppm) is somewhat higher than that of express buses (1185 ppm).


3.5. CO₂ concentration change in the passenger vehicle according to vehicle type

Fig. 6 shows the results of measurement on the change of CO₂ concentration in passenger vehicles for each type. The figure shows that CO2 concentration in the general midsized passenger vehicle (K5, 2000 cc) largely increased as [B] and exceeded 5000 ppm within about 25 min. In the case of the small-sized passenger vehicle (MD, 1600 cc), the significant increase of CO₂ concentration showed a similar pattern to the mid-sized passenger vehicle, but the concentration was found to be a little less with the midsized passenger vehicle, which had a slightly wider interior space compared to the small-sized one. Therefore, CO₂ concentration can be considered to be influenced by the size of the interior space. Jung et al. [7] report that taxis are mostly operated having windows closed so that higher CO₂ concentration can result in comparison with buses or subway trains.

Fig. 7 shows the results of CO_2 change in the passenger vehicle when the vehicle was running at a speed of 30 km h⁻¹ in an urban area and at the speed of 70 km h⁻¹ in a suburban area of Jeonju.



 $Fig.\ 6.\ \mbox{CO}_2$ concentration in passenger vehicle K5 (B) and vehicle MD (J); condition B and J (see Table 2).



 $Fig.\,$ 7. CO $_2$ concentration in passenger vehicle K5 with respect to urban (B, C) and suburban (K).

3.6. CO₂ concentration change in the passenger vehicle according to area

In the case of running at low speed in the urban area, CO₂ concentration increased continuously. However, in the case of running in the suburban area, the increase was faster during the first 7 min compared with that of running in the central area, but the CO₂ concentration stabilized to some degree after about 10 min. This may have been because the CO₂ concentration increase was stopped by the gradual increase of external air inflow to the interior as the speed increased. The case of [K] shows that although the actuator was set to internal circulation mode, a small quantity of air inflow occurred from the vehicle's running speed, and the air inflow seemed to stabilize or reduce CO₂ concentration. Therefore, the change was considered to be based on the level of external air flow rather than on the area. Kwon and Ahn [13] also confirm that even in the case of a vehicle having the ventilation amount set to 0, external air inflow occurs. They also report that when a vehicle is driven in an area with a faster speed limit, the ventilation rate becomes higher than in a slower area so that the IAQ is maintained at a better state.

Fig. 8 illustrates the change of CO₂ concentration with each type of air cleaning filter in the vehicle. The illustration shows that CO₂ concentration continuously increased for all three filters. However, in spite of a small amount of ACF filter (76 g) than

3.7. CO₂ concentration change in the passenger vehicle according to different air cleaning filters

the other two filters, the ACF filter showed a far more effective CO₂ adsorption in the passenger vehicle, especially under 15 min. If the amount of ACF filter is increased, the




Fig. 8. CO_2 concentration in passenger vehicle K5 with respect to type of filter; (E) PP non-woven filter, (L) combination filter, and (M) ACF filter.

removal efficiency will obviously increase. Ryu et al. [19] report that as-prepared ACF shows some amount of CO₂ adsorption at room temperature due to its large micropores. Hwang et al. [14] report that ammonia-treated ACF shows far greater CO₂ adsorption capacity. Adelodun et al. [20,21] studied the modification of an ACF surface with ammonia, and obtained a much improved CO₂ capture. Yuan et al. [22] also modified the graphite nanofibers with KOH to obtain the CO₂ adsorbent. On the other hand, Moon et al. [12] showed that ACF has a particularly high adsorption performance on volatile organic materials such as toluene in passenger vehicles. Ryu [23] also reports the removal capacity of ACF on volatile organic materials. Therefore, an ACF filter which is properly alkali treated can be used for the effective removal of CO₂ in passenger vehicles.

4. Conclusions

In passenger vehicles, greater stability can be obtained from the actuator being set to external mode than set to internal circulation mode. In the case of the internal circulation mode, $\rm CO_2$ concentration reaches 5000 ppm within 30 min when two passengers are riding, and 6000 ppm within 10 min when four passengers are riding. When the air conditioner blower is turned off, and the actuator is set to external mode, the interior's $\rm CO_2$ concentration with two passengers remains continuously at $\rm 1000$ ppm or below for the outside air inflow. This suggests that outside fresh air should be continuously inflowing when passengers are riding in a passenger vehicle.

A surface-modified and controlled pore size distributed ACF filter is advantageous for the removal of particulate matter (PM_{2.5}), carbon dioxide, and VOCs compared with commercial combination filters or PP non-woven filters due to the large mi-

cropores which are completely exposed on the surface. Alkalimodified ACF filters are promising for removing interior pollution sources in passenger vehicles.

Conflict of Interest

No potential conflict of interest relevant to this article was reported.

Acknowledgements

This work was supported by the Basic Science Research Program through the National Research Foundation of Korea (NRF) funded by the Ministry of Education (No. 2016R1A6A1A03012069), and by the National Research Foundation of Korea (NRF) grant funded by the Korean government (MSIP) (No. 2017R1A2B4009646).

References

- Joos F. Global warming: growing feedback from ocean carbon to climate. Nature, 522, 295 (2015). https://doi.org/10.1038/522295a.
- [2] Cooper AI. Materials chemistry: cooperative carbon capture. Nature, 519, 294 (2015). https://doi.org/10.1038/nature14212.
- [3] Yi HI, Shin IC. Impact of climate change on the ocean environment in the viewpoint of paleoclimatology. Atmosphere, 20, 379 (2010).
- [4] Yoon DW, Hong SM, Kang HS, Kim HJ. A survey of indoor air quality inside automobiles, in Proceedings of the 2nd Korean Society for Indoor Environment Conference, Seoul, 101 (2005).
- [5] Lee DD, Baek UY, Lim JO, Choi NJ, Seo JY, Kim MJ, Hwang TJ. Drivers' emotional change according to environmental change in the automobile. J Ergon Soc Korea, 18, 25 (1999).
- [6] Shin YC, Lee JH, Kim JR, Kim DH. A study on investigation of indoor air quality of public transportation system (express, intercity bus). Korean J Odor Res Eng, 9, 108 (2010).
- [7] Jung JS, Kim JB, Kim SY, Lee WS, Bae GN, Park DS, Kwon SB. Study on PM₁₀ and CO₂ concentration in public transportation vehicles considering the congestion effect. J Odor Indoor Environ, 14, 323 (2015). https://doi.org/10.15250/joie.2015.14.4.323.
- [8] Kim YS, Hong SC, Jeon JM. An investigation of indoor air quality of public transportation system in Seoul city. Korean J Environ Health Soc, 20, 28 (1994).
- [9] Zhao LR, Wang XM, He QS, Wang H, Sheng GY, Chan LY, Fu JM, Blake DR. Exposure to hazardous volatile organic compounds, PM₁₀ and CO while walking along streets in urban Guangzhou, China. Atmos Environ, 38, 6177 (2004). https://doi.org/10.1016/j.

- atmosenv.2004.07.025.
- [10] Lee HW, Choi YT, Lee KB, Lee JK, Kim KG, Lee JW, Lim JS, Sin YB. Status of worldwide auto-cabin air quality study, in Proceedings of the Korea Society of Automotive Engineers, 495 (2006).
- [11] Moon HS, Kim JS, Kim IS. A study on the PM_{2.5} concentration in the car in Jeonju downtown. J Korean Soc Environ Eng, 35, 717 (2013). https://doi.org/10.4491/ksee.2013.35.10.717.
- [12] Moon HS, Kim IS, Kang SJ, Ryu SK. Adsorption of volatile organic compounds using activated carbon fiber filter in the automobiles. Carbon Lett, 15, 203 (2014). https://doi.org/10.5714/ cl.2014.15.3.203.
- [13] Kwon OY, Ahn YS. In-vehicle pollution under various driving conditions, in Proceedings of the 43rd Meeting of Korean Society for Atmospheric Environment, 564 (2006).
- [14] Hwang SH, Park HS, Kim DW, Jo YM. Preparation of activated carbon fiber adsorbent for enhancement of CO₂ capture capacity. J Korean Soc Atmos Environ, 31, 538 (2015). https://doi. org/10.5572/kosae.2015.31.6.538.
- [15] Park KJ, Choi JC, Choi BC, Chung HS. Variation of backgroundatmospheric concentration of carbon dioxide (CO₂) in Korea peninsula. Korean Meteorol Soc, 41, 955 (2005).
- [16] Wargocki P, Wyon DP, Sundell J, Clausen G, Fanger PO. The effects of outdoor air supply rate in an office on perceived air quality, sick building syndrome (SBS) symptoms and productivity. Indoor Air, 10, 222 (2000). https://doi.org/10.1034/j.1600-0668.2000.010004222.x.
- [17] Zhu YF, Eiguren-Fernandez A, Hinds WC, Miguel AH. In-cabin commuter exposure to ultrafine particles on Los Angeles freeways. Environ Sci Technol, 41, 2138 (2007). https://doi.org/10.1021/ es0618797.
- [18] So JS, Yoo SY. A prediction of CO₂ concentration and measurement of indoor air quality in the EMU. J Korean Soci Railw, 11, 378 (2008).
- [19] Ryu SK, Rhee BS, Lee JK, Lee DW, Pusset N, Ehrburger P. Adsorption characteristics of activated pitch-based carbon fiber, in Proceedings of the Carbon '90, Paris, 196 (1990).
- [20] Adelodun AA, Lim YH, Jo YM. Stabilization of potassium-doped activated carbon by amination for improved CO₂ selective capture. J Anal Appl Pyrolysis, 108, 151 (2014). https://doi.org/10.1016/j. jaap.2014.05.005.
- [21] Adelodun AA, Lim YH, Jo YM. Surface oxidation of activated carbon pellets by hydrogen peroxide for preparation of CO₂ adsorbent. J Ind Eng Chem, 20, 2130 (2014). https://doi.org/10.1016/j. jiec.2013.09.042.
- [22] Yuan H, Meng LY, Park SJ. KOH-activated graphite nanofibers as CO₂ adsorbents. Carbon Lett, 19, 99 (2016). https://doi. org/10.5714/cl.2016.19.099.
- [23] Ryu SK. Porosity of activated carbon fibers. High Temp High Pressures, 22, 345 (1990).