



Text Mining of Wood Science Research Published in Korean and Japanese Journals

Eun-Suk JANG^{1,2,†}

ABSTRACT

Text mining techniques provide valuable insights into research information across various fields. In this study, text mining was used to identify research trends in wood science from 2012 to 2022, with a focus on representative journals published in Korea and Japan. Abstracts from Journal of the Korean Wood Science and Technology (JKWST, 785 articles) and Journal of Wood Science (JWS, 812 articles) obtained from the SCOPUS database were analyzed in terms of the word frequency (specifically, term frequency-inverse document frequency) and co-occurrence network analysis. Both journals showed a significant occurrence of words related to the physical and mechanical properties of wood. Furthermore, words related to wood species native to each country and their respective timber industries frequently appeared in both journals. CLT was a common keyword in engineering wood materials in Korea and Japan. In addition, the keywords “MDF,” “MUF,” and “GFRP” were ranked in the top 50 in Korea. Research on wood anatomy was inferred to be more active in Japan than in Korea. Co-occurrence network analysis showed that words related to the physical and structural characteristics of wood were organically related to wood materials.

Keywords: research information, Journal of the Korean Wood Science and Technology, Journal of Wood Science, text mining, word frequency analysis, term frequency-inverse document frequency (TF-IDF), co-occurrence network analysis

1. INTRODUCTION

Climate change and greenhouse gas emissions are among our most significant environmental challenges. Carbon neutrality has emerged as one of the crucial strategies for addressing these challenges. Carbon neutrality involves eliminating net carbon emissions by absorbing or compensating for greenhouse gases in an amount equal to or less than what is produced and emitted (Austin *et al.*, 2020; Larsary *et al.*, 2023).

Forest expansion is a valuable way to achieve carbon neutrality. As trees grow, they absorb carbon dioxide from the atmosphere and capture and store the carbon in their internal fibrous structures (Jang, 2022b; Segaran *et al.*, 2023). Wood also requires considerably less energy to produce and process than concrete or steel. Thus, the sustainable use of wood can significantly assist in achieving the goal of carbon neutrality (Ahn *et al.*, 2021; Ghani and Lee, 2021; Hadi *et al.*, 2022; Han and Lee, 2021b; Jang and Kang, 2022b).

Date Received June 23, 2023, Date Revised July 25, 2023, Date Accepted September 14, 2023

¹ Research Institute of Human Ecology, College of Human Ecology, Jeonbuk National University, Jeonju 54896, Korea

² Sambo Scientific Co., Ltd., R&D Center, Seoul 07258, Korea

[†] Corresponding author: Eun-Suk JANG (e-mail: esjang@sambosc.com, <https://orcid.org/0000-0001-5995-8617>)

© Copyright 2023 The Korean Society of Wood Science & Technology. This is an Open-Access article distributed under the terms of the Creative Commons Attribution Non-Commercial License (<http://creativecommons.org/licenses/by-nc/4.0/>) which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.

Consequently, the importance of wood science is increasing. Various aspects of wood science have traditionally been studied, including wood physics, wood chemistry, and wood biology (Mai *et al.*, 2022). Recently, with the aim of establishing a sustainable wood industry, the research scope of wood science has been gradually increased, with a focus on aspects such as biomass, composites, sound, and sensitivity engineering (Jang and Kang, 2021; Jekayinfa *et al.*, 2020; Shen *et al.*, 2021; Tian *et al.*, 2021).

More wood science research will be required in the future (Teischinger, 2010). Accordingly, wood science researchers need to interact with researchers from diverse fields to find innovative approaches to building an ecofriendly and sustainable wood industry. As a basis for this work, research trends in wood science need to be examined.

Text mining is a process that combines natural language processing and data mining techniques to extract valuable insights from textual data (Gupta and Lehal, 2009; Rajman and Besançon, 1998). It offers a means to analyze and interpret extensive text data by converting it into organized and meaningful information (Dang and Ahmad, 2014; Liddy, 2000). Text mining enables researchers to uncover patterns, trends, and relationships within scientific literature by employing various computational methods (Sulova *et al.*, 2017).

Text mining techniques have proved useful in understanding research trends in various fields such as medicine, ecology, materials science, and environmental science (Cheng *et al.*, 2022; Farrell *et al.*, 2022; Rabiei *et al.*, 2017; Sakuma *et al.*, 2021; Sumardi *et al.*, 2022; Weston *et al.*, 2019). In Korea, several surveys on timber culture have been analyzed through text mining (Han and Lee, 2021a; Han *et al.*, 2022). Lee and Lee (2022) analyzed domestic and international research trends on pine trees using text mining. The results showed that domestic research of pine trees primarily focused on pine wilt nematodes and various ecological aspects.

Overall, though, text mining techniques have rarely been applied to wood science.

The present study was conducted to investigate wood research trends using text mining techniques. Specifically, text mining was applied to articles published in the Journal of the Korean Wood Science and Technology (JKWST; ISSN: 2233-7180) published by the Korean Society of Wood Science and Technology and Journal of Wood Science (JWS; ISSN: 1611-4663) published by the Japan Wood Research Society.

2. MATERIALS and METHODS

2.1. Data collection

This study used abstracts appearing in JKWST and JWS from 2012 to 2022. The 785 articles published in JKWST featured 699 researchers as authors, and the 812 articles published in JWS featured 506 researchers as authors. Therefore, for the purpose of this study, these two journals were considered sufficient and representative of research in their respective countries. Abstracts from both journals were extracted from the SCOPUS database (<http://www.scoups.com>). Text mining was performed using the open-source KH Coder software (<https://sourceforge.net/projects/khc/>) developed at Ritsumeikan University in Japan. This software is a verified and trustworthy tool that has been used for text mining analysis in many studies (Jurkus *et al.*, 2022; Sasaki and Ishiwatari, 2022; Sato and Nishizawa, 2019). HD Coder splits sentences into words from the abstract text file (cvs file format) provided by SCOPUS and organizes the results into a database.

2.2. Text mining analysis

The first step in text mining analysis is to preprocess the gathered textual data. This phase usually involves conducting a morphological analysis to classify senten-

ces into various parts of speech. The next step is to extract keywords that highlight important themes and words that appear together in the same paragraph or sentence. Next, various text mining techniques, including keyword network analysis, association analysis, and topic modeling, are employed to understand word characteristics within the document and examine their frequency of occurrence. All of these techniques play a crucial role in uncovering insights and patterns hidden within the text data, and they aid researchers and analysts in better understanding the information contained in the documents (Jung and Lee, 2020).

In this study, the abstracts of the papers were split into words using the “Run preprocessing” command. HD Coder separated the abstract sentences into morpheme units that are tagged by part-of-speech units. Next, “Stopwords” and “Compound words” were processed in the “Select words to analysis” menu. “Stopwords” refer to numbers, symbols, be verbs, conjunctions, and adjectives that are not required for text data analysis (Zeng *et al.*, 2023); these words were excluded from the text mining analysis. KH Coder provides a default stopword list file. In text mining analysis of research trends, research-related words such as “research,” “analysis,” “compare,” “evaluate,” and “properties” are usually considered stopwords (Park *et al.*, 2023). Therefore, in this study, these words were added to the stopword list file.

Further, wood-science-related compound words such as “mechanical properties,” “elastic modulus,” and “dimensional stability” were extracted from wood science textbooks and added to the compound words file (Hoadley, 2000; Kollmann *et al.*, 2012).

Word frequency analysis is a technique used to quantify the frequency of occurrence of words in documents. In such analyses, concepts including term frequency (TF), document frequency (DF), inverse document frequency (IDF), and term frequency-inverse document frequency (TF-IDF) are used.

TF is the number of times a given term appears in a document. The higher this value, the more critical the given term is in the document. DF is the number of documents in which a given term appears. IDF is the reciprocal of DF. TF-IDF is a weight obtained for each word in a document by using the word frequency and IDF. A word with a high TF-IDF value is likely to contain a key message in the document (Vijayarani *et al.*, 2015). TF-IDF is widely used for extracting keywords from scientific papers (Toosi *et al.*, 2022). In this study, it was used for word frequency analysis. The KH Coder only extracts TF and DF values. Therefore, TF-IDF was manually calculated using Equation (1) (Kim and Gil, 2019). For convenience, TF-IDF analysis is shown only for the top 50.

$$TF-IDF = TF \times \ln \left(\frac{DF}{N} \right) \quad (1)$$

where N is the total number of documents (785 for JKWST, 812 for JWS).

Furthermore, a co-occurrence network analysis was conducted to evaluate the frequency of cooccurrence between specific words or objects within a given context. In a co-occurrence network, advanced natural language processing and text mining techniques are used to identify the most significant noun phrases in a document. These techniques create a visual representation of the interconnections between terms by forming a two-dimensional map. In this map, terms that frequently co-occur in the dataset are arranged close to each other, whereas terms that rarely co-occur are placed further apart (Mohammadi and Karami, 2022; Sakuma *et al.*, 2021). The relationship between words is expressed in the form of a network connection. Through this, the main concept in the text can be identified, and the relationship between the concepts can be inferred (Yu and Rha, 2021). For the co-occurrence network for word

analysis, the minimum TF value was set to 50 and minimum DF value was set to 10, and a network was created by connecting 100 pairs of the most strongly co-occurring words with a line.

3. RESULTS and DISCUSSION

3.1. Term frequency-inverse document frequency analysis

Fig. 1 shows the TF-IDF analysis results from the abstracts obtained from JKWST. The most frequent word in the JKWST abstracts was “Pine,” and its TF-IDF value was 338.6. It was followed by “Korean,” “Dry,” “MDF,” and “CLT.”

Along with “Pine,” “*Pinus*” (TF-IDF value: 203.3) and “*Pinus densiflora*” (169.3) were also ranked in the top 50. The most studied wood species in Korea was found to be pine (*Pinus densiflora*), followed by *Quercus* (133.6).

According to the 2020 Korea Forest Resources Report published by the Korea Forest Service (KFS, 2020), the area of pine forests in Korea is 1,272,000 ha; this is approximately 20% of the total forest area of 6,298,000 ha. Therefore, research on the use of domestic pine wood is needed urgently (Kim *et al.*, 2008).

The words “Korean” (288.0), “Korea” (237.8), and “Domestic” (223.7) suggest that many studies were conducted on domestic wood species and wood industry. Words such as “Bending strength” (201.3), “MOR” (193.7), “MOE” (181.7), and “Mechanical properties” (180.8) were also ranked in the top 50, indicating that a large number of studies was conducted on the physical and mechanical properties of wood.

Among engineering wood materials, “MDF” (249.6) and “CLT” (243.4) were ranked high, and “MUF” had a score of 132.09. Unusually, glass fiber reinforced plastic (GFRP, 133.3) was also ranked in the top 50. This is a unique aspect of wood science research in

Korea, and it reflects the fact that studies have actively investigated wood materials and GFRP composite laminates.

Among words related to wood modification, “Heat treatment” (192.6) had the highest frequency. Heat treatment involves the high-temperature heating of wood to induce changes in its chemical composition and thereby improve its dimensional stability, weather resistance, and permeability (Jang and Kang, 2022a; Kang *et al.*, 2018; Kim, 2016).

“Sound absorption” (164.6) was also ranked in the top 50. This is because studies have investigated the sound absorption performance in terms of the porosity of wood and natural resources such as forest byproducts as sound absorption materials (Jang, 2022a; Jang *et al.*, 2018; Jung *et al.*, 2021; Kang *et al.*, 2019).

Fig. 2 shows the TF-IDF analysis results from the abstracts obtained from JWS. In JWS, the word “Japanese” (192.3) was prominent, indicating the strong focus on studies related to the Japanese wood industry.

Furthermore, Japan-specific wood species showed high frequencies; for example, “Japanese cedar” (192.3), “*Cryptomeria japonica*” (184.4), and “Sugi” (181.02). “Pinus” was the next most commonly found keyword related to tree species in Japan. Accordingly, research on coniferous trees, especially Sugi and pine, was considered active in Japan.

Sugi (*Cryptomeria japonica*) is one of Japan’s most widely planted trees and has been cultivated in many parts of Japan for the past 400 years. Sugi plantations cover approximately 45,000 km², accounting for 44% of Japan’s plantation forests (Kanasashi *et al.*, 2015).

Terms such as “Strain” (339.9), “Mechanical properties” (333.8), “MOR” (241.7), and “MOE” (185.7) were present. Similar to Korea, a large number of studies focused on the physical and mechanical properties of wood.

As in Korea, wood materials such as “CLT” (459.1) were subjects of interest in Japanese wood research.




Fig. 1. TF-IDF results in JKWST. TF-IDF: term frequency-inverse document frequency, JKWST: Journal of the Korean Wood Science and Technology.

Despite wood’s versatile application potential, these findings are likely influenced by the high frequency of CLT usage as a building material. “Heat treatment” was a common keyword related to wood modification in

Japan as well.

In particular, wood anatomy terms such as “Parenchyma” (231.9), “MFA” (215.9), “Tracheid” (186.5), “Stem” (182.3), and “Xylem” (173.1) were ranked in the




Fig. 2. TF-IDF results in JWS. TF-IDF: term frequency-inverse document frequency, JWS: Journal of Wood Science.

top 50. This suggests that wood anatomy research was likely conducted more actively in Japanese than in Korea.

3.2. Co-occurrence network analysis

Fig. 3 shows the results of co-occurrence network analysis conducted on JKWST. The analysis revealed




Fig. 3. Co-occurrence network analysis results in JKWST. JKWST: Journal of the Korean Wood Science and Technology.

that CLT is closely associated with terms like “structure,” “laminated,” and “reinforce.” This indicates a strong research focus on the adhesion and lamination of CLT (green group). The words “Pine,” “Korea,” “Korean,” and “Domestic” were part of the red group. Words related to physical properties, such as “MOR,” “MOE,” “Bending strength,” and “Dimensional stability,” were part of the blue group. They were organically related to the CLT group (green) and pine group (red). Furthermore, MDF is linked to terms such as “Carbonized,” “UF,” “Wood-based,” and “Sound absorption” (purple group).

Fig. 4 shows the co-occurrence network analysis results in JWS. Similar to JKWST, JWS had five key-

word groups. The keywords “Japanese cedar,” “Sugi,” and “*Cryptomeria japonica*” belonged to the blue group. This observation, similar to that in Korea, indicates the extensive research conducted in Japan on the use of native wood. The red group reveals a relationship between “mechanical properties” and terms representing physical properties, such as “MOR,” “MOE,” and “Bend.” This group has organic relationships with the green group containing words related to the structural properties of wood, such as “Failure,” “Stiffness,” “Force,” and “Deformation.” Further, these groups have been related to “CLT” The purple group consists of words like “Radial,” “Longitudinal,” “*Parenchyma*,” and “Stem.” This differentiation from JKWST suggests that




Fig. 4. Co-occurrence network analysis results in JWS. JWS: Journal of Wood Science.

studies on wood anatomy were published in JWS.

To the best of my knowledge, this study represents the first application of text mining analysis to wood science research papers. A limitation of this study is that the analysis only included wood science journals from Korea and Japan. In the future, text mining techniques for wood science can be expanded in numerous ways. For instance, they can be used to examine research trends in wood engineering across different countries or to track changes in wood science research topics over time. These endeavors are expected to open up opportunities for interdisciplinary collaborations within wood science and to pave the way for new research directions in this field.

4. CONCLUSIONS

In this study, text mining techniques were used to perform word frequency analyses including TF-IDF and co-occurrence network analysis by using abstracts published in JKWST (Korea) and JWS (Japan) between 2012 and 2022. The journals from both countries revealed a high frequency of keywords related to tree species native to the country and the country-based timber industry. Wood science studies in Korea and Japan were predominantly focused on the mechanical and physical properties of wood. CLT was a common research keyword in engineering wood-based materials in Korea and Japan. However, in the Korean study, the keywords

“MDF,” “MUF,” and “GFRP” were also ranked in the top 50. Keywords related to wood anatomy appeared at a higher frequency in Japanese studies than in Korean ones. The analysis of co-occurrence networks revealed a strong organic relationship between words describing the physical and structural attributes of wood and the concept of wood materials.

CONFLICT of INTEREST

No potential conflict of interest relevant to this article was reported.

ACKNOWLEDGMENT

This research was supported by a grant from the Basic Science Research Program of the National Research Foundation of Korea (NRF) funded by the Ministry of Education (NRF-2019R1I1A3A02059471). It was also supported by a grant from the international cooperation program framework managed by the NRF (NRF-2020K2A9A2A08000181).

REFERENCES

- Ahn, K.S., Pang, S.J., Oh, J.K. 2021. Prediction of withdrawal resistance of single screw on Korean wood products. *Journal of the Korean Wood Science and Technology* 49(1): 93-102.
- Austin, K.G., Baker, J.S., Sohngen, B.L., Wade, C.M., Daigneault, A., Ohrel, S.B., Ragnauth, S., Bean, A. 2020. The economic costs of planting, preserving, and managing the world’s forests to mitigate climate change. *Nature Communications* 11(1): 5946.
- Cheng, X., Cao, Q., Liao, S.S. 2022. An overview of literature on COVID-19, MERS and SARS: Using text mining and latent Dirichlet allocation. *Journal of Information Science* 48(3): 304-320.
- Dang, S., Ahmad, P.H. 2014. Text mining: Techniques and its application. *International Journal of Engineering & Technology Innovations* 1(4): 22-25.
- Farrell, M.J., Brierley, L., Willoughby, A., Yates, A., Mideo, N. 2022. Past and future uses of text mining in ecology and evolution. *Proceedings of the Royal Society B* 289(1975): 20212721.
- Ghani, R.S.M., Lee, M.D. 2021. Challenges of wood modification process for plantation eucalyptus: A review of Australian setting. *Journal of the Korean Wood Science and Technology* 49(2): 191-209.
- Gupta, V., Lehal, G.S. 2009. A survey of text mining techniques and applications. *Journal of Emerging Technologies in Web Intelligence* 1(1): 60-76.
- Hadi, Y.S., Herliyana, E.N., Pari, G., Pari, R., Abdillah, I.B. 2022. Furfurylation effects on discoloration and physical-mechanical properties of wood from tropical plantation forests. *Journal of the Korean Wood Science and Technology* 50(1): 46-58.
- Han, Y., Lee, S.M. 2021a. Investigation on the awareness and preference for wood to promote the value of wood: II. Awareness of wood cultural resources. *Journal of the Korean Wood Science and Technology* 49(6): 643-657.
- Han, Y., Lee, S.M. 2021b. Investigation on the awareness and preference for wood culture to promote the value of wood: I. Awareness of wood and cultural experience. *Journal of the Korean Wood Science and Technology* 49(6): 616-642.
- Han, Y., Yang, M.S., Lee, S.M. 2022. Investigation on the awareness and preference for wood culture to promote the values of wood: III. Living environment and trend of wood utilization. *Journal of the Korean Wood Science and Technology* 50(6): 375-391.
- Hoadley, R.B. 2000. *Understanding Wood: A Craftsman’s Guide to Wood Technology*. Taunton Press, Newtown, CT, USA.
- Jang, E.S. 2022a. Investigation of sound absorption ability of *Acanthopanax senticosus* wastes. *Journal*

- of the Korean Wood Science and Technology 50(6): 404-413.
- Jang, E.S. 2022b. Investigation of sound absorption ability of Hinoki Cypress (*Chamaecyparis obtusa*) cubes. Journal of the Korean Wood Science and Technology 50(5): 365-374.
- Jang, E.S., Kang, C.W. 2021. The pore structure and sound absorption capabilities of Homalium (*Homalium foetidum*) and Jelutong (*Dyera costulata*). Wood Science and Technology 56(1): 323-344.
- Jang, E.S., Kang, C.W. 2022a. Change in sound absorption capability on thermally modified transverse and radial planes of Indonesian Homalium foetidum. BioResources 17(3): 5234-5242.
- Jang, E.S., Kang, C.W. 2022b. Investigation of the pore structure and sound-absorbing capability of the Chinese parasol tree (*Firmiana simplex* (L.) W. Wight) and Chinese tulip poplar (*Liriodendron chinense*) transverse sections as eco-friendly, porous, sound-absorbing materials. Journal of Porous Materials 29: 1791-1796.
- Jang, E.S., Kang, C.W., Kang, H.Y., Jang, S.S. 2018. Sound absorption property of traditional Korean natural wallpaper (Hanji). Journal of the Korean Wood Science and Technology 46(6): 703-712.
- Jekayinfa, S.O., Orisaleye, J.I., Pecenka, R. 2020. An assessment of potential resources for biomass energy in Nigeria. Resources 9(8): 92.
- Jung, H., Lee, B.G. 2020. Research trends in text mining: Semantic network and main path analysis of selected journals. Expert Systems with Applications 162: 113851.
- Jung, S.Y., Kong, R.K., Lee, K.S., Byeon, H.S. 2021. Effects of air-dried leaves of evergreen broad-leaved trees on sound absorption property. Journal of the Korean Wood Science and Technology 49(5): 482-490.
- Jurkus, E., Povilanskas, R., Taminskas, J. 2022. Current trends and issues in research on biodiversity conservation and tourism sustainability. Sustainability 14(6): 3342.
- Kanasashi, T., Sugiura, Y., Takenaka, C., Hijii, N., Umemura, M. 2015. Radiocesium distribution in sugi (*Cryptomeria japonica*) in Eastern Japan: Translocation from needles to pollen. Journal of Environmental Radioactivity 139: 398-406.
- Kang, C.W., Jang, E.S., Jang, S.S., Kang, H.Y., Kang, S.G., Oh, S.C. 2019. Sound absorption rate and sound transmission loss of wood bark particle. Journal of the Korean Wood Science and Technology 47(4): 425-441.
- Kang, C.W., Li, C., Jang, E.S., Jang, S.S., Kang, H.Y. 2018. Changes in sound absorption capability and air permeability of Malas (*Homalium foetidum*) specimens after high temperature heat treatment. Journal of the Korean Wood Science and Technology 46(2): 149-154.
- Kim, S.W., Gil, J.M. 2019. Research paper classification systems based on TF-IDF and LDA schemes. Human-Centric Computing and Information Sciences 9: 30.
- Kim, S.W., Park, J.C., Lee, D.H., Son, D.W., Hong, S.I. 2008. Strength properties of wooden model erosion control dams using domestic *Pinus Rigida* Miller I. Journal of the Korean Wood Science and Technology 36(6): 77-87.
- Kim, Y.S. 2016. Research trend of the heat-treatment of wood for improvement of dimensional stability and resistance to biological degradation. Journal of the Korean Wood Science and Technology 44(3): 457-476.
- Kollmann, F.F.P., Kuenzi, E.W., Stamm, A.J. 2012. Principles of Wood Science and Technology: II Wood Based Materials. Springer Science & Business Media, Berlin, Germany.
- Korea Forest Service [KFS]. 2020. 2020 Korea forest resources report. <https://kfss.forest.go.kr/stat/ptl/main.do>

- Larsary, M.K., Pourbabaei, H., Salehi, A., Yousefpour, R., Ali, A. 2023. Few functionally acquisitive big-sized trees restrict but soil nutrients promote soil organic carbon storage in temperate deciduous forests. *Forest Ecology and Management* 541: 121059.
- Lee, J.K., Lee, C.B. 2022. A study on research trends (2001~2020) of pinus *densiflora* using text mining based on natural language processing. *Journal of Agriculture & Life Science* 56(2): 35-47.
- Liddy, E.D. 2000. Text mining. *Bulletin of the American Society for Information Science and Technology* 27(1): 13-14.
- Mai, C., Schmitt, U., Niemz, P. 2022. A brief overview on the development of wood research. *Holzforschung* 76(2): 102-119.
- Mohammadi, E., Karami, A. 2022. Exploring research trends in big data across disciplines: A text mining analysis. *Journal of Information Science* 48(1): 44-56.
- Park, C.S., Lee, J.S., Cha, T.H., Yoo, D.H. 2023. A study on research trend of assistive device for patients with Dementia using text mining analysis. *Korean Journal of Occupational Therapy* 31(2): 1-14.
- Rabiei, M., Hosseini-Motlagh, S.M., Haeri, A. 2017. Using text mining techniques for identifying research gaps and priorities: A case study of the environmental science in Iran. *Scientometrics* 110: 815-842.
- Rajman, M., Besançon, R. 1998. Text Mining: Natural Language Techniques and Text Mining Applications. In: *Data Mining and Reverse Engineering: Searching for Semantics*. IFIP TC2 WG2.6 IFIP Seventh Conference on Database Semantics (DS-7) 7-10 October 1997, Leysin, Switzerland, Ed. by Spaccapietra, S. and Maryanski, F. Springer, New York, NY, USA.
- Sakuma, N., Trencher, G., Yarime, M., Onuki, M. 2021. A comparison of smart city research and practice in Sweden and Japan: Trends and opportunities identified from a literature review and co-occurrence network analysis. *Sustainability Science* 16: 1777-1796.
- Sasaki, D., Ishiwatari, M. 2022. Recent Trends in Disaster Risk Reduction Investments: A Literature Review. In: *Financing Investment in Disaster Risk Reduction and Climate Change Adaptation*, Ed. by Ishiwatari, M. and Sasaki, D. Springer, Singapore.
- Sato, M., Nishizawa, Y. 2019. Consideration of the contents of disaster-nursing education in basic nursing education: Knowledge and practical abilities required for effective radiation-disaster nursing. *Hiroshima Medical Journal* 69(1-4): 44-56.
- Segaran, T.C., Azra, M.N., Lananan, F., Burlakovs, J., Vincevica-Gaile, Z., Rudovica, V., Grinfelde, I., Rahim, N.H.A., Satyanarayana, B. 2023. Mapping the link between climate change and Mangrove forest: A global overview of the literature. *Forests* 14(2): 421.
- Shen, J., Zhang, X., Lian, Z. 2021. Gender differences in human psychological responses to wooden indoor environment. *European Journal of Wood and Wood Products* 79(1): 217-226.
- Sulova, S., Todoranova, L., Penchev, B., Nacheva, R. 2017. Using text mining to classify research papers. In: *Vienna, Austria, Proceedings of 17th International Multidisciplinary Scientific GeoConference (SGEM 2017)*, pp. 647-654.
- Sumardi, I., Alamsyah, E.M., Suhaya, Y., Dungani, R., Sulastiningsih, I.M., Pramestie, S.R. 2022. Development of bamboo zephyr composite and the physical and mechanical properties. *Journal of the Korean Wood Science and Technology* 50(2): 134-147.
- Teischinger, A. 2010. The development of wood technology and technology developments in the wood industries: From history to future. *European Journal of Wood and Wood Products* 68(3): 281-287.
- Tian, F., Chen, L., Xu, X. 2021. Dynamical mechanical properties of wood-high density polyethylene com-

- posites filled with recycled rubber. *Journal of Bioresources and Bioproducts* 6(2): 152-159.
- Toosi, H., Ghaaderi, M.A., Shokrani, Z. 2022. Comparative study of academic research on project management in Iran and the World with text mining approach and TF-IDF method. *Engineering Construction and Architectural Management* 29(3): 1553-1583.
- Vijayarani, S., Ilamathi, J., Nithya. 2015. Preprocessing techniques for text mining: An overview. *International Journal of Computer Science & Communication Networks* 5(1): 7-16.
- Weston, L., Tshitoyan, V., Dagdelen, J., Kononova, O., Trewartha, A., Persson, K.A., Ceder, G., Jain, A. 2019. Named entity recognition and normalization applied to large-scale information extraction from the materials science literature. *Journal of Chemical Information and Modeling* 59(9): 3692-3702.
- Yu, S.J., Rha, J.S. 2021. Research trends in accounting fraud using network analysis. *Sustainability* 13(10): 5579.
- Zeng, L., Li, R.Y.M., Yigitcanlar, T., Zeng, H. 2023. Public opinion mining on construction health and safety: Latent dirichlet allocation approach. *Buildings* 13(4): 927.