1-10. Genus Marietta Motschulsky (Hymenoptera: Aphelinidae) New to Korea

Cheng-De Li, Bong-Kyu Byun¹ and Woon-Ik Bae¹

College of Forestry Resources and Environment, Northeast Forestry University, Harbin, 150040, P. R. China,

¹Korea National Arboretum, Prov. Gyeonggi, 487-821, Korea

This is a part of the result of the systematic study of Aphelinidae in Korea. In the present study, a genus *Marietta* Motschulsky comprising two species, *M. carnesi* (Howard) and *M. picta* (Andre) are reported for the first time from Korea. The genus was established by Motschulsky in 1863 and 19 species has been recorded worldwide to date. The species of the genus has been known to be external hyperparasites of Diaspididae, Coccidae, Psyllidae, and other Homopteran species.

The newly reported species are as follows.

Marietta Motschulsky 꽃날개좀벌屬 (新稱)

1. Marietta carnesi (Howard) 얼룩무늬꽃날개좀벌(新稱)

Hosts: Pseudaulacaspis pentagona (Targioni Tozzetti), P. cockerelli (Cooley), Antonina crawii Cockerell, Lepidosaphes pini (Maskell). According to the literatures, there are also the hosts Leucaspis japonica Cockerell, Temnaspidiotus destructor (Signoret), Pscudaonidia trilobiformis (Green), Aonidiella aurantii (Maskell), Chrysomphalus aonidum (Linnaeus), Cornuaspis beckii (Newman), Parlatoria pergandii Comstock and Unaspis yanonensis (Kuwana).

Distribution: Korea(Prov. Gyeonggi, Prov. Chungcheongbuk, Prov. Chungcheongnam), Australia, Hawaii, India, Japan, China, Mauritius, New Caledonia, North America, Russia(Far east), Spain, Italy, West Caroline Islands.

2. Marietta picta (Andre) 표범무늬꽃날개좀벌(新稱)

Hosts: Eriococcus lagerstroemiae Kuwana, Antonina crawii Cockerell. According to the literatures, there are also the hosts Eulecanium sp., Pseudococcus fisus Sign., Acanthecoccus sp. Sphaerolecanium prunastri Fonsc., Eriopeltis lichlensteini Sign. and E. araxis Borchs.

Distribution: Korea(Prov. Chungcheongnam), Europe, Russia, Rumania, China.