

A study of the predictive model on the user reaction time using the information amount and its similarity

Sungjin Lee¹, Gyunyoung Heo², Soon Heung Chang³
 Korea Advanced Institute of Science and Technology
 nuscollee@yahoo.co.kr¹; ad0ngtic@kaist.ac.kr²; shchang@mail.kaist.ac.kr³

1. Introduction

There are lots of studies on the user interface evaluation since it started. Recent studies focus on the contextual information of the user interface. We knew that the user reaction time increases as the amount of information increases. But, the relation between the contextual information and the user reaction time may be unknown. In this study, we proposed the similarity as one of the contextual information. We can expect that the similarity decreases the user reaction time. The goal of this study is to find some correlation about the user reaction time with both the information amount and the similarity. The experiment was performed with 20 participants. The results of experiment demonstrated our proposals.

2. Models and methods

2.1 The importance of similarity




Figure 1. Diagram of this study in human information processing

When we are going to the nearest vending machine, the reason how we can easily go there is the result of our memory operation. The similarity can reduce the time of human information processing to do some actions. The effect of similarity is emphasized by other researchers. However, they mention about that in the qualitative way. Therefore, our paper proposed a quantitative model to predict a choice reaction time based on the information amount and similarity as Figure 1.

2.2 The information amount

Hick's law, which is expressed as Equation (1), explains that the choice reaction time in visual search task become longer as the information amount increases.

$$T = A + BH \quad (1)$$

where H is the information or alternatives amount of an interface, A and B are regression coefficients. Originally, the information amount is calculated by the

concept of entropy. But in this study, it is calculated simply by the number of alternatives.

2.3 The information similarity

In this paper, Tversky's featural model was used to calculate the similarity (Tversky, 1977). The matching function in this study is the following Equation (2).

$$S(A, B) = \frac{f(A \cap B)}{f(A \cap B) + \alpha f(A - B) + \beta f(B - A)} \quad (\alpha, \beta \geq 0)$$

(2)

The set A means the current state. Therefore, the similarity matching function can be changed as following Equation (3).

$$S(A, B) = \frac{f(A \cap B)}{f(A \cap B) + \alpha f(A - B)} \quad (\alpha \geq 0) \quad (3)$$

Let us assume the denominator as the set A, which means $\alpha = 1$.

$$S(A, B) = \frac{f(A \cap B)}{f(A)} \quad (4)$$

Above equation means how much information are same as the previous states. We can express the Equation (4) as the notation of information amount.

$$S(A, B) = \frac{H_s}{H} \quad (5)$$

The law of practice concerns the relationship between expected response time and amount of practice in skill acquisition paradigms with the sameness, which means the degree of similarity is full. For most of the previous 20 years, researchers have believed that the law of practice was well described by a power function, due mainly to evidence collected by Newell and Rosenbloom (1981). Therefore, our study chose the Equation (6) for applying the law of practice.

$$T = A_E + B_E e^{-\alpha N} \quad (6)$$

2.4 The development of our prediction model

Let us think about simple case in general as shown as Figure 2. The part of (b) is the same as the part of (a). Therefore, there is a similarity between (b) and (a). We can apply the law of practice for the same part. The expected response time of part (b) may be decreased along path (1), (2), (3) or other shapes as the similarity increases (Figure 3). We cannot know the correct shape of similarity curve but know only its trend.




Figure 2. Simple general case of two serial interfaces. (left)

Figure 3. Similarity curve on the expected response time. (right)

As summarized above things, we can make the following equations.

$$T_{(b),min} \leq T_{(b)}(S(b, a), H) \leq T_{(b),max} \quad (7)$$

$$T_{(b)}(1, H) \leq T_{(b)}(S(b, a), H) \leq T_{(b)}(0, H) \quad (8)$$

$$T_{(b)}(S(b, a), H) = pS(b, a) + q \quad (9)$$

Equation (9) represents the path (2) of Figure 6. We can calculate the boundary values by Equation (1) and (6). Therefore, we find a relation between the expected response time and information similarity.

$$T_{(b)}(S(b, a), H) = B_E \left(\frac{1}{e^{2\alpha}} - \frac{1}{e^\alpha} \right) S(b, a) + (A + BH) \quad (10)$$

We can expand the Equation (10) to the most general case that we usually confront to complete a task as shown as Figure 4.




Figure 4. Conceptual example of various past memories to current work.

When the current interface has several same parts, each part may have the different practice level. Each same part has its own practice level and same information amount.

$$\begin{aligned} \vec{S} &= (S(b, a)_1, \dots, S(b, a)_m) \\ \vec{B}_S &= \left(B_E \cdot \left(\frac{1}{e^{\alpha N_1}} - \frac{1}{e^\alpha} \right), \dots, B_E \cdot \left(\frac{1}{e^{\alpha N_m}} - \frac{1}{e^\alpha} \right) \right) \quad (11) \\ T_{(b)}(\vec{S}, \vec{B}_S, H) &= \vec{B}_S \cdot \vec{S}^T + (A + BH) \end{aligned}$$

This model can cover the range from Hick's Law to the Law of Practice.

3. Experimental works

We made simply window-based GUI for visual search tasks, which consists of center text box and circular text boxes and considers the letter-position effect in the navigation of the user. The experiment factors are the information amount and the degree of similarity. We performed the experiments with 20 participants.




Figure 5. Experiment of law of practice.




Figure 6. Experiment of similarity effect.

4. Conclusions

Proposed model has been developed for the quantitative and mathematical prediction method on the expected response time in sequential operations. This model also represents the unified equation of both Hick's law and the law of practice using the information similarity. As designers or evaluators in HCI field use this proposed model, they may make efficient and effective interfaces or easily find out the defects of developed interfaces. We think that the similarity curve that is proposed in this study indicates the nature of human.

However, this study should refine the basic logics and the approach methods by reviewing with many researchers.

REFERENCES

1. R. Goldstone, Similarity. In Wilson, R. and Keil, F. (eds.), *The MIT Encyclopedia of the Cognitive Sciences*. Cambridge, MA: MIT Press, 1999.
2. C. E. Shannon, A mathematical theory of communication, *Bell Syst. Tech. J.*, vol. 27, pp.379-423, 1948.
3. C. D. Wickens, *Engineering psychology and human performance*, 2nd Edition, Harper Collins Publishers, 1992.
4. A. Newell & P. S. Rosenbloom, Mechanisms of skill acquisition and the law of practice, *Cognitive Skills and their Acquisition*, pp.1-55, 1982.
5. Heathcote A., Brown S. & Mewhort D.J.K., Repealing the powe law: The case for an exponential law of practice. *Psychonomic Bulletin and Review*, 7, pp.185-207, 2000.
6. A. Tversky, Features of similarity, *Psychological Review*, Vol. 84, pp.327-352, 1977.