# 수입식품에 불법첨가한 비아그라 유사체의 규명과 대응

#### 수입식품에 불법 첨가한 비아그라 유사체의 규명과 대응

#### 홍무기

식품의약품안전청 식품안전평가부

New analogues of Sildenafil (Viagra®) were identified in the imported Chinese herb drinks, which have been added illegally for affecting penile erectile dysfunction. In order to elucidate the chemical structures of Sildenafil analogues, separation and purification were carried out and followed by analysis of the routine 1D and 2D NMR spectroscopy and FAB mass spectrometry. Based on analytical data one compound was named as Homosildenafil contains ethylpiperazine switched with methylpiperazine of Sildenafil and the other one was called as Hongdenafil contains ethylpiperazine switched with methylpiperazine and acetyl group instead of sulfonyl group of Sildenafil. As results, Homosildenafil and Hongdenafil were put on the list as new inspection items of the imported food for protecting public health in Korea.

#### Introduction

- Some food manufacturers have added synthetic drugs or unknown compounds to foods illegally. Moreover, structuremodified compounds could be added, but it is almost impossible to detect them using ordinary laboratory system.
- In this work, I determined the structures of sildenafil-like compounds in the imported foods using HPLC, MS, and NMR.
- The newly synthesized compounds were named as 'homosildenafil' and 'hongdenafil', respectively.
- Ultimately, I want to guard safety of foods from hazardous circumstances.




### What is Sildenafil (VIAGRA®)?

- Viagra, an oral therapy for erectile dysfunction, is the citrate salt of sildenafil, a selective inhibitor of cyclic guanosine monophosphate (cGMP)-specific phosphodiesterase type 5 (PDE5).
- Sildenafil citrate is designated chemically as 5-[2-Ethoxy-5-(4-methylpiperazine-1-sulfonyl)-phenyl]-1-methyl-3-propyl-1,6-dihydro-pyrazolo[4,3-d]-pyrimidin-7-one
- The medicinal compound, sildenafil citrate, initially developed to treat patients who had heart disease (angina pectoris). During early clinical trials, an unexpected 'side effect' was discovered: improve and maintain a man's erection.



Sildenafil citrate is a white to off-white crystalline powder with a solubility of 3.5 mg/ml in water and a molecular weight of 666.7.





#### **Side Effects**

- The most common side effects are headache, flushing of the face, and upset stomach.
- Less common side effects that may occur are temporary changes in color vision (such as trouble telling the difference between blue and green objects or having a blue color tinge to them), eyes being more sensitive to light, or blurred vision.
- In extremely rare instances, men may have an erection that lasts many hours.



#### Medicinal Classification of the Therapies for Impotence

- Testosterone therapy for hypogonadism
- Selective inhibitors of cGMP-specific phosphodiesterase type 5 (PDE5)
  - Sildenafil citrate, Tadalafil, Vardenafil
- Dopamine D₂ receptor stimulator
  - Apomorphine SL (Uprima®, Abbott)
- α-adrenergic antagonist
- Yohimbine (selective  $\alpha_2$ ), Phentolamine (non-selective)
- Synthetic PGE₁ analogue
  - Alprostadil(intracavernosal and intraurethral)



# **PDE5 Inhibitors of Drug**

Medicine	Chemical structure	Product name	Manufacturer	Side effects
Sildenafil citrate		VIAGRA®	Pfizer	headache, facial flushing, and upset stomach
Tadalafil		Cialis <sup>®</sup>	Eli Lilly	headache, upset stomach, backache, muscle ache and flushing
Vardenafil		Levitra ®	Bayer	headache, flushing, rhinitis and flu syndrome





# **Labeled Ingredients**

Ganoderma lucidum(영지), Eucommia ulmoides(두충), Alium tuberosum(부추), Lycium chinensis(구기자), Glycyrrhiza glabra(감초), Poria cocos(복령), Royal Jelly(로얄제리), Amomum xanthioides(사인)









# **NMR Experiments**

- ♣ All NMR experiments were performed on a Bruker Avance 400 spectrometer system (9.4 T) at 298 K.
- The <sup>1</sup>H NMR, <sup>13</sup>C NMR, DEPT, COSY, TOCSY, HMQC, HMBC and NOESY spectra were collected in DMSO with TMS as an internal reference.




## **Results of 1D NMR**


	δ	δ
-		


#### Homosildenafil


5-[2-Ethoxy-5-(4-ethylpiperazine-1-sulfonyl)-phenyl]-1-methyl-3-propyl-1,6-dihydro-pyrazolo[4,3-a]-pyrimidin-7-one














### PDE5 Inhibitors in Food









#### Case #1 - Korea



#### Case #2 - Canada





Health Canada Home

February 15, 2002

2002-09 February 15, 2002

Warnings/ Advisories

• Back to Warnings

WICE STATE

Health Canada warns public not to use Hua Fo **They contained sildenafil** 

OTTAWA - Health Canada is warning consumers not to use Hua Fo tablets, an unapproved herbal product that claims to enhance sexual function. Health Canada analyzed samples of Hua Fo tablets and found that they contained sidenafil. Sildenafil is a drug approved as prescription only for male erectile dysfunction, sold under the brand name Viagra® Use of sildenafil without medical supervision could cause severe adverse reactions.

Sildenafil should not be used by individuals who are taking any nitrate medication sold by perscription or over the counter. Nitrate medications are commonly used for angina. Concurrent use could result in the development of potentially life-threatening low blood pressure. In extremely rare instances, use of sildenafil could result in penile tissue damage and permanent loss of potency.



#### Case #3 - U.S.A



#### U.S. Food and Drug Administration



FDA Home Page | Search FDA Site | A-Z Index | Contact FDA

June 20, 2003

FDA Talk Paper

TD3-48 June 20, 2003 Media Inquines 301-827-6242 Consumer Inquines 888 INFO-FDA

FDA Public Health Advisory:

FDA Warns Consumers Against Taking the Following <u>Dietary Supplements-SiGRA, STAMINA</u>


Rx and STAMINA Rx for Women, Y-Y, Spontane ES and Uroprin

Today, the Food and Drug Administration (FDA) is warning consumers not to purchase or consume the following products. SIGRA, STAMINA Rx and STAMINA Rx for Woreen YY, Spontane ES and Uropm, manufactured by NVE, Inc., in Mewdron, NJ and distributed by H-Tech in Norross, Ga These products, which are being marketed as delary supplements, actually contain prescription drug ingredient that poses possible health risks. The products are being sold over the counter and are claiming to increase stamina, confidence and performance.

FDA has determined that the products actually contain the prescription strength drug ingredient (adalahi) adalahi is the active ingredient in Cialis, an Eli Lilly product approved in Europe to treat male erectile dysfunction. An interaction between certain prescription drugs containing nitrates (such as introglycenn) and tadalahi may cause a drastic lowering of blood pressure. There is real danger that this product may be taken by palients taking intrates since erectile dysfunction is often a common problem in people with diabetes, hypertension (high blood pressure), hypertension (high blood pressure), hypertension (high contains a common problem).

KPA Korea Food & Drug Administration

# **Analogues of Sildenafil in Food**







▶ 1 영소수 -세소식 - 보도/해명자료 <주요내용> - 발주공고 다 식품의약품안전청은 지속적인 단속에도 불구하고 전문의약품인 구면산실 데나필을 식품에 청가하며 제조 또는 수입 판매한다는 정보가 있어 이에 대한 단속을 살시한 결과 - 식품의약품 안전에 관한 핫마슈! 궁금증을 들어드립니다 - 관련기사모음 ○ 인상용료 기타식품 등에 비마그라 성분인 구연산실데나팔을 첨가하기 나 비마그라 성분과 유사한 통할인 호모실데나팔을 청가하여 식품을 제조 수 입 판매 및 허위 과대광고한 업소 14개소를 적발하였으며 - 입안예고

Case #4 - Korea

- 인사동정 - 연구생모집공고 - KFDA생각과 의견 이렇습니다 O 이러한 제품증 비아그라 성분 및 유사성분이 검출된 제품은 의사의 차 방없이 임의로 섭취하는 경우 국민건강을 크게 저해할 우려가 있고

▶ 설질건사람

\* 역단원작상자

+ マロソ人に基

→ #2777

O 특히 일부제품은 I회 설취 용량당 구연산실데나필이 최고 133 32mg까 지 검출되거나 동일제품 중에도 합량차이가 있는 등 균질화 되지 않아 설취 시 위험성이 있다고 밝혔다.

Korea Food & Drug Administration

### Case #5 - Canada

Health Canada



Health Canada Home

April 5, 2002

April 5, 200.

+ Back to Warnings

Health Canada warns public not to use Hua Fo (DIN 02243366)

OTTAWA - Health Canada is warning consumers not to use Hua Fo tablets bearing the (Drug Identification Number) DIN 02243366, after they were found to contain an unauthorized substance similar, but not identical to, sildenaffi Sildenaffi is a prescription drug approved for male erectile dysfunction, sold under the brand name Viagra® Inappropriate use of sildenaffi could cause

severe adverse reactions
Similar, but not identical to, sildenafil Health Canada issued a previous warning on February 15, 2002, concerning a lot of non-DIN Hua Fo that contained sildenafil. At the time, Health Canada


required the importer to remove the product from the shelves. Health Canada is again requiring the importer and distributor to remove Hua Fo (DIN 02243366) from the market, and has issued a Customs Alert, to stop the importation of the product. Both the non-DIN and the DIN lots were sold in Canada by Shenlong Company Ltd.


Korea Food & Drug Administration

Case #6 - Japan (2003. 12)

Korea Food & Drug Administration

### Case #7 - Korea






# Banned-Viagra® and its Analogues in Food

Compound	First Announced		Second Announced		Detected
Name	Country	Date	Country	Date	(mg/30m )
Sildenafil citrate	Korea	July 2001	Canada	Feb. 2002	30-187
Tadalafil	Korea	Oct. 2002	USA	June 2003	20-60
Homosildenafil	Korea	April 2002	Japan	Dec. 2003	80-160
Hongdenafil	Korea	July 2003	-	-	25-132
Hydroxy homosildenafil	Japan	Feb. 2004		-	




# **Illegal Foods Contained Sildenafil Analogues**
























#### Conclusion

- Sildenafil or Tadalafil were Detected in Imported Foods or Dietary Supplements
- New Analogues of Sildenafil were Identified in the Imported Chinese Herb Drinks, and their Chemical Structures Elucidated
- The Analogues were Named as 'Homosildenafil' and 'Hongdenafil', respectively
- Imported Foods Containing them have been Banned

