## FUV Sky Survey Observation of Hot ISM

Wonyong Han<sup>1</sup>, Kwang-II Seon<sup>1</sup>, Jang-Hyun Park<sup>1</sup>, In-Soo Yuk<sup>1</sup>, Uk-Won Nam<sup>1</sup>, Dae-Hee Lee<sup>1</sup>, Kyung-Wook Min<sup>2</sup>, Kwang-Sun Ryu<sup>2</sup>, Jong-Ho Shinn<sup>2</sup>, Jerry Edelstein<sup>3</sup>, Eric Korpela<sup>3</sup>, and Kaori Nishikida<sup>3</sup>

<sup>1</sup>Korea Astronomy and Space Science Institute <sup>2</sup>Korea Advanced Institute of Science and Technology <sup>3</sup>Space Sciences Lab.. University of California, Berkeley

We present the first sky map of C IV emission line, observed with the FIMS (Far-ultraviolet IMaging Spectrograph) instrument, also known as SPEAR (the Spectroscopy of Plasma Evolution from Astrophysical Radiation), onboard the first Korean Science and Technology SATellite, STSAT-1. The emission line maps of C IV 1548, 1551A were made by fitting the spectra in each pixel with Gaussian line spread functions and a constant background. Discrete FUV sources have not been removed. The brightest source is the Vela Supernova remnant. We found many interesting diffuse features as well as many well-known sources.