

Osteochondral lesion of Elbow Joint

10 15
3,11)
17)

가
45

가
가
가

Panner's disease
가

T2

Panner's disease
가

MRI T1
5,18)

self-limited disease 4 8
Panner's disease

Tullos King
가

(Wind up), 가

(Acceleration),

(Follow through phase)
가

. Pappas

가
(lateral compression injury),
injury) 가

(medial tension overload injury),
(extensor overload

가

가 6

17

(olecranon fossa)

(olecranon process)

가

Brogden
Little leaguer's elbow

Tullos King
50%

30%

50%

가

Jack

가

2004

14

15

Lyman

75

가

가¹⁷⁾
 3~6
 가 . 가 sequelae
 가
¹⁷⁾
^{1,12)} (subchondral penetraton)
¹⁴⁾
^{8,12)} 가
¹⁰⁾ head가 Kirschner ,
 Staple, Herbert , pull-out wiring ^{2,4,9,16)}
 23 31
 가
 15. 가
 Herbert 1 closed wedge 7 가
 revascularization 6. ¹³⁾

REFERENCES

- 1) Baumgarten, T. E.; Andrews, J. R.; and Satterwhite, Y. E.: The arthroscopic classification and treatment of osteochondritis dissecans of the capitellum. *Am J Sports Med*, 26(4): 520-3, 1998.
- 2) Harada, M.; Ogino, T.; Takahara, M.; Ishigaki, D.; Kashiwa, H.; and Kanauchi, Y.: Fragment fixation with a bone graft and dynamic staples for osteochondritis dissecans of the humeral capitellum. *J Shoulder Elbow Surg*, 11(4): 368-72, 2002.
- 3) Hutchinson, M. R., and Ireland, M. L.: Overuse and throwing injuries in the skeletally immature athlete. *Instr Course Lect*, 52: 25-36, 2003.
- 4) Inoue, G.: Bilateral osteochondritis dissecans of the elbow treated by Herbert screw fixation. *Br J Sports Med*, 25(3): 142-4, 1991.
- 5) Kijowski, R.; Tuite, M.; and Sanford, M.: Magnetic resonance imaging of the elbow. Part I: normal anatomy, imaging technique, and osseous abnormalities. *Skeletal Radiol*, 33(12): 685-97, 2004.
- 6) Kiyoshige, Y.; Takagi, M.; Yuasa, K.; and Hamasaki, M.: Closed-Wedge osteotomy for osteochondritis dissecans of the capitellum. A 7- to 12-year follow-up. *Am J Sports Med*, 28(4): 534-7, 2000.
- 7) Kobayashi, K.; Burton, K. J.; Rodner, C.; Smith, B.; and Caputo, A. E.: Lateral compression injuries in the pediatric elbow: Panner's disease and osteochondritis dissecans of the capitellum. *J Am Acad Orthop Surg*, 12(4): 246-54, 2004.
- 8) Krijnen, M. R.; Lim, L.; and Willems, W. J.: Arthroscopic treatment of osteochondritis dissecans of the capitellum: Report of 5 female athletes. *Arthroscopy*, 19(2): 210-4, 2003.
- 9) Kuwahata, Y., and Inoue, G.: Osteochondritis dissecans of the elbow managed by Herbert screw fixation. *Orthopedics*, 21(4): 449-51, 1998.
- 10) Oka, Y., and Ikeda, M.: Treatment of severe osteochondritis dissecans of the elbow using osteochondral grafts

- from a rib. *J Bone Joint Surg Br*, 83(5): 738-9, 2001.
- 11) Roberts, N., and Hughes, R.: Osteochondritis dissecans of the elbow joint; a clinical study. *J Bone Joint Surg Br*, 32-B(3): 348-60, 1950.
 - 12) Ruch, D. S.; Cory, J. W.; and Poehling, G. G.: The arthroscopic management of osteochondritis dissecans of the adolescent elbow. *Arthroscopy*, 14(8): 797-803, 1998.
 - 13) Sato, M.; Ochi, M.; Uchio, Y.; Agung, M.; and Baba, H.: Transplantation of tissue-engineered cartilage for excessive osteochondritis dissecans of the elbow. *J Shoulder Elbow Surg*, 13(2): 221-5, 2004.
 - 14) Stubbs, M. J.; Field, L. D.; and Savoie, F. H., 3rd: Osteochondritis dissecans of the elbow. *Clin Sports Med*, 20(1): 1-9, 2001.
 - 15) Takahara, M.; Ogino, T.; Fukushima, S.; Tsuchida, H.; and Kaneda, K.: Nonoperative treatment of osteochondritis dissecans of the humeral capitellum. *Am J Sports Med*, 27(6): 728-32, 1999.
 - 16) Takeda, H.; Watarai, K.; Matsushita, T.; Saito, T.; and Terashima, Y.: A surgical treatment for unstable osteochondritis dissecans lesions of the humeral capitellum in adolescent baseball players. *Am J Sports Med*, 30(5): 713-7, 2002.
 - 17) Yadao, M. A.; Field, L. D.; and Savoie, F. H., 3rd: Osteochondritis dissecans of the elbow. *Instr Course Lect*, 53: 599-606, 2004.
 - 18) Yoshioka, H.; Ueno, T.; Tanaka, T.; Kujiraoka, Y.; Shindo, M.; Takahashi, N.; Nishiura, Y.; Ochiai, N.; and Saida, Y.: High-resolution MR imaging of the elbow using a microscopy surface coil and a clinical 1.5 T MR machine: preliminary results. *Skeletal Radiol*, 33(5): 265-71, 2004.