

# HRIR Customization in the Median Plane via Principal Components Analysis

주성분 분석을 이용한 HRIR 맞춤 기법

Sungmok Hwang<sup>†</sup> and Youngjin Park\*

황성목 · 박영진

**Key Words :** Head-Related Transfer Function (머리전달함수); Customization (맞춤기법); Principal Components Analysis (주성분 분석)

## ABSTRACT

A principal components analysis of the entire median HRIRs in the CIPIC HRTF database reveals that the individual HRIRs can be adequately reconstructed by a linear combination of several orthonormal basis functions. The basis functions cover the inter-individual and inter-elevation variations in median HRIRs. There are elevation-dependent tendencies in the weights of basis functions, and the basis functions can be ordered according to the magnitude of standard deviation of the weights at each elevation. We propose a HRIR customization method via tuning of the weights of 3 dominant basis functions corresponding to the 3 largest standard deviations at each elevation. Subjective listening test results show that both front-back reversal and vertical perception can be improved with the customized HRIRs.

## 1. INTRODUCTION

The dominant determinants of the apparent direction of a sound are interaural time difference, interaural level difference, and spectral modification due to pinnae [1,2,3]. These are called primary sound cues and encrypted in the Head-Related Transfer Functions (HRTFs), which is an acoustic transfer function between the pressure at a sound source and the ear drum pressure. Thus, HRTFs play an important role in Virtual Auditory Display (VAD), and most VAD systems use the non-individualized HRTFs measured from a dummy head microphone system. Non-individualized HRTFs, however, often cause problems such as inaccurate lateralization, poor vertical effects, and weak front-back distinction because HRTFs vary considerably from subject to subject. Although individual HRTFs can alleviate these problems, measurement of individual HRTFs for every listener is not practical due to the requirements of heavy and expensive equipments as well as a long measurement time. Thus, it is a priority to develop a customization method that provides the listener with proper sound cues without measurement of the individual HRTFs. Several methods for customization, such as HRTF clustering and selection of a few most representative ones [4], HRTF scaling in

frequency [5], a structural model for composition and decomposition of HRTFs [6], and HRTF database matching [7], are already suggested. However, these previous methods have some practical limitations. For example, the method of HRTF scaling in frequency is based on the basic idea that HRTF will be shifted toward the higher frequencies or lower frequencies when the size of pinna increases or decreases, respectively, while maintaining its shape. However, the pinnae of different listeners are different in many more aspects than just a size of pinna. Thus, a trivial change in the pinna shape can yield complex changes in HRTF. The method of HRTF database matching uses the individual HRTF database (CIPIC HRTF database) contains HRTFs of 45 subjects along with 7 anthropometric parameters about the subjects. The best matching set of individual HRTFs is selected by taking a picture of the listener's own ear and comparing the anthropometric parameters measured from the picture with the ones in the database. However, this method requires an additional imaging system to capture the listener's ear and compute the anthropometric parameters from the image. More recently, Shin and Park [8] suggested the Head-Related Impulse Response (HRIR) customization method based on subjective tunings of the pinna responses in the time domain. HRIR is a time domain counter part of HRTF, and it is the Fourier transform pair of HRTF. The basic idea of their method is that the pinna response of an arbitrary listener can be reproduced by a linear combination of a set of basis function, which is computed by Principal Components Analysis (PCA) of

<sup>†</sup> KAIST

E-mail : tjdahr78@kaist.ac.kr

Tel : (042) 869-3076, Fax : (042) 869-8220

\* KAIST

the CIPIC HRTF database. Thus, they obtained the customized HRTF by letting a subject tune the weight on each basis function, and they showed an improved performance for the elevation perception by a subjective test. However, they focused on the pinna response only. Although the pinna responses are important for listener to perceive sound direction, the shoulder or torso response also provides directional sound cue especially for the up-down distinction. In their PCA process, the pinna responses of 45 individuals at each elevation were included in a single analysis, and the set of basis functions is different from elevation to elevation, thus, the basis functions cover the inter-individual variation only.

Our customization method is similar with Shin's method, but we expand the HRIR dataset to be analyzed in PCA. Entire median HRIRs in the CIPIC HRTF database [9] are included in a single analysis. Thus, all median HRIRs share the same set of basis functions, and the basis functions cover not only the inter-individual variation but also the inter-elevation variation. The response of 1.5 msec since the arrival of direct pulse in HRIR, which contains the effects of pinna, shoulder, and torso, are included in PCA, whereas Shin used the pinna response of 0.2 msec only.

## 2. Principal Components Analysis of median HRIRs

Principal Components Analysis is one of the statistical procedures that try to provide an efficient representation of a set of correlated data [10]. The basic idea of PCA is to simplify the dataset by reducing multidimensional dataset to lower dimensions, while remaining as much as possible the variation present in the dataset. Martens applied PCA to the problems of modeling of HRTFs [11]. Kistler and Wightman showed that the magnitude of HRTF in dB scale can be adequately approximated by a linear combination of five basis spectral shapes [12]. These previous works focus on the magnitude response of HRTF in the frequency domain. However, we apply PCA for modeling of HRIRs and customization in the time domain. The 2205 median HRIRs in the CIPIC HRTF database are included in PCA.

Before PCA, we post-process HRIRs to remove the initial time delay and to extract the early response that lasts for 1.5 msec since the arrival of direct pulse as depicted in Fig. 1. The response of 1.5 msec includes the effects of pinna, head, shoulder, and torso.




Fig. 1. Post-processing of HRIR

The first step in PCA is to make a matrix composed of direction impulse responses (DIRs). The original data matrix ( $\mathbf{X}$ :  $N \times M$ ) is composed of the post-processed median HRIRs. The each column of  $\mathbf{X}$ ,  $x_i$  ( $i=1,2,\dots,M$ ) indicates the post-processed HRIR, and the dimension of  $\mathbf{X}$  is  $67 \times 2205$  in this case. The response of 1.5 msec corresponds 67 samples in HRIR and the number of median HRIRs is 2205 (45 subjects  $\times$  49 elevations from  $-45^\circ$  to  $225^\circ$  at  $5.625^\circ$  intervals). The empirical mean of  $\mathbf{X}$  is needed to obtain DIRs, and the empirical mean vector ( $\mathbf{u}$ ) of dimensions  $N \times 1$  is given by

$$u[n] = \frac{1}{M} \sum_{m=1}^M \mathbf{X}[n, m] \quad \text{eq. (1)}$$

The mean-subtracted data matrix is the DIR matrix ( $\mathbf{B}$ ).

$$\mathbf{B} = \mathbf{X} - \mathbf{u} \cdot \mathbf{h} \quad \text{eq. (2)}$$

where,  $\mathbf{h}$  is a  $1 \times M$  row vector of all 1's.

The next step is to compute a covariance matrix ( $\mathbf{C}$ ).

$$\mathbf{C} = E[\mathbf{B} \otimes \mathbf{B}] = \frac{1}{M-1} \mathbf{B} \cdot \mathbf{B}^* \quad \text{eq. (3)}$$

where,  $\otimes$  and  $*$  indicate the outer product and the conjugate transpose operators, respectively. The basis functions (or basis vectors),  $\mathbf{v}_q$ , are the  $q$  eigenvectors of the covariance matrix,  $\mathbf{C}$ , corresponding to the  $q$  largest eigenvalues. These basis functions are called "Principal Components (PCs)". If  $q=N$ , then the DIRs can be fully reconstructed by a linear combination of the  $q$  PCs. However, in many practical applications,  $q \ll N$  because the object of PCA is to reduce the dimension of dataset. Thus, we can obtain only an estimate of the original dataset by using the  $q$  ( $\ll N$ ) PCs. The weights of PCs (PCWs) can be obtain as

$$\mathbf{W} = \mathbf{V}^* \cdot \mathbf{B}, \quad \mathbf{V} = [\mathbf{v}_1 \mathbf{v}_1 \dots \mathbf{v}_q] \quad \text{eq. (4)}$$

PCWs represent the contribution of each basis function to the DIRs. The estimate of HRIRs is given by

$$\tilde{\mathbf{X}} = \mathbf{V} \cdot \mathbf{W} + \mathbf{u} \cdot \mathbf{h} \quad \text{eq. (5)}$$

Then, we should determine how many PCs we use for the HRIR reconstruction. We define the reconstruction error in percentage as

$$e = \frac{\|\mathbf{X} - \tilde{\mathbf{X}}\|_F^2}{\|\mathbf{X}\|_F^2} \times 100 (\%) \quad \text{eq. (6)}$$

where, subscript  $F$  indicates the frobenious matrix norm. The more PCs are used, the more accurately HRIR can be reconstructed as depicted in Fig. 2.




Fig. 2. Reconstruction errors with respect to the number of PCs

We arbitrary set the reconstruction error bound of 5%, and we retain 12 PCs. Fig. 3 shows the empirical mean and 12 PCs obtained from PCA of the left ear HRIRs (2205 HRIRs).




Fig. 3. The empirical mean and PCs

PC1, PC2, PC3, and PC4 have higher energy in the pinna response up to 0.2 msec, whereas PC9 and PC10 have higher energy in the shoulder response. Thus, it can be said that PC1, PC2, PC3, and PC4 mainly contribute to the effect of pinna and PC9 and PC10 mainly contribute to the shoulder effect. Fig. 4 shows an example of the

reconstruction process for the left ear HRIR of a representative subject (Subject 152 in the CIPIC HRTF database) for a source at  $-33.75^\circ$  elevation in the median plane.




Fig. 4. Reconstruction result.

When only PC1-8 used for reconstruction, the pinna response can be well reconstructed, however, the shoulder response cannot be reproduced because these PCs have less energy in that response region. The shoulder response can be reconstructed by PC9 and PC10. Of course, other PCs also contribute to the reconstruction, PC9 and PC10 are dominant components to recover the shoulder effect.

PCWs also should be investigated because they represent the contribution of each PC in the reconstructed HRIR. Fig. 5 shows the mean value and standard deviation of each PCW for all left ear HRIRs (45 subjects) with respect to the change of elevation in the median plane. There are some notable trends of PCWs, and each PCW provide a useful sound cue for front-back distinction and vertical effect. For example, PCW1 have positive mean value from about  $30^\circ$  to  $150^\circ$  of elevation and have negative value at other elevations. Furthermore, it increases monotonically from  $0^\circ$  to  $90^\circ$  and decreases monotonically from  $90^\circ$  to  $180^\circ$ . Thus, we can conclude that PC1 contribute to the change of elevation. PCW2 have positive mean value in the frontal region except for low sources and have negative mean value in the rear region. Mean of PCW3 is almost asymmetric about  $90^\circ$  of elevation. Therefore, PC2 and PC3 provide sound cue for front-back distinction. The standard deviation of each PCW also provides how much inter-individual variation exists in HRIRs. The larger standard deviation means the larger inter-individual variation in HRIRs. PC1 has larger standard deviation at

higher sources than lower sources. From the standard deviation of PCW5, it can be said that the inter-individual variation of PC5 decreases as elevation is higher, and PC9 shows larger inter-individual variation for frontal low sources. In Fig. 4, PC9 contribute to the shoulder response, thus the inter-individual variation is large at low elevation because the shoulder effect is more prominent for lower sources.




Fig. 5. Mean and  $\pm 1$  standard deviation of each PCW for all left ear HRIRs (45 subjects) with respect to the change of median source elevation.

### 3. HRIR CUSTOMIZATION

As mentioned above, 12 PCs cover the inter-individual and inter-elevation variations in median HRIRs within the error bound of 5%. Thus, by allowing a subject to tune the PCW on each PC, one can make customized HRIRs. However, tuning the 12 PCWs is very exhausting task, thus the number of tuning PCWs should be reduced. At each elevation, we can arrange PCs with respect to the magnitude of standard deviation as depict in Table 1. The order of PCs is different at each elevation. We need to pay attention to the order for customization. The PCs having small standard deviation don't contribute to the inter-individual variations, thus we let the subject tune the weights on dominant PCs (DPCs) having large standard deviation and take mean values for other PCWs. For customization, we chose 3 DPCs corresponding to the 3 largest standard deviations at each elevation. Above customization process is based on the MATLAB<sup>TM</sup> GUI as depict in Fig. 6.

Table 1. Order of PCs and standard deviations (below each PC) at each elevation

elev.	Order of PCs and standard deviations (below each PC)											
-45°	PC9	PC8	PC5	PC3	PC7	PC2	PC10	PC11	PC4	PC1	PC6	PC12
	0.253	0.203	0.200	0.195	0.191	0.185	0.179	0.168	0.166	0.153	0.143	0.129
0°	PC5	PC2	PC4	PC1	PC3	PC7	PC8	PC9	PC10	PC11	PC6	PC12
	0.322	0.322	0.290	0.268	0.257	0.247	0.203	0.167	0.164	0.161	0.161	0.125
45°	PC1	PC3	PC2	PC4	PC5	PC7	PC6	PC10	PC8	PC9	PC11	PC12
	0.407	0.223	0.214	0.195	0.165	0.165	0.147	0.126	0.125	0.112	0.107	0.105
90°	PC2	PC1	PC6	PC4	PC3	PC7	PC8	PC10	PC5	PC11	PC9	PC12
	0.269	0.229	0.181	0.168	0.128	0.102	0.085	0.082	0.075	0.062	0.061	0.056
135°	PC4	PC1	PC2	PC3	PC6	PC10	PC9	PC8	PC7	PC11	PC5	PC12
	0.162	0.156	0.145	0.139	0.112	0.083	0.082	0.079	0.077	0.066	0.064	0.055
225°	PC6	PC7	PC4	PC2	PC8	PC5	PC3	PC9	PC11	PC10	PC1	PC12
	0.167	0.112	0.111	0.099	0.091	0.088	0.083	0.075	0.069	0.063	0.061	0.049



Fig. 6. MATLAB<sup>TM</sup> GUI for customization.

When a subject choose the elevation, the set of DPCs is automatically set. The maximum and minimum bounds of each weight of DPC were set to be mean  $\pm 3$  standard deviations. Customization is only carried out at 9 specific elevation angles from  $-30^\circ$  to  $210^\circ$  at  $30^\circ$  intervals in the median plane. We substitute the mean values of DPCs at the elevation angles of  $-28.125^\circ$ ,  $28.125^\circ$ ,  $61.875^\circ$ ,  $118.125^\circ$ ,  $151.875^\circ$ , and  $208.125^\circ$  for those at the elevation angles of  $-30^\circ$ ,  $30^\circ$ ,  $60^\circ$ ,  $120^\circ$ ,  $150^\circ$ , and  $210^\circ$ , respectively, because the CIPIC HRTF database is available at the elevation angles from  $-45^\circ$  to  $230^\circ$  at  $5.625^\circ$  intervals. We assumed that the left and right ears are symmetric and HRIRs for two ears are the same at each source position in the median plane. Thus, the left and right channels of a headphone (Sennheiser HD 250) were driven by the same signal.

For comparison of the localization performance, individual HRTFs of the two male participants (not including authors) were measured at the elevation angle where customization took place. A white noise with a bandwidth covering the entire audible frequency range (20 Hz ~ 20 kHz) was used as the general input to the speaker. The B&K binaural microphone type 4101 was

mounted inside each subject's pinna. The distance between the speaker and the subject's head center was set to be 1 m. The input signal together with the resulting output signal from the microphone were each collected for a sampling duration of 1.5 seconds at a sampling rate of 44.1 kHz. The individual HRTF was computed from a 1024-point DFT with a Hanning window and a 50 % overlap, and the individual HRIR was obtained from IFFT of HRTF. Fig. 7 shows the customized and individual HRIRs for a representative subject.




Fig. 7. Individual and Customized HRIRs for subject CH.

The angle at the left or right of each panel indicates the source elevation, and PCs below each angle denote the 3 DPCs used for customization. Of course there exist some discrepancies between the customized and individual HRIRs, the pinna response up to 0.2 msec and the shoulder reflection (about 0.3 - 0.4 msec) can be well reproduced by customization.

#### 4. SUBJECTIVE LISTENING TEST

Subjective listening tests using a pair of headphone (Sennheiser HD 250) were performed on the two subjects to evaluate the localization performances of non-individualized, individual, and customized HRIRs. For convenient test procedure, another MATLAB™ GUI was used for subjective listening test as depicted in Fig. 8. For correct headphone-presented stimulation of free-field listening when evaluating the individual HRIRs on their localization capabilities, the headphone dynamics was cancelled according to the method suggested by Wightman and Kistler [13,14]. When the subject registers his ID and date, a set of test signals containing 90 broadband stimuli for randomly selected HRIR set was generated. Each of the 9 elevations is stimulated 10 times in a random order yielding in total 90 stimuli. After listen each stimulus by pushing the “PLAY” button,

subject pushes one of the buttons corresponding to the perceived angle and “OK” button. Then, the number of sequence increases by one. When the number of sequence hits 90, the test is completed and the test result is saved by pushing the “SAVE” button.




Fig. 8. MATLAB™ GUI for subjective listening test.

Figs. 9-11 show the subjective listening test results by all two subjects. The horizontal axis and the vertical axis denote the actual source elevation and the perceived elevation, respectively, in each panel. The size of circle is directly proportional to the response frequency. The positive-sloped diagonal line indicates the perfect elevation perception and front-back non-reversal condition in which the subject is able to pinpoint the source elevation with perfect accuracy. The negative-sloped diagonal line indicates the perfect front-back reversal condition in which the subject reported the accurate vertical perception but perceived all frontal sources as rear sources, and vice versa. All subjects showed prominent front-back reversal and poor vertical perception with the kemar HRIRs. With the individual HRIRs, subject CH showed front-back reversal at frontal low elevation but vertical perception was improved. Subject KB reported the improved localization performance for frontal sources with his own HRIRs, but the responses for rear sources were scattered. With the customized HRIRs, front-back reversal was frequent for subject CH. However, the responses were very close to the two diagonal lines, and this means that vertical perception was improved with the customized HRIRs. Subject KB also reported the improved vertical perception with the customized HRIRs.




Fig. 9. Subjective test results for kemar HRIR.




Fig. 10. Subjective test results for individual HRIR.




Fig. 11. Subjective test results for customized HRIR.

A quantitative error analysis for front-back reversal and vertical perception can be performed by a cluster analysis of the response data along the two diagonal lines. If the response is more close to the negative-sloped line than the positive-sloped line, we determined that the front-back reversal is occurred and the vertical perception error is the angular difference between the response and the negative-sloped line. Of course, if the response is more close to the positive-sloped line than the negative-sloped line, the front-back reversal is not occurred and the vertical perception error is the angular difference between the response and the positive-sloped line. Thus, we defined two kinds of errors, the front-back reversal error ( $e_{FBR}$ ) and the vertical perception error ( $e_{VP}$ ), as

$$e_{FBR} = \frac{\text{No. of responses satisfying } |P - (180^\circ - A)| < |P - A|}{\text{No. of total responses}} \times 100 (\%) \quad \text{eq. (7)}$$

$$e_{VP} = \frac{1}{N} \sum_{i=1}^N \min(|P_i - A_i|, |P_i - (180^\circ - A_i)|) \quad \text{eq. (8)}$$

where,  $P$  and  $A$  indicate the perceived elevation and the actual source elevation, respectively, and  $A$  and  $(180^\circ - A)$  correspond to the position on the positive-sloped and negative-sloped lines, respectively. The two kinds of errors for each subject are summarized in Table 2.

Table 2. Quantitative error analysis for subjective listening test results.

	Subject CH		Subject KB	
	$e_{FBR}$	$e_{VP}$	$e_{FBR}$	$e_{VP}$
Kemar HRIR	31.1%	27.3°	22.2%	27.0°
Individual HRIR	29.8%	23.7°	12.2%	32.3°
Customized HRIR	18.9%	19.3°	14.4%	21.3°

Comparison of the errors made with the individual HRIRs to those made with the kemar HRIRs reveals that both front-back reversal and vertical perception were improved for all subjects except for vertical perception of subject KB. All subjects showed the best performance for front-back distinction and elevation perception with the customized HRIRs except for front-back reversal of subject KB.

## 5. CONCLUSION

Individual HRIRs can be adequately reconstructed by a linear combination of 12 basis functions in the time domain obtained from PCA of the entire median HRIRs in the CIPIC HRTF database. The basis functions cover the inter-individual and inter-elevation variations in median HRIRs. Each basis function contributes to effects of pinna, shoulder, and torso. There are elevation-dependent tendencies in PCWs, and the basis functions can be ordered according to the magnitude of standard deviation of the weights at each elevation. We proposed a HRIR customization method via tuning of the weights of 3 DPCs at each elevation. Subjective listening test results showed that all subjects perceive the elevation angles in the median plane more accurately with the customized HRIRs.

## ACKNOWLEDGMENT

This work was supported by the National Research Laboratory Program (M10500000112-05J0000-11210), the Brain Korea 21 Project.

## REFERENCES

- (1) J. Blauert, 1983, Spatial hearing, MIT, Cambridge, MA.
- (2) D. S. Brungart and W. M. Rabinowitz, 1999, "Auditory localization of nearby sources. Head-related transfer functions," J. Acoust. Soc. Am., Vol. 106, pp. 1465-1479.
- (3) C. I. Cheng and G. H. Wakerfield, 2001, "Introduction to head-related transfer functions (HRTFs): Representations of HRTFs in time, frequency, and space," J. Audio Eng. Soc., Vol. 49, pp. 231-248.
- (4) S. Shimada, M. Hayashi, and S. Hayashi, 1994, "A clustering method for sound localization transfer functions," J. Audio Eng. Soc., Vol. 42, pp. 577-584.
- (5) J. C. Middlebrooks, 1999, "Virtual localization improved by scaling non-individualized external-ear transfer functions in frequency," J. Acoust. Soc. Am., Vol. 106, pp. 1493-1510.
- (6) V. R. Algazi, R. O. Duda, R. P. Morrison, and D. M. Thompson, 2001, "Structural composition and decomposition of HRTFs," Proc. WASPAA01, New Paltz,

NY, pp. 103-106.

(7) D. N. Zotkin, R. Duraiswami, and L. S. Davis, 2002, "Customizable auditory display," Proc. Int. Conf. on Auditory Display (ICAD), Kyoto, Japan.

(8) Ki-hoon Shin and Youngjin Park, 2006, "Customization of head-related transfer functions using principal components analysis in the time domain," JASA 4th Joint meeting of ASA/ASJ.

(9) CIPIC HRTF Database Files, Released 1.1, August 21, 2001, CIPIC Interface Laboratory, U. C. Davis, <http://interface.cipic.ucdavis.edu/>

(10) G. H. Dunteman, 1989, PRINCIPAL COMPONENTS ANALYSIS, Sage Publication, Inc.

(11) W. L. Martens, 1987, "Principal components analysis and resynthesis of spectral cues to perceive direction," Proc. Int. Computer Music Conf., pp. 274-281.

(12) D. J. Kistler and F. L. Wightman, 1992, "A model of head-related transfer functions based on principal components analysis and minimum-phase reconstruction," J. Acoust. Soc. Am., Vol. 91, pp. 1637-1647.

(13) F. L. Wightman and D. J. Kistler, 1989, "Headphone simulation of free-field listening. I: Stimulus synthesis," J. Acoust. Soc. Am., Vol. 85, pp. 858-867.

(14) F. L. Wightman and D. J. Kistler, 1989, "Headphone simulation of free-field listening. II: Psychophysical validation," J. Acoust. Soc. Am., Vol. 85, pp. 868-878.