

NT-P013

Structure of Ni and NiO Nanoparticles Observed by X-ray Coherent Diffraction Imaging

Chan Kim¹, Yoonhee Kim¹, Sun Young Hamh², Jun-Gon Son²,
Krishna Prasad Khakurel², Mazhar Iqbal², Do Young Noh^{1,2}



¹School of Materials Science and Engineering, Gwangju Institute of Science and Technology, Gwangju, Korea,

²Graduate Program of Photonics and Applied Physics, Gwangju Institute of Science and Technology,
Gwangju, Korea


Coherent diffraction imaging (CDI) method using hard x-ray at 5.46 keV was applied to study assembly of Ni and Ni oxide nano structures formed on a Si₃N₄ membrane. Density distribution of Ni nano-particles was obtained quantitatively with about 15 nm lateral resolution by reconstructing images from the speckle diffraction pattern. In addition, reconstructed images of nickel oxide particles indicated that Ni atoms diffuse out during the oxidation process leaving pores inside the nickel oxide crust. Furthermore, we recognize that really weak phase object, less than 5 nm thickness of Ni residues, can be reconstructed due to the reference particles. We achieved quantitative information of nanometer sized materials and demonstrate the effect of reference particles by using hard x-ray coherent diffractive imaging method.

Keywords: Coherent diffraction imaging, Weak phase object, Nano materials

Ni nanoparticles





Reconstructed Amplitude




SEM Image


NiO nanoparticles



Reconstructed Amplitude



After Oxidation



Before Oxidation

Scalebar : 200 nm