

[5]

3.1.3

가

(2)

[4]

2, Kinect
Audio, RGB, Depth
API
DB

NUI/NUX 가

color space

RGB

3.2

NUI/NUX

4

가

3.

Flat Hand
Two Hand 가

Display Main Menu,
Display Help Menu

3.1
3.1.1

Data Glove 가

[5]. 가

3

가

가


가

가



(3)

3.1.2



(4)

[6]

4.




(5) NUI/NUX

5

NUI

가



(6) 가 [7]


threshold

가
6가

NUI/NUX

가
가

가




(7)

XML

x, y
x, y
8, y 9

.xml'

7
x



(8) XSL

XML
XSL
HTML

8

WML

9

, ftp

가



(9) NUI

5.

Kinect

, XML

1. Data Glove

NUI/NUX

2.

가 XML

3.

4. 가

NUI/NUX

ACKNOWLEDGMENT

"

IT

" (NIPA-2013-H0301-13-4007)

- [1] I-Tsun Chiang, Jong-chang Tsai, "Using Xbox360 Kinect Games on Enhancing Visual Performance Skills on Institutionalized Older Adults with Wheelchairs", Fourth IEEE Int'l Conference On Digital Game And Intelligent Toy Enhanced Learning, pp.263-267, 2012.
- [2] Mohd Fairuz Shiratuddinm Kok Wai Won, "Non-Contact Multi-Hand Gestures Interaction Techniques for Architectural Design in a Virtual Environment", the International Conference on IT & Multimedia at UNITEN (ICIMU 2011), Malaysia, Nov 2011.
- [3] J.Ohya and Y.Kitamura, etc, "Real-Time Reproduction of 3D Human Images in Virtual Space Teleconferencing" in Proc. Of '93 IEEE Virtual Reality Annual Int. Symp. pp. 408-414, 1993
- [4] N.Vidakis, M.Syntychakis, G.Triantafyllidis and D.Akoumianakis, "Multimodal Natural User Interaction for Multiple Applications: The Gesture – Voice Example", Telecommunications and Multimedia (TEMU), 2012 International Conference on, pp. 208-213.
- [5] J. Segen and S.Kumar, "Shadow Gestures : 3D Hand Pose Estimation Using a Single Camera." CVPR99, vol. 1, pp. 479-485, Fort Collins, Colorado, June, 23-25, 1999.
- [6] Rick Kjeldsen and John Kender, "Toward the Use of Gesture in Traditional User Interfaces", Automatic Face and Gesture Recognition, 1996., Proceedings of the Second International Conference on, pp. 151 – 156, 1996.
- [7] Ren C. Luo and Yen-Chang Wu, "Hand Gesture Recognition for Human-Robot Interaction for Service Robot", Multisensor Fusion and Integration for Intelligent Systems (MFI), 2012 IEEE Conference on ,pp. 318-323.