

NT-007

Fabrication of nanoporous gold thin films on glass substrates for amperometric detection of aniline

Keon-U Lee^{1,2}, Sang Hoon Kim², Hyung-Joon Shin¹

¹Ulsan National Institute of Science and Technology, ²Korea Institute of Science and Technology

Nanoporous gold (NPG) is a very promising material in various fields such as sensor, actuator, and catalysis because of its high surface to volume ratio and conducting nature. In this study, we fabricated a NPG based amperometric sensor on a glass substrate by means of co-sputtering of Au and Si. During the sputtering process, we found the optimum conditions for heat treatment to reduce the residual stress and to improve adhesion between NPG films and the glass substrate. Subsequently, Si was selectively etched from Au-Si alloy by KOH solution, which forms nanoporous structures. Scanning electron microscopy (SEM) and auger electron spectroscopy (AES) were used to estimate the structure of NPG films and their composition. By employing appropriate heat treatments, we could make very stable NPG films. We tested the performance of NPG sensor with aniline molecules, which shows high sensitivity for sensing low concentration of aniline.

Keywords: nanoporous gold, thin film, aniline, amperometric sensing

NT-008

Composite Nanofilm of Polypyrrole and Mycosporine-like Amino Acids for UV sensor

**Yinhua Jin¹, Atul Kulkarni¹, Hongyi Qin¹, Dae-hwan Kim³, Yeong Wook Yu³,
Joon Chul Lee⁴, Taesung Kim^{1,2} and Sang Hun Moh⁵**

¹Sungkyunkwan Advanced Institute of Nanotechnology (SAINT), Sungkyunkwan University, ²School of Mechanical Engineering, Sungkyunkwan University, ³HuGeX Co., Ltd., Seongnam 462-100, Republic of Korea, ⁴Korea Institute of Industrial Technology (KITECH), ⁵Anti-Aging Research Institute of BIO-FD & C Co.Ltd.

Mycosporine-like amino acids (MAAs) are small secondary metabolites produced by organisms that live in environments with high volumes of sunlight, is an important group of novel bioactive compounds having immense biotechnological potentials due to their UV screening properties and Polypyrrole (PPy) is a type of organic polymer formed by polymerization of pyrrole. A novel composite nanofilm (~60 nm) of mycosporine-like amino acid (MAA) and polypyrrole is synthesized by interfacial polymerization technique. This composite nanofilm is conductive and has strong photoresponse. A photoelectric UV sensor is fabricated by depositing the composite film onto a silicon chip. This UV sensor shows good sensitivity, selectivity and stability for UV detection.

Keywords: Polypyrrole, Mycosporine-Like Amino Acids, Nanocomposite Film, UV Sensor.