## Glycine max Merr enhances the viability and adhesion ability of Lactobacillus buchneri in gastrointestinal condition in vitro.

Jae-Bin Seo<sup>1</sup>, Bog-Im Park<sup>1</sup>, Hyun Myung<sup>2</sup>, Hyeon-Jae Sim<sup>3</sup>, Hoon-Yeon Lee<sup>3</sup>, Seong-Oh Kim<sup>3</sup>, Kyoung-Ha Song<sup>3</sup>, So-Jin Lee<sup>3</sup>, Jung Hee Cho<sup>4</sup>, Yong-Deok Jeon<sup>1</sup>, Jong-Sik Jin<sup>1</sup>

<sup>1</sup>Department of Oriental Medicine Resources, Chonbuk National University, 79 Gobongro, Iksan, Jeollabuk—do, South Korea

Probiotics are microorganisms that have beneficial effects on the health of the host. The health promoting effect by probiotics influences suppressing harmful bacteria, prevention of constipation, blood cholesterol reduction and regulation of blood pressure. Prebiotics are used to promote the growth or activity of microorganisms. Synbiotics, which are a mixture of probiotics and prebiotics, synergize in the intestines by complementing each other. Synbiotics not only improves the viability of the probiotics while passing through the gastrointestinal tract, maintain intestinal homeostasis, but also regulate balance of harmful and useful bacterial growth.

Glycine max Merr (GMM) has been widely used in Asian countries to treat cancer, obesity, oxidative stress and imbalanced immune diseases. In addition, it has been reported that dietary fiber-rich grains promote bowel movements and prevent constipation.

In this study, we investigated the viability of  $Lactobacilllus\ buchneri\ (L.buchneri)$  strains, known as lactic acid bacteria under conditions of gastric fluid and intestinal fluid to determine the suitability of L.buchneri as probiotics. The adhesion ability of L.buchneri to caco-2 cells was also confirmed.

The present studies showed that GMM extract promoted the growth and activity of *L.buchneri* strains as prebiotics. Also, this results suggested that the mixture of *L.buchneri* and GMM extract can helps maintain intestinal health and healthy body as synbiotics and health functional food material.

Key words: Glycine max Merr, *Lactobacilllus buchneri*, viability, adhension ability, synbiotics.

This research was supported by the Ministry of Trade, Industry & Energy(MOTIE), Korea Institute for Advancement of Technology(KIAT) through the Encouragement Program for The Industries of Economic Cooperation Region (Grant No. P0000610)

<sup>&</sup>lt;sup>2</sup>Department of Ecology Landscape Architecture-Design, College of Environmental and Bioresource Sciences, Chonbuk National University, Iksan South Korea <sup>3</sup>Research Institute, Wonkwang herb Co., Ltd, Jinan-gun, Jeonbuk, Korea <sup>4</sup>Megabiowood Co., Ltd.