

## A Provisional List of Uredinales of Korea

Kim, Chong Jin  
(Chunchon Agricultural College)

### 韓國產銹菌目錄

金鍾鎮  
(春川農科大學)

#### SUMMARY

The study on Uredinales of Korea was initiated by P. Hennings in 1899. After that abundant works were done by Naohide Hiratsuka. And Seiya Ito, P. & H. Sydow, K. Nakata, S. Takimoto, A. L. Jaczewski, V. L. Komarov, W. A. Tranzschel and others also engaged in the research on this field.

Since 1956 the author has collected the specimen in South Korea, chiefly around Prov. Kangwön, among which are found 12 species 4 genera of rusts and 22 species of additional hosts all unrecorded from Korea.

The author has described in the paper 220 species 32 genera 3 families of rusts in Korea, including those collected by this author.

This works, it must be added, owe much to the literatures of Dr. Naohide Hiratsuka, Prof. of Tokyo University of Education. The author express his hearty thanks to him.

#### Fam. MELAMPSORACEAE

##### *Uredinopsis Magnus*

*Uredinopsis adianti* Komarov in Jaczewski, Komarov et Tranzschel, Fung. Ross. exsicc. no. 278, 1899. II, III. *Adiantum pedatum*. L. (Kong-jak-Kosari) (Pochon-Myon, Hesan-Gun).

*Uredinopsis filicina* (Niessl) Magnus in Attid. Congr. Bot. Internat. Geneva (1892), p. 167 & pl. IX, figs. 1-13, 1893. II, III. *Dryopteris phlegopteris* C. Chr. (Karai-Gosari) (Mt. Kümgang).

*Uredinopsis hiroakiensis* Kamei et Hiratsuka, f. in Kamei in Transact. Sapporo Nat. Hist. Soc. XII, p. 164, 1932. II, III. *Dryopteris thelypteris* A. Gray (chionyō-Gosari) (Wönsan, Mt. Kümgang).

*Uredinopsis Kameiana* Faull in Contrib. Arnold Arboretum, Harvard Univ. XI, p. 82 & pl. IV, fig. 20 (2-d), 1938. II, III. *Pteridium aquilinum* Kuhn var. *japonicum* Nakai (Kosari) (Chuül-Eup, Kyōngsōng-Gun).

*Uredinopsis ossiformis* Kamei in Transact. Sa-

pporo Nat. Hist. Soc. XII, p. 167, 1932. (sub nom. "Uredinopsis ossaeiformis"). II, III. *Dryopteris dilatata* A. Gray var. *oblonga* Takeda (Kinphojin-Gosari) (Mt. Kümgang)

*Uredinopsis pteridis* Dietel et Holway ex Dietel in Ber. Deutsch. Bot. Ges. XIII, p. 331, 1895. II, III. *Pteridium aquilinum* Kuhn var. *japonicum* Nakai (Kosari) (Mt. Kümgang).

##### *Milesina Magnus*

*Milesina carpatorum* Hylander, Jörstad et Nannfeldt in Opera Bot. I, p. 28, 1953. (*Milesina carpatica* Wróblewski ex Hiratsuka, f., 1936). II, III. *Dryopteris crassirhizoma* Nakai (Kwanjung) (Mt. Kümgang).

*Milesina coreana* Hiratsuka, f. in Trans. Tottori Soc. Agr. Sci. V, p. 233, 1935; Mem. Tottori Agr. Coll. IV, p. 156, 1936. II. *Dryopteris varia* O. Kuntze (= *Polystichum varium* presl) (Chokchebi-Gosari) (Mt. Kümgang).

*Milesina exigua* (Faull) Faull ex Hiratsuka, f., Monogr. Pucciniastr., p. 104, 1935. II, III. *Polystichum tripterion* Presl (Sipcha-Gosari) (Mt. Küh-

The names of plants and places in Korean were transcribed in English in accordance with the the Romanization System proposed by the Ministry of Education R. O. K.

mgang).

*Milesina fructuosa* (Faull) Hiratsuka, f., Monogr. Pucciniastr., p. 115, 1936. II, III. *Dryopteris subribipinnata* O. Kuntze (*Aigi-Jokchebi-Gosari*) (Seoul).

#### *Hyalopsora Magnus*

*Hyalopsora aspidiotus* Magnus in Ber. Deutsch. Bot. Ges. XIX, p. 582, 1901. II, III. *Dryopteris Linnaeana* C. Chr. (*Thoggi-Gosari*) (Chayu-Ryōng, Prov. Hambuk).

*Hyalopsora hakodatensis* Hiratsuka; f. Monogr. Pucciniastr., p. 171, 1936. II, III. *Athyrium acrostichoides* Diels (*Thōl-Gosari*) (Mt Kūmgang).

#### *Melampsoridium Klebahn*

*Melampsoridium alni* (Thümen) Dietel, in Egler-Prantl, Natürl. Pflanzenfam. I, 1. Abt. \*\*, p. 551, 1900. II, III. *Alnus Maximowiczii* Call. (*Tume-Ori-Namu*) (Chuūl-Eup, Kyōngsōng-Gun).

*Melampsoridium hiratsukanum* S. Ito ex Hiratsuka, f. in Jour. Facul. Agric. Hokkaido Imp. Univ. XXI, p. 9, 1927. II, III. (*Alnus hirsuta* Turcz. var. *sibirica* (Fischer) C. K. Schne. (=*A. sibirica* Fischer; *A. incana* var. *sibirica* Spach.; *A. incana* var. *glauca* Regel) (*San-Ori-Namu*) (*Cultivated*) (Seoul). *A. japonica* Sieb. et Zucc. (*Ori-Namu*) (Sohūl-Myōn, Phochōn-Gun). *A. sp.* (Yōnghūng, Yōnghūng-Gun).

#### *Melampsorella Schröter*

*Melampsorella caryopyllacearum* Schröter in Hedwigia, XIII, p. 85, 1874. II, III. *Cerastium cespitosum* Gilib. var. *glandulosum* Wirtgen. (=*C. vulgatum* L. var. *glandulosum* Regel) (*Chōm-Nado-Namu*) (Mt. Kūmgang).

#### *Pucciniastrum Ott*

*Pucciniastrum agrimoniae* (Diet.) Tranzschel in Script. Bot. Hort. Univ. Petropol. IV, p. 301, 1895. II, III. *Agrimonia Eupatoria* L. var. *pilosa* Makino (=*A. pilosa* Ledeb. var. *japonica* Nakai) (*Chipsin-Namu*) (Seoul; Mt. Tairyong, Chunsōng-Gun\*; Mt. Odai, Prov. Kangwōn\*).

*Pucciniastrum castaneae* Dietel in Hedwigia XLI, p. (178), 1902. II, III. *Castanea pubinervis* Schneid. (=*C. crenata* Sieb. et Zucc.) (*Pam-Namu*) (Seoul, Tangjin).

*Pucciniastrum circaeae* (Wint.) Spegazzini ex De-Toni in Saccardo, Syll. Fung. VII, p. 763, 1888. II, III. *Circaeae alpina* L. (*Chwitōl-Isul*)

(Pochōn-Myōn, Hesan-Gun).

*Pucciniastrum coryli* Komarov in Jaczewski, Komarov & Tranzschel, Fung. Ross. exsicc., no. 257, 1899. II, III. *Corylus heterophylla* Fisch. var. *japonica* Koidz. (*Kaiam-Namu*) (Seoul, Mt Kūmgang). *C. Mandshurica* Maxim. (*Ma'-Gaiam-Namu*) (Mt. Kūmgang).

*Pucciniastrum epilobii* Otth in Mitteil. Naturforsch. Ges. Bern, LXXI, p. 72 & 84, 1861. II, III. *Epilobium angustifolium* L. (*Punhong-Banūl-Got*) (Chuūl-Eup Kyōngsōng-Gun). *E. sp.* (Pochōn-Myon, Hesan-Gun).

*Pucciniastrum potentillae* Komarov in Jaczewski Komarov & Tranzschel Fung. Ross. exsicc., no. 327, 1899. II, III. *Potentilla flagarioides* L. var. *Sprengelianae* Maxim. (*Yangji-Got*) (Mt. Kūmgang)

*Pucciniastrum pyrolae* Dietel ex Arthur, N. Amer. Fl. VII, p. 108, 1907. II, III. *Pirola renifolia* Maxim. (*Khongphat-Norubal*) (Pochōn-Myōn, Hesan-Gun).

*Pucciniastrum tiliae* Miyabe ex Hiratsuka in Bot. Mag. Tokyo, XI, p. 47 & pl. IV, figs. 12-20, 1897. II, III. *Tilia amurensis* Kom. (*Talphi-Namu*) (Chuūl-Eup, Kyōngsōng-Gun).

#### *Thekopsora Magnus*

*Thekopsora asterum* Tranzschel, Conspect. Ured. URSS, p. 380, 1939. (*Thekopsora asteridis* Tranzschel ex Hiratsuka f., 1936). II, III. *Aster hispidus* Thunb. (*Kait-Suk-Pujangi*) (Wōnsan).

*Thekopsora brachybotrydis* Tranzschel in Ann. Myc. V, p. 551, 1907. II, III. *Trigonotis radicans* Maxim. (*Cham-Gotmari*) (Pochōn-Myōn, Hesan-Gun).

*Thekopsora guttata* (Schröt.) P. et H. Sydow, Monogr. Urec. III, p. 467, 1915. II, III. *Gaius verum* L. var. *leiocarpum* Ledeb. (*Sol-Namu*) (Mt. Kūmgang).

*Thekopsora rubiae* Komarov in Jaczewski, Komarov & Tranzschel, Fung. Ross. exsicc., no. 328, 1899. II, III. *Rubia chinensis* Regel et Maack (*Khūn-Goktusōni*) (Mt. Kūmgang; Mt. Odai, Prov. Kangwōn\*). *R. cordifolia* L. var. *pratensis* Maxim. (*Kalkhi-Goktusōni*) (Seoul).

*Thekopsora vaccinii* (Wint.) Hiratsuka f., Ured. Stud., p. 260, 1955. (*Thekopsora myrtillina* Karsten 1879; *Th. vacciniorum* Karsten, 1879). II, III. *Vaccinium uliginosum* L. (*Tuldchuk-Namu*) (Phu-

Of the distributions, the place-name which marks specimen.

\* shows the place where the author collected the

ngsan-Myōn, Phungsan-Gun) *Vitis-Idaea* L. (*Wölgylul*) (Pochōn-Myōn, Hesan-Gun)

***Calyptospora* Kühn**

*Calyptospora goeppertia* Kühn in Hedwigia, VIII, p. 81, 1869. III. *Vaccinium Vitis-Idaea* L. (*Wölgylul*) (Ungi-Myōn, Phungsan-Gun).

***Melampsora Castagne***

*Melampsora euphorbiae-dulcis* Otth in Mitteil. Naturforsch. Ges. Bern (1868), p. 70, 1869. O, I, II, III. *Euphorbia Pekinensis* Rupr. var. *japonensis* Makino (*Taigūk*) (Yongyeun-Myōn, Ongjin-Gun).

*Melampsora hypericorum* Winter, Pilze Deutsc. hl. I, p. 241, 1882. (*Melampsora hypericorum* Schröt., 1872; *M. hypericorum* Dietel, 1922). I, III. *Hypericum erectum* Thunb. (*Kochu-Namu*) (Seoul).

*Melampsora Kusanoi* Dietel in Bot. Jahrb. X XXVII, p. 104, 1905. II, III. *Hypericum Ascyrion* L. (*Mille-Namu*) (Mt. Kūmgang).

*Melampsora larici-capraearum* Klebahn in Forstl. Naturw. Zeitschr. VI, p. 467, 1897. II, III. *Salix hillaisanensis* Lév. var. *orbicularis* Nakai (*Horang-pōdūl*) (Chayu-Ryōng, Prov. Hambuk; Pōmō-Sa, Tongrai-Gun).

*Melampsora larici-epitea* Klebahn in Zeitschr. f. Pflanzenkr. IX p. 88 & fig. 3, 1899. II, III. *Salix viminalis* L. (*Yukchi-Got-Pōdūl*) (Phungsan Myōn, Phungsan-Gun; Chuūl-Eep, Kyōngsōng-Gun)

*Melampsora larici-populina* Klebahn in Zeitschr. f. Pflanzenkr. XII, p. 43, 1902. II, III. *Populus nigra* L. var. *italica* Du Roi (*Yang-Pōdūl*) (Cultivated) (Seoul, Suwōn, Tangjin).

*Melampsora magnusiana* Wagner ex Klebahn in Zeitschr. f. Pflanzenkr. VII, p. 340-342, 1897. II, III. *Populus davidiana* Dode (*Sasi-Namu*) (Sōnheung-Myōn, Yōngheung-Gun; Chuūl-Eup, Kyōngsōng-Gun).

***Phakopsora* Dietel**

*Phakopsora ampelopsisidis* Dietel et P. Sydow in Dietel in Hedwigia, XXXVII, p. 217, 1898. II, III. *Ampelopsis heterophylla* Sieb. et Zucc. (*Kai-Mōru*) (Distr. Unknown). *Pathenocissus thunbergii* Nakai (*Tamjaingi-Dōnggul*) (Seoul). *Vitis vinifera* L. (*Podo*) (Seoul, Pusan, Waigwan, Kimje, Chunchōn\*).

*Phakopsora artemisiae* Hiratsuka f. in Jap. Jour. Bot. III, p. 298, 1927. II, III. *Artemisia japonica* Thunb. (*Chebi-Suk*) (Chuūl-Eup, Kyōngsōng-Gun).

gsōng-Gun)

*Phakopsora pachyrhizi* P. et H. Sydow in Ann. Myc. XII, p. 198, 1914. II, III. *Glycine Max* Merrill (*Khong*) (Cultivated) (Wōnsan) *Pueraria hirsuta* Matsum. (*Chilk*) (Cheju Island; Taijōn; Uchōn-Myōn, Hoengsōng-Gun\*; Mt. Tairyong, Chunsōng-Gun\*).

*Phakopsora zizyphi-vulgaris* Dietel in Ann. Myc. ;VIII, p. 469, 1910. II, III. *Zizyphus juuba* Mill. var. *inermis* Rehd. (*Taichu-Namu*) (Cultivated) (Chunchōn Oct. 16, 1961, C. J. Kim). New to Korea!

***Cronartium Fries***

*Cronartium flaccidum* (Alb. et Schw.) Winter Pilze Deutsc. I, p. 236, 1882. II, III. *Paeonia albiflora* Pall. var. *trichocarpa* Bunge (*Cham-Chakyak*) (Cultivated) (Seoul).

*Cronartium quercuum* Miyabe ex Shirai in Bot. Mag. Tokyo XIII, p. 74 & pl. IV-V, 1899. O, I. *Pinus densiflora* Sieb. et Zucc. (*So-Namu*) (Suwon Mt. Odai, Prov. Kangwōn\*; Mt. Samhak, Chunsōng-Gun\*). II, III. *Quercus acutissima* Carruth. (*Sangsuri-Namu*) (Seoul). *Q. aliena* Bl. (*Kal-cham-Namu*) (Sohūl-Myōn, Phochōn-Gun) *Q. aliena* Bl. var. *acuteserrata* Maxim. (*Cholgal-Cham-Namu*) (Sohūl-Myōn, Phochōn-Gun). *Q. aliena* Bl. var. *Pellucida* Bl. (*Chōnggal Cham, Namu*) (Sohūl-Myōn, Phochōn-Gun). *Q. dentata* Thunb. (*Dōdkal-Namu*) (Sohūl-Myōn, Phochōn-Gun). *Q. major* Nakai (*Kaljol-Cham-Namu*) (Sohūl-Myōn, Phochōn-Gun). *Q. McCormickii* Carr. (*Dōkchol-Cham-Namu*) (Seoul). *Q. mongolica* Fisch. (*Singal-Namu*) (Mt. Kūmgang, *Q. serrata* Thunb. (*Chol-Cham-Namu*) (Mt. Kūmgang, Tangjin).

*Cronartium ribicola* Fischer de Waldh. in Rabenhorst, Fung. eur. no. 1595, 1872; Hedwigia, XI, p. 182, 1872. O, I. *Pinus koraiensis* Sieb. et Zucc. (*Chat-Namu*) (Kapyōng-Gun).

***Chrysomyxa Unger***

*Chrysomyxa komarovii* Tranzschel, Conspl. Ur-ed. URSS p. 313, 1939. II, III. *Rhododendron mucronulatum* Turcz. var. *ciliatum* Nakai (*Thol-Jindallai-Namu*) (Chayu-Ryōng, Prov. Hambuk).

*Chrysomyxa rhododendri* De Bary in Bot. Zeitg. XXXVII, p. 809 & pl. X, figs. 1-6, 1879. II, III. *Rhododendron dauricum* L. (*San-Jindallai-Namu*) (Pochōn-Myōn, Hesan-Gun). *Rh. mucronulatum* Turcz. var. *ciliatum* Nakai (*Thol-Jindallai*

*Namu*) (Chayu-Ryōng, Prov. Hambuk).

**Pucciniostele Tranzschel et Komarov**

*Pucciniostele mandshurica* Dietel in Ann. Myc. II, p. 21, 1904. I, III. *Astilbe chinensis* Maxim. ex Fr. et Sav. var. *Davidi* Fr. (*Khün-Noru-Ojum* (Mt. Kūmgang, Phungsan-Gun) *A. chinensis* Maxim. ex Fr. et Sav. var. *typica* Fr. (*Noru-Ojum*) (Mt. Tairyong, Chunsōng Gun Jun. II, 1961; Mt. Sōlak Prov. Kangwōn Jul. 19, 1961; -C. J. Kim)

**Coleosporium Léveillé**

*Coleosporium asterum* (Diet.) P. et H. Sydow in Ann. Myc. XII, p. 109, 1914. O, I. *Pinus densiflora* Sieb. et Zucc. (*So Namu*) (Mt. Tairyong Chunsōng-Gun, Jun. 11, 1961, C. J. Kim). II, III. *Aster altaicus* Willd. (*Kaisuk-Pujangi*) (Chunchōn, Oct. 18, 1959, C. J. Kim). *A. ageratoides* Turcz. (*San-Suk-Bujaingi*) (Chuūl-Eup, Kyōngsōng-Gun). *A. Scaber* Thunb. (*Cham-Chwi*) (Mt. Kūmgang; Mt. Odai, Prov. Kangwōn\*; Mt. Sōlak, Prov. Kangwōn\*). *A. tataricus* L. *Kaimi-Chwi* (Hamhung; Kowōn-Eup, Kowōn-Gun; Mt. Tairyong, Chunsōng-Gun\*). *Callistephus chinensis* Nees. (*Kwa-Got*) (Cultivated) (Ungph-yōng-Myōn, Kilju-Gun).

*Coleosporium cacaliae* Otth in Mitteil. Naturforsch. Ges. Bern (1865), p. 179, 1866. II, III. *Cacalia krameri* Matsum. (*Usan-Namul*) (Mt. Kūmang; Mt. Tairyong, Chunsōng-Gun\*).

*Coleosporium campanulae* Léveillé ex Kickx, Fl. Flandres. II, p. 54, 1867. II, III. *Adenophora divaricata* Franch. et Sav. var. *manshurica* Kitagawa (*Khün-Mosi-Namul*) (Nangok-Myōn, Hoeyang-Gun; Chuūl-Eup, Kyōngsōng-Gun). *Hanabusaya asiatica* Nakai (*Kūmgang-Chorong*) (Mt. Kūmgang; Mt. Sōlak, Prov. Kangwōn\*).

*Coleosporium cimicifugatum* Thümen in Bull. Soc. Imp. Nat. Moscou. LIII, p. 222, 1878. II, III. *Cimicifuga simplex* Wormsk. var. *typica* Nakai (*Chottai-Sungma*) (Pochōn-Myōn, Hesan-Gun; Mt. Puk, Changjin-Gun).

*Coleosporium clematidis* Barclay in Jour. Asiatic Soc. Bengal LIX pt. 2, p. 89 & pl. VI, figs. 3-5, 1890. II, III. *Clematis fusca* Turcz. subsp. *violacea* Kitagawa (*Suyōn-Jong-Dōnggul*) (Mt. Kūmgang). C. sp. (Yongyōn-Myōn Ongjin-Gun).

*Coleosporium clematidis-apiifoliae* Dietel in Bot. Jahrb. XXVIII, p. 287, 1900. II, III. *Clematis apiifolia* DC. (*Sawi-Jilibang*) (Seoul).

*Coleosporium eupatorii* Arthur ex Cummins in Mycologia. XLVIII, p. 603, 1956. II, III. *Eupatorium japonicum* Thunb. (*Tānggol-Namu*) (Sohūl-Myōn, Phochōn-Gun; Mt. Tairyong, Chunsōng-Gun\*), *E. Lindleyanum* DC. (*Kol-Dunggol-Namu*) (Sohūl-Myōn, Phochōn-Gun) *E. Lindleyanum* DC. var. *trifoliolatum* Makio (*Pōl-Dunggol-Namu*) (Kyōngsōng-Myōn, Kyōngsōng-Gun).

*Coleosporium horianum* Hennings in Hedwigia, XL, p. (25), 1901. II, III. *Codonopsis lanceolata* Benth. et Hook. fil. (*Tōdōk*) (Nangok-Myōn, Hoeyang-Gun; Chuūl-Eup, Kyōngsōng-Gun; Cheju Island).

*Coleosporium ligulariae* Thümen in Bull. Soc. Imp. Nat. Moscou. LII, p. 140, 1877. II, III. *Ligularia stenocephala* Matsum. et Keidz. (*Kond-albi*) (Nangok-Myōn, Hoeyang-Gun).

*Coleosporium melampyri* (Rebent.) Karsten Myc. Fenn. IV, p. 62, 1879. II, III. *Melampyrum latifolium* Nakai (*Sai-Myōnuri-Bapphul*) (Mt. Kūmgang). *M. setaceum* Nakai var. *latifolium* Nakai (*Khün-Aigi-Myōnuri-Bapphul*) (Mt. Kūmgang).

*Coleosporium perillae* P. Sydow in Hedwigia, XXXVIII, p. (141), 1899. II, III. *Perilla frutescens* Brit. (*Tulgai*) (Cultivated) (Mt. Kūmgang; Suwōn; Nam-Myōn, Chunsōng-Gun\*). *Mosla punctata* Maxim. (*Tulgai-Phul*) (Seoul).

*Coleosporium phellodendri* Komarov in Jaczewski Komarov & Tranzschel, Fung. Ross. Exsicc. no. 274, 1899. II, III. *Phellodendron amurense* Rupr. (*Hwangbyōk-Namu*) (Seoul).

*Coleosporium plectranthi* Barclay in Jour. Asiatic Soc. Bengal, LIX, p. 89 & pl. VI, fig. 4, 1890. II, III. *Plectranthus inflexus* Vahl (*San-Bakha*) (Seoul, Mt. Kūmgang)

*Coleosporium pulsatillae* (Steud.) Léveillé in Orbigny, Dict. Univ. Hist. Nat. XII, p. 789, 1849. II, III. *Pulsatilla koreana* Nakai (*Halmi-Got*) (Mt. Kūmgang; Wōnsan; Seoul; Mt. Tairyong, Chunsōng-Gun).

*Coleosporium saussureae* Thümen in Bull. Soc. Imp. Nat. Moscou. LII, p. 212, 1880. II, III. *Saussurea pulchella* Fischer (*Kahssi-Chwi*) (Chuūl-Eup, Kyōngsōng-Gun; Mt. Odai, Prov. Kangwōn) S. sp. (Mt. Kūmgang).

*Coleosporium xanthoxylī* Dietel et P. Sydow in Hedwigia, XXXVII, p. 217, 1898. II, III. *Fagara mantchurica* Honda (=F. schinifolia Engl.) (*Sancho-Namu*) (Seoul; Sohūl-Myōn, Phochōn-Gun)

### Fam. PUCCINIACEAE

#### *Blastospora* Dietel

*Blastospora itoana* Togashi et Onuma in Bot. Mag. Tokyo, XLV, p. 6 & figs. 1-3, 1931. II. III. *Smilax Oldhami* Miq. (*Sōnmil-Namu*) (Mt. Kūmgang).

#### *Pileolaria* Castagne

*Pileolaria klugkistiana* Dietel in Ann. Myc. XIX, p. 301, 1921. II, III. *Rhus javanica* L. (*Pulk-Namu*) (Seoul).

*pileolaria shiraiana* (Diet. et Syd.) S. Ito in Jour. Coll. Agric. Hokkaido Imp. Univ. XI, p. 2 73 & pl. IX, fig. 13, 1922. II, III. *Rhus trichocarpa* Miq. (*Kaiot-Namu*) (Mt. Kūmgang)

#### *Kuehneola* Magnus

*Kuehneola uredinis* (Link) Arthur in Résult. Sci. Congr. Internat. Bot. Vienne (1905), p. 342 1906. (*Kuehneola albida* Magnus, Magnus, 1898). O, II, III. *Rubus* sp. (*Cultivated*) (Distr.—Unknown).

#### *Tranzschelia* Arthur

*Tranzschelia fusa* (pers.) Dietel in Ann. Myc. XX, p. 31, 1922. O, III. *Pulsatilla koreana* Nakai (*Halmi-Got*) (Phungsan-Myōn, Phungsan-Gun).

*Tranzschelia pruni-spinosae* (Pers.) Dietel in Ann. Myc. XX, p. 31, 1922. II, III. *Prunus Nakaii* Lév. (*San-Aingdo-Namu*) (Sohūl-Myōn, Phochēn-Gun).

#### *Uropyxis* Schröter

*Uropyxis fraxini* (Kom.) Magnus in Ber. Deutschen. Bot. Ges. XVII, p. 119 & figs. 1 & 2, 18 99. III. *Fraxinus rhynchosphylla* Hance (*Mulphure-Namu*) (Mt. Kūmgang).

#### *Teloconia* H. Sydow

*Teloconia Kamtschatkæ* (Anders.) Hiratsuka, f. in Bot. Mag. Tokyo LVII, p. 283, 1943. O, III. *Rosa rugosa* Thunb. (*Haidang-Hwa*) (Distr.—Unknown).

#### *Xenodochus* Schlechtendal

*Xenodochus carbonarius* Schlechtendal in Linnaea, I, p. 237 & pl. III, fig. 3, 1826. I, III. *Sanguisorba officinalis* L. (*Oi-Phul*) (Fuchhi-Ryōng Phungsan-Gun; Chayu-Ryōng, Prov. Hambuk) S. (*tenuifolia* Fisch. var. *alba* Trautv. et Mey. (*Kan-nūn-Oi-Phul*) (Pochōn-Myōn, Hesan-Gun)..

#### *Phragmidium* Link

*Phragmidium brevipedicellatum* Hiratsuka, f. in Transact. Sapporo Nat. Hist. Soc. XIII, p. 135

1934. I, II, III. *Potentilla Wallichiana* Del. (= *P. Kleiniana* Wight et Arn.) (*Karakchi-Namu*) (Yongyōn-Myōn, Ongjin-Gun; Chubuk-Myōn Kyōngsōn-Gun).

*Phragmidium griseum* Dietel in Bot. Jahrb. X XXII, p. 49, 1902. II, III. *Rubus crataegifolius* Bunge (*San-Dalgi-Namu*) (Seoul; Mt. Kūmgang; Sōnghwan; Mt. Tairyong; Chunsōng-Gun\*). *R. morifolius* Sieb. (= *R. Wrightii* A. Gray) (*Sugom-Dalg*) (Sōnghwan).

*Phragmidium montivagum* Arthur in Torreya, IX, p. 24 & fig. 5, 1909. O, I, II, III. *Rosa rugosa* Thunb. (*Haidang-Hwa*) (Wōnsan).

*Praghmidium papillatum* Dietel in Hedwigia X XIX, p. 25, 1890. II, III. *Potentilla cryptotaeniae* Maxim. (*Mul-Yangji-Got*) (Mt. Kūmgang; Mt. Tairyong, Chunsōng-Gun\*).

*Phragmidium pauciloculare* (Diet.) p. et H. Sydow Monogr. Ured. III, p. 138 & pl. VI fig. 60, 1912. II, III. *Rubus parvifolius* L. (*Mōngsūk-Dalgi*) (Seoul; Mt. Kūmgang; Wōnsan; Taijōn; Mt. Tairyong, Chunsōng-Gun\*).

*Phragmitium potentillae* (Pers.) Karsten, Myc. Fenn. IV, p. 49, 1878. O, I, II, III. *Potentilla chinensis* Ser. (*Dakchi-Got*) (Seoul; Mt. Kūmgang Wōnsan; Mt. Tairyong, Chunsōng-Gun\*; Chun-chōn). *P. chinensis* ser. var. *littoralis* Nakai (*Kait-Dakchi*) (Wōngan).

*Phragmidium rosae-multiflorae* Dietel in Hedwigia, XLIV, p. 132, 345 & pl. IV, fig. 8, 1905 O, I, II, III. *Rosa Maximowicziana* Regel (*Yonggasi-Namu*) (Yeungyang). *R. multiflora* Thunb. (= *R. polyantha* Sieb. et Zucc. var. *genuine* Nakai) (*Dchille-Namu*) (Seoul; Mt. Tairyong, Chunsōng-Gun\*).

*Phragmidium rosae-rugosae* Kasai in Transact. Sapporo Nat. Hist. Soc. III, p. 38 & pl. I, fig. 6, 1910. I, II, III. *Rosa rugosa* Thunb. (*Haidang-Hwa*) (Mt. Kūmgang; Wōnsan; Sokchho-Eup, Yangyang-Gun\*).

*Phragmidium rubi-idaei* (DC.) Karsten Myc. Fenn. IV p. 52, 1879, O, I, II, III. *Rubus Idaeus* L. var. *Microphyllus* Turcz. (*Mōngdōk-Dalgi*) (Mt. Puk, Changjin-Gun).

#### *Triphragmium* Link

*Triphragmium anomatum* Tranzschel in Naoumoff Bull. Soc. Myc. France XXX, p. 78, 1914. (O), II, III. *Filipendula palmata* Maxim. (*Tanphung-Thōri*) (Pochōn-Myōn, Hesan-Gun).

*Triphragmiopsis Naoumoff*

*Triphragmiopsis jeffersoniae* Naoumoff in Bull. Soc. Myc. France XXX, p. 78, pl. III, fig. II, 1914. I, III. *Jeffersonia dubia* Benth. et Hook. (= *Plagiorhema dubium* Maxim.) (*Gaing-Gaingi-Phul*) (Yongyōn-Myōn, Ongjin-Gun).

*Nyssopsora Arthur*

*Nyssopsora cedrelae* (Hori) Tranzschel in Jour. Soc. Bot. Russie, VIII, p. 132, 1925. II, III. *Toona sinensis* Roem. (= *Cedrela sinensis* A. Juss.) (*Chamjung-Namu*) (Künnam-Myōn, Uljin Gun; Taijōn; Chōngūp).

*Nothoravenelia Dietel*

*Nothoravenelia japonica* Dietel in Ann. Myc. VIII, p. 310, 1910. II, III. *Securinega fluggeoides* Muell. Arg. (*Kwangdai-Sari*) (Mt. Kūmgang).

*Gymnosporangium Hedwig, f.*

*Gymnosporangium clavariaeforme* (Jacq.) DC., Fl. Fr. II, p. 217, 1805. III. *Juniperus rigida* Sieb. et Zucc. (*Noganju-Namu*) (Suwōn, Chuchōn\*).

*Gymnosporangium haraeum* P. et H. Sydow in Ann. Myc. X, p. 405, 1912. O, I. *Chaenomeles extus-coccine* Carr. (= *Cydonia japonica* Pers.) (*Myōngja-Namu*) (Seoul). *Pyrus communis* L. (*Sōyang-bai*) (*Cultivated*) (Suwōn, Taijōn, Naju) *P. Fauriei* Schneid. (*Chom-Dolbai-Namu*) (Seoul) *P. montana* Nakai var. *Rehderi* Nakai (= *P. sinensis* Lindl. var. *culta* Makino (*Pai-Namu*) (*Cultivated*) (Mt. Kūmgang, Suwōn, Taijōn, Naju Chunchōn\*). *P. seoulensis* Nakai (*Mumbai-Namu* (Seoul)). *P. ussuriensis* Maxim. (*San-Dolbai-Namu*) (Sohūl-Myōn, Phochōn-Gun). *Pourthaea brunnea* Nakai (= *P. villosa* Done var. *brunnea* Nakai) (*Ddōkip-Yunnori-Namu*) (Cheju Island). *P. laevis* Koidz. (*Yunnori-Namu*) (Seoul). III. *Juniperus chinensis* L. (*Hyang-Namu*) (*Cultivated*) (Suwōn, Chunchōn\*).

*Gymnosporangium juniperi* Link in Mag. Ges. Nat. Freunde zu Berlin, III, p. 7, 1809. O, I. *Sorbus* sp. (*Annong-Myōn*, Kyōngwōn-Gun).

*Gymnosporangium miyabei* Yamada et I. Miyake in Bot. Mag. Tokyo, XXII, p. 23 & figs. 1-9, 1908. O, I. *Sorbus alnifolia* K. Koch (*Phatpai-Namu*) (Piwōn, Seoul; Mt. Sōlak, Prov. Kangwōn\*).

*Gymnosporangium yamadas* Miyabe ex Tanaka in Mycologia, XIV, p. 285, 1922. O, I. *Malus baccata* Borkh. var. *mandshurica* Schneid. (*Manju-Agūbai-Namu*) (Seoul, Cheju Island). *M. Hallit-*

*ana* Kochne var. *spontanea* Koidz. (*Tül-Haidang*) (Seoul) *M. pumila* Mill. var. *domestica* Schneid. (*Sakwa-Namu*) (*Cultivated*) (Kaisōng, Chinnampho Taigu). *M. toringo* Sieb. (= *M. Siéolpii* Rehd.) (*Agūbai-Namu*) (Seoul). III. *Juniperus chinensis* L. (*Hyagn-Namu*) (*Cultivated*) (Chinnampho).

*Uromyces Link*

*Uromyces amurensis* Komarov in Jaczewski, Komarov & Tranzschel, Fung. Ross. exsicc. nos. 157 & 158, 1899. O, I, II, III. *Maackia amurensis* Rupr. et Maxim. (*Tarum-Namu*) (Seoul, Mt. Kūmgang).

*Uromyces appendiculatus* Link in Ges. Nat. Freunde Berlin Mag. VII, p. 28, 1815. O, I, II, III. *Phaseolus vulgaris* L. (*Kangnang-Khong*) (*Cultivated*) (Seoul, Wōnsan Taijōn, Yeongyang).

*Uromyces azukicola* S. Hirata in Ann. Phytopath. Soc. Japan XVI, p. 18 & text-fig. 1952 O, I, II, III. *Phaseolus angularis* Wight (*Phat*) (*Cultivated*) (Sariwōn, Taijōn, Yeongyang). *P. radiatus* L. (*Nogtu*) (*Cultivated*) (Taijōn, Yeongyang).

*Uromyces commelinæ* Cooke in Transact. Roy. Soc. Edinb. XXXI, p. 342, 1888. II, III. *Commelinæ communis* L. (*Talgabi*) (Seoul; Mayang Island, Pukchōng-Gun).

*Uromyces dactylidis* Otth in Mittheil. Naturforsch. Ges. Bern (1861), p. 85, 1861. (*Uromyces alopecuri* Seymour, 1889). II, III. *Alopeculus aequalis* Sobol. (= *A. fulvus* Sm.; *A. geniculatus* L.) (*Tuksai-Phul*) (Seoul, Suwōn, Chunchōn\*).

*Uromyces dianthi* Niessl in verh. Naturf. Ver. Brünn X, p. 162, 1872. (*Uromyces caryophyllinus* Winter, 1884). II, III. *Dianthus superbus* L. (*Phairatngi-Got*) (Imok-Ryong, Pukchōng-Gun).

*Uromyces erythronii* Passerini Comm. Soc. Critt. Ital. II, p. 452, 1867. O, I, III. *Erythronium japonicum* Decne. (*Oljeji*) (Kyōngsōng-Myōn, Kyōngsōng-Gun).

*Uromyces euphorbiae* Cooke et Peck in Peck in Ann. Rept. N. Y. State Mus. XXV, p. 90, 1873 (*Uromyces proeminens* Léveillé, 1847). O, I, II, III. *Euphorbia humifusa* Willd. (*Dang-bindai*) (Pulguk-Sa, Kyōngju-Si).

*Uromyces fabae* De Bary in Ann. Sci. Nat. (IV), XX, p. 72, 1863. O, I, II, III. *Lathyrus maritimus* Bigel. (*Kait-Wandu*) (Wōnsan). *Vicia Faba* L. forma *anacarpa* Makino (*Mama-Khong*) (*Cultivated*) (Phungsan-Myōn phungsan-Gun; Suwōn)

*Uromyces geranii* (DC.) Léveillé in Ann. Sci.

Nat. (III), VIII, p. 371. & 376, 1847. O. I, II, III. *Geranium Koreanum* Komarov (*Thunggūn-Ijil-Phul*) (Mt. Ojai Prov. Kangwōn Aug. 11, 1960, C. J. Kim). New to Korea!

*Uromyces halstedii* De Toni ex Saccardo Syll. Fung. VII, p. 557, 1888. II, III. *Leersia oryzoides* Sw. var. *japonica* Hack. (*Kyō-Phul*) (Sohūl-Myōn Pochōn-Gun).

*Uromyces holwayi* Lagerheim in Hedwigia, XX VIII, p. 108, 1889. O. I, II, III. *Lilium davuricum* Ker-Gawl. (*Nalgai-Hanul-Nari*) (Pochōn-Myōn Hesan-Gun).

*Uromyces itoanus* Hiratsuka f. in Hiratsuka, f. & Tobinaga in Ann. Phytopath. Soc. Japan IV, p. 161, 1935. O. I, II, III. *Microlespedeza striata* Makino (*Maidōp-Phul*) (Seoul; Mt. Kūmgang; Mt. Yonghwah Hwachōn-Gun\*; Chunchōn\*).

*Uromyces laburni* (DC.) Otth in Mittheil. Naturforsch. Ges. Bern (1863), p. 87, 1863. (*Uromyces genistae-tinctoriae* Winter, 1884). II, III. *Caragana Chamagu* Lam. (*Koldamcho*) (*Cultivated*) (Seoul).

*Uromyces leptodermus* P. et H. Sydow in P. & H. Sydow & Butler in Ann. Myc. IV, p. 430, 1906. (*Uromyces setariae-italicae* Yoshino, 1906; *U. eriochloae* P. et H. Sydow et Butler, 1907). II, III. *Setaria italicica* Beauv. var. *germanica* Schrad. (*Cho*) (*Cultivated*) (Seoul, Suwōn, Sariōn, Phyōngyang Euiju Cheju Island Chunchōn Chunsōng-Gun\*). *S. viridis* Beauv. (*Kangaji-Phul*) (Swōn, Cheju Island). *S. viridis* Beauv. var. *purpurascens* Maxim. (*Chaju-Gangaji-Phul*) (Seoul, Suwōn, Cheju Island\*).

*Uromyces lesbedezae-procumbentis* (Schw.) Curtis, Geol. Nat. Hist. Survey N. Car. III, p. 123 1867. O. I, II, III. *Lespedeza bicolor* Turcz. var. *japonica* Nakai (*Sari-Namu*) (Mt. Tairyōng, Chunsōng-Gun, Nov. 9, 1959, C. J. Kim). *L. cuneata* G. Don (*Pisuri*) (Mt. Kūmgang\*; Chunchōn\*). *L. cyrtobotrya* Miq. (*Cham-Ssari*) (Seoul; Mt. Kūmgang; Mt. Sōlak, Prov. Kangwōn\*; Chunchōn\*). *L. cytisoides* Nakai var. *inschanica* Nakai (*Dang-Bisuri*) (Wōnsan). *L. Maximowiczii* C. K. Schn. (*Chorok-Sari*) (Seoul; Mt. Kūmgang; Mt. Tairyōng, Chunsong-Gun\*).

*Uromyces limonii* Léveillé in Orbigny, Dict. Univ. Hist. Nat. XII, p. 786, 1849. O. I, II, III. *Limonium japonicum* O. Kuntze (= *Statice japonica* Sieb. et Zucc) (*Katt-Kilgyōng*) (Yongyōn-

Myon, Ongjin-Gun).

*Uromyces iyoctoni* (Kaichbr.) Trotter, Fl. Ital. Crypt. Ured. p. 64, 1998. (*Uromyces aconiti* Fuckel, 1869). II, III. *Aconitum Roczyanum* Raymund (*Chinhōn*) (Mt. Tairyōng, Chunsōng-Gun,) Oct., 9, 1959, C. J. Kim). New to Korea!

*Uromyces minor* Schröter, Pilze Schles. I, p. 3 10, 1887. III. *Trifolium Lupinaster* L. (*Talguji-Phul*) (Pochōn-Myōn, Hesan-Gun).

*Uromyces nerviphilus* Grognot Hotson in Publ. Puget sound Biol. Station, IV, p. 368, 1925. III. *Trifolium repens* L. (*Thoggi-Phul*) (*Cultivated*) (Kyōngsōng, Kvōngsōng-Gun).

*Uromyces orobi* Léveillé in Ann. Sci. Nat. (III) VIII, p. 371 & 376, 1847. O. I, II, III. *Lathyrus Davidii* Hance (*Hwalryang-Namul*) (Mt. Tairyōng Chunsōng-Gun, Oct. 9, 1959, C. J. Kim). *Vicia nipponica* Matsum. (*Neip-Kalihī*) (Mt. Odia, Prov. Kangwōn, Aug 11, 1960, C. J. Kim). V. *antijuga* Al. Braun (*Nabi-Namul*) (Chayu-Ryōng, Prov. Hambuk; Huchi-Ryōng, Phungsan-Gun; Sinnam-Myōn, Changjin-Gun; Mt. Tairyōng, Chusōng -Gun\*).

*Uromyces polygoni-aviculaiae* (Pers.) Karsten Myc. Fenn. IV, p. 12, 1879. (*Puccinia polygoni-aviculaiae*; Pers., 1801; *Uromyces polygoni* Fuck 1870). O. I, II, III. *Polygonum aviculare* L. (*Ok-Maidūp*) (Seoul, Suwōn, Chunchōn\*).

*Uromyces rudbeckiae* Arthur et Holway in Bull. Iowa Agric. Coll. (1884), p. 154, 1885. III. *Solidago Virga-aurea* L. (*Miyōk-Chwi*) (Mt. Kūmgang).

*Uromyces sophorae-flavescens* Kusano in Bot. Mag. Tokyo, XVIII, p. 4 & fig. 3, 1904. II, III. *Sophora angustifolia* Sieb. et Zucc. (*Kosam*) (Wōnsan).

*Uromyces trifolii* (Hedw.f.) Léveillé in Ann. Sci. Nat. (III) VIII, p. 371, 1847. O. I, II, II I. *Trifolium repens* L. (*Thogi-Phul*) (Seoul).

*Uromyces truncicola* Hennings et Shirai in Hennings in Bot. Jahrb. XXVIII, p. 260, 1901. II, III. *Sophora japonica* L. (= *Styphnolobium japonicum* Schott.) (*Hoehwa-Namu*) (Distr.-Unknown)

*Uromyces veratri* Schröter in Abh. Schles. Ges. vaterl. Kult. XLVIII, p. 10, 1869. II, III. *Veratrum album* L. var. *grandiflorum* Maxim. (= *V. grandiflorum* Loesn. fil.) (*Pak-Sai*) (Mt. Sōlak, Prov. Kangwōn. Jul. 21, 1961, C. J. Kim). V. sp. (Tongsang-Myōn, Sinhūng-Gun).

*Uromyces vignae* Barclay in Jour. Asiatic Soc. Bengal, LX, 2, pt. p. 211, 1891. II, III. *Vigna Catiang* Endl. var. *sinensis* King (=V. *sinensis* Endl.) (*Tongbū*) (*Cultivated*) (Seoul, Taijōn)

*Puccinia Persoon*

*Puccinia absinthii* (Hedw. f.) De Candolle, Fl. Fr. VI, p. 56, 1815. II, III. *Artemisia japonica* Thunb. (*Chebi-Suk*) (Mayang Island, Pukchōng-Gun). *A. lavandulaefolia* DC. (*Baing-Suk*) Chunchōn, Oct. 12, 1960, C. J. Kim)

*Puccinia acetosae* Körnicke in Hedwigia, XV, p. 184, 1876. II, III. *Rumex acetosa* L. (*Suyōng*) (Kyōngsōng-Myōn, Kyōngsōng-Gun; Mt. Tairyong, Chunsōng-Gun\*).

*Puccinia adenophorae* Dietel in Ann. Myc. XXV III, p. 276, 1930. III. *Adenophora remotiflora* Miq. (*Mosiddai*) (Mt. Sōlak, Prov. Kangwōn, Jul. 20, 1961, C. J. Kim). New to Korea!

*Puccinia agropyri-ciliaris* Tai et Wei in Sine-nisia, IV, p. 110 & fig. 41, 1933. III. *Agropyrum ciliare* Franch. (*Sokthōl-Gaimil*) (Nanam; Kyōngsōng, Kyōngsōng-Gun)

*Puccinia agropyricola* Hiratsuka, f. in Hiratsuka f. & Sato in Bot. Mag. Tokyo, LXIV, p. 221, 1951. (*Rostraria miyabeana* S. Ito, 1909). II, III. *Agropyrum ciliare* Franch. (*Sokthōl-Gaimil*) (Di-str. Unknown).

*Puccinia allii*(DC.)Rudolphi in Linnaea, IV, p. 392, 1829. II. *Allium fistulosum* L. (*Pha*) (*Cultivated*) (Chunchōn? Nov. 1957, C. J. Kim). New to Korea! This specimen found in a dust-bin in Chunchōn.

*Puccinia angustata* Peck in Bull. Buffalo Soc. Nat. Sci. I, p. 67, 1873; Ann. Rept. N. Y. State Mus. XXV, p. 123, 1873. O, I. *Lycopus lucidus* Turcz. (*Swip-Sari*) (Pochōn-Myōn, Hesan-Gun).

*Puccinia aomoriensis* P. et H. Sydow in Ann. Myc. XI, p. 104, 1913. O, I. *Atractylis ovata* Thurnb. (=A. *lyrata* Sieb. et Zucc.) (*Sapchu*) (Mt. Kūmgang; Mt. Tairyong, Chunsōng-Gun\*; Mt. Samhak, Chunsōng-Gun\*; Kongju) II, III. *Carex lanceolata* Boott (*Kūnūl-Sacho*) (Mt. Kūmgang).

*Puccinia arenarice* (Schum.) Winter, Pilze Deutschl. I, p. 169, 1884. (*Puccinia spargulae* DC., 1805). III. *Spergula arvensis* L. (*Tūl-Gaimi-Jari*) (*Chuūl-Eup*, Kyōngsōng-Gun).

*Puccinia artemisiae-keiskeanae* Miura ex P. & H. Sydow in Ann. Myc. XI, p. 95 & fig. 1, 1913.

III. *Artemisia keiskeana* Miq. (*Malūn-Dai-Suk*) (Pukchōng-Gun; Mt. Samhak, Chunsōng-Gun\*)

*Puccinia artemisiicola* P. et H. Sydow, Monogr. Ured. I, p. 14 & pl. I, fig. 11, 1902. III. *Artemisia stolonifera* Komarov. (*Nōlbūn-Oeip-Suk*) (Sohōl Myōnl, Phochōn-Gun).

*Puccinia arundinellae-anomalae* Dietel in Bot. Jahrb. XXXVII, p. 100, 1905. II, III. *Arundinella hirta* Tanaka var. *ciliata* Koidz. (*Sai*) (Piwōn, Seoul; Mt. Kūmgang; Chunchōn\*).

*Puccinia behenis* (DC.) Otth in Mitth. Naturforsch. Ges. Bern (1870) p. 89, 1870. O, I, II, III. *Lychnis cognata* Maxim. (*Tongja-Got*) (Mt. Puk, Chanjin-Gun; Mt. Odai, Prov. Kangwōn\*; Mt. Sōlak, Prov. Kangwōn\*).

*Puccinia bistortae* De Candolle, Fl. Fr. VI, p. 61, 1815. II, III. *Bistorta incana* Nakai (*Hin-Bōm-Gori*) (Yudōk-Myōn, Kyōngwōn-Gun). *Polygonum Bistorta* L. (*Pōm-Gori*) (Mt. Tairyong, Chunsōng-gu, Jun. 10, 1960, C. J. Kim).

*Puccinia brachybotrydis* Komarov in Jaczewski, Komarov & Tretzschel, Fung. Ross. exsicc. no. 219, 1898. III. *Brachybotrys paridiformis* Maxim. (*Tang-Gai-Jishi*) (Pochōn-Myōn, Hesan-Gun).

*Puccinia bupleuri* Rudolphi in Linnaea, IV, p. 514, 1829. II, III. *Bupleurum sachalinense* F. Schm. (*Kai-Sihō*) (Mt. Odai, Prov. Kangwōn, Aug. 11, 1960, C. J. Kim). New to Korea!

*Puccinia calthicola* Schröter, Beitr Biol Pfl. III, p. 61, 1879. ("sub *Puccinia calthaecola*"). O, I, II, III. *Caltha sibirica* Makino forma erecta Makino (=C. *membranacea* Schip. forma erecta Koidz.). (*Tongūi-Namul*) (Pochōn-Myōn, Hesan-Gun).

*Puccinia campanumaeae* Patouillard in Rev. Myc. p. 182, 1886. III. *Codonopsis pilosula* Nan-nfeildt (=C. *silvestris* Komar.) (*Man-Sam*) (Prov. Hamnam "Karimuni?" Jul. 21, 1897, V. Komarov).

*Puccinia canaliculata* (Schw.) Lagerheim in T-romsö Mus. Aarsch. XVII, p. 51, 1894. II, III. *Cyperus difformis* L. (*Al-Bangdongsani*) (Chunchōn, Aug. 8, 1961, C. J. Kim). C. *microiria* Steud. (*Kūm-Bangdongsani*) (Kyōngsōng-Myōn, Kyōngsōng-Gun; Chunchōn\*).

*Puccinia carducrum* Jacky in Zeitschr. f. Pflanzenkr. IX, p. 288 & fig. 13, 1899. II, III. *Carduus crispus* L. (*Chinūreni-Ongōnghwī*) (Pukchōng, Pukchōng-Gun; Mt. Tairyong, Chunsōng-Gun\*).

*Puccinia caricis-macrophalae* Dietel in Ann.

Myc. VIII, p. 306, 1910. II, III. *Carex macrocephala* Willd. (*C. Koēon-nugi* Ohwi) (*Pori-Sacho*) (Wönsan).

*Puccinia caricis-siderostictae* Dietel in Ann. Myc. V, p. 72, 1907. II, III. *Carex siderosticta* Hance (*Tai-Sacho*) (Mt. Kümgang).

*Puccinia chrysanthemi* Roze in Bull. Soc. Myc. Fr. XVII, p. 92, 1900. II, III. *Chrysanthemum morifolium* Ramat. var. *sinense* Makino (*Kuk-Hwa*) (*Cultivated*) (Seoul). *Ch. sibiricum* Fisch. (=*Ch. Zawadzkii* Herb. var. *latilobum* Kitamura) (*Kujlo-Cho*) (Mt. Kümgang; Yönhung, Yönhung-Gun).

*Puccinia cicutae* Lasch in Klotzsch, Herb Myc. no. 787, 1845. O, I, II, III. *Cicuta virosa* L. (*Tok-Minari*) (Chuül-Eup, Kyōngsōng-Gun).

*Puccinia circaeae* Persoon, Syn. Meth. Fung. p. 223, 1801. III. *Circaea alpina* L. (*Chwithöl-Isil*) (Pochōn-Myōn, Hesan-Gun).

*Puccinia cirsii* Lasch in Rabenhorst, Fung. Eur. no. 89, 1859. O, II, III. *Cirsium maackii* Maxim. (*önggōngkhwi*) (Seoul). *C. endulum* Fischer (*Khōn-önggōngkhwi*) (Distr.-Unknown). ■

*Puccinia convolvuli* Castagne, Observ. Fl. Ured. I, p. 16, 1842. O, I, II, III. *Calystegia japonica* Choisy (*Me-Got*) (Yongyōn-Myōn, Ongjin-Gun). *C. Soldanella* R. Br. (*Kait-Me-Got*) (Wönsan; Sokcho-Eup, Yangyang-Gun\*).

*Puccinia coronata* Corda, Icon. Fung. I, p. 6, 1837. (*Puccinia brevicornis* S. Ito, 1909; *P. epigejos* S. Ito, 1909; *P. hierochloae* S. Ito., 1909; *P. himalensis* (Barcl.) Dietel, 1897; *P. lolii* Nielssen, 1875; *P. pertenuis* S. Ito, 1909; *P. rangiferina* S. Ito, 1909). II, III. *Avena sativa* L. (*Kwiri*) (*Cultivated*) (Pochōnbo, Hesan-Gun). *Cladmagrostis arundinacea* Roth. var. *sciuroides* Hack. (*Sil-Sai-Phul*) (Seoul). *Hierochloe odorata* Beauv. (*Hyangmo*) (Wönsan).

*Puccinia cynodontis* Lacroix ex Desm., pl. Crypt. Fr. II, no. 653, 1859. II, III. *Cynodon Dactylon* Pers. (*Usandai-Jandi*) (Wönsan).

*Puccinia diarrhenae* Miyabe et S. Ito in S. Ito in Jour. Coll. Agric. Tohoku Imp. Univ. III, p. 190 & pl. X, fig. 6, 1909. II, III. *Diarrhena japonica* Franch. et Sav. (*Yong-Suyōm-Phul*) (Sohūl-Myōn, Phochōn-Gun).

*Puccinia dieteliana* P. Sydow in Hedwigia, XX XVII, p. 215, 1898. I, III. *Lysimachia clethroides* Duby (*Khān-Gachi-Suyōm*) (Mt. Kümgang; Seoul

Mt. Tairyong, Chunsōng-Gun\*; Mt. Samhak, Chunsōng-Gun\*).

*Puccinia dioscoreae* Komarov in Jacczewski, Komarov Tranzschel, Fung. Ross. exsicc. no. 269, 1899. (*Rostrupia dioscoreae* (Kom) Sydow, 1902). II, III. *Dioscorea nipponica* Makino (*Puchai-Ma*) (Chuül-Eup, Kyōngsōng-Gun).

*Puccinia diplabhnicola* Dietel in Ann. Myc. VIII, p. 308, 1910. I. *Sedum Aizoon* L. (*Kanün-Girincho*) (Distr.-Unknown). *S. selskianum* Regel et Maack (*Thöl-Girincho*) (Distr. —Unknown). II, III. *Diplachne sericea* Link vas *chinensis* Maxim. (=*Cleistogenes Hackei* Honda) (*Tai-Sai-Phul*) (Seoul).

*Puccinia elymi* Westendorp in Bull. Acad. Roy Belg. XVIII, p. 408, 1851. (*Rostrupia elymi* Lagerheim, 1889). II, III. *Roezneria ciliaris* Nevskii (?) (Chuül-Eup, Kyōngsōng-Gun).

*Puccinia elytrariae* Hennings in Hedwigia, XX XV, p. 320, 1895. III. *Justicia Procumbens* L (*Chwi-Gori-Mangchö*) (Seoul).

*Puccinia eulaiae* Barclay in Jour. Asiatic Soc. Bengal, LX, (2), p. 216, 1891. II, III. *Misanthus sinensis* Anderss. forma *purpurascens* Makino (= *M. purpurascens* Anderss.) (*Ok-Sai*) (Seoul).

*Puccinia fagopyri* Barclay in Jour. Asiatic Soc. Bengal, LIX, (2), p. 197, pl. III, fig. 9, 1890. II, III. *Fagopyrum esculentum* Moench. (= *Polygonum Fagopyrum* L.) (*Momii*) (*Cultivated*) (Pochōn-Myōn, Hesan-Gun).

*Puccinia ferruginosa* P. et H. Sydow, Monogr. Ured. I, p. 13, 1902. III. *Artemisia Iwayomogi* Kitamura (*Tōwi-Jigi*) (Hamhung). *A. mongolica* Fischer (*Cham-Suk*) (Suwōn, Tangjin). *A. vulgaris* L. var. *coarctata* Bess. (*Cham-Suk*) (Wönsan, Mt. Kümgang). *A. vulgaris* L. var. *indica* Maxim (Suk) (Seoul, Suwōn, Taijūn, Chunchōn\*).

*Puccinia festucae* Plowright in Grevillea, XXI, p. 109, 1893. O, I. *Lonicera Maackii* Maxim. (*Koebul-Namu*) (Sohōl-Myōn, Phochōn-Gun).

*Puccinia funkiae* Dietel in Hedwigia, XXXVII, p. 214, 1898. II, III. *Hosta minor* Nakai (*Chom-Bibichü*) (Mt. Kümgang).

*Puccinia glechomatis* De Candolle ex Poir. in Lam., Encycl. Meth. Bot. VIII, p. 245, 1808. III. *Glechoma hederacea* L. var. *grandis* Kudo (= *Nepeta Glechoma* Benth.) (*Pyōng-Got-Phul*) (Seoul). *Mechanis urticifolia* Makino (*Pōlgai-Donggul*) (Mt. Tairyong, Chunsōng-Gun, Jul. 11, 1960;

Mt. Odai, Prov. Kangwôn, Aug. 11, 1960; -C.J. Kim).

*Puccinia graminis* Persoon, Syn. Meth. Fung. p. 228, 1801. (*Puccinia culmicola* Dietel, 1950; *P. shlei-pratensis* Eriksson et Henning, 1894; *P. zyymina* Miura, 1928). O, I. *Berberis amurensis* Rupr. (=*B. vulgaris* L. var. *japonica* Regel) (*Mzi-Balhōp-Namu*) (Sinnam-Myōn, Changjin-Gun). II, III. *Hordeum sativum* Jess. var. *hexastichon* Hack (*Kot-Pori*) (Cultivated) (Sariwōn, Suwōn, Taijōn). *H. sativum* Jess var. *vulgare* Hack f. *coeleste* Makino (*Sal-Bori*) (Cultivated) (Suwōn, Taijōn). *Triticum aestivum* L. (=*T. sativum* Lam var. *vulgare* Hack.) (*Mil*) (Cultivated) (All Provinces).

*Puccinia gypsophila* Liou et Wang in Contrib Inst. Bot. National Acad. Peiping, III, p. 442 & pl. XLII, fig. 12, 1935. II, III. *Gypsophila pacifica* Komarov (*Kanūn-Dai-Namul*) (Chōnjin).

*Puccinia haleniae* Arthur et Holway in Arthur in Bull. Geol. Nat. Hist. Survey Minn. III, p. 30 1887. III. *Halenia corniculata* Cornaz. (=*H. sibirica* Borkh.) (*Tat-Got*) (Pochōn-Myōn, Hesan-Gun).

*Puccinia helianthi* Schweinitz in Schr. Nat. Ges. Leipzig, I, p. 73, 1822. O, I, II, III. *Helianthus annuus* L. (*Hai-Baragi*) (Cultivated) (Kyōngsōng, (Kyōngsōng-Gun; Chunchōn\*; Seoul\*).

*Puccinia hemerocallidis* Thümen in Bull. Soc. Imp. Nat. Moscou, LV, p. 81, 1880. O, I. *Patrinia scabiosaeifolia* Link. (*Mathari*) (Yongyōn-Myōn, Ongjin-Gun; Fuchi-Ryōng, Phungsan-Gun; Chayu-Ryōng, Prov. Hambuk). II, III. *Hemerocallis* sp. (Cultivated) (Seoul).

*Puccinia hieracii* Martius, Prodr. Fl. Mosq. II. ed., p. 225, 1817. II, III. *Hieracium umbellatum* L. (*Chobap-Namul*) (Mt. Kūmgang, Cheju Island) *Picris hieracioides* L. var. *japonica* Regel. (=*P. japonica* Thunb.) (*Soesō-Namul*) (Chuūl-Eup, Kyōngsōng-Gun; Cheju Island).

*Puccinia hordei* Otth in Mitteil. Naturforsch. Ges. Bern (1870), p. 114, 1871. (*Puccinia anomala* Rostrup, 1878). II, III. *Hordeum sativum* Jess. var. *hexastichon* Hack. (*Köt-Pori*) (Cultivated) (Sariwōn, Taijōn, Chunchōn\*). *H. sativum* Jess var. *vulgare* Hack. f. *coeleste* Makino (*Sal-Bori*) (Cultivated) (Taijōn).

*Puccinia iridia* Wallroth. in Rabenh Krypt. Fl. I, p. 23, 1844. II, III. *Iris* sp. (Tongsang-Myōn,

Sinhōng-Gun).

*Puccinia lactucae-debilis* Dietel in Ann. Myc. VI, p. 225, 1903. O, I, II, III. *Lactuca dentata* Makino (=*Ixeris dentata* Nakai) (*Sum-Bagwi*) (Distr. —Unknown).

*Puccinia lactucae-denticulatae* Dietel in Bot. Jahrb. XXXVII, p. 103, 1905. II, III. *Ixeris sonchifolia* Hance (=*Lactuca bungeana* Nakai) (*Kodōl-Baigi*) (Seoul). *Lactuca denticulata* Maxim. (=*Ixeris denticulata* Stebbins) (*I-Godōl-Baigi*) (Seoul Mt. Yonghwa, Hwachōn-Gun\*).

*Puccinia lacucae-repentis* Miyabe et T. Miyake ex P. & H. Sydow in Ann. Myc. XI, p. 96, 1913 I, III. *Lactuca repens* Maxim. (=*Ixeris repens* A Gray) (*Kait-Sumbagwi*) (Wōnsan; Sokcho-Eup, Yangyang-Gun\*).

*Puccinia longicornis* Patouillard et Hariot in Hariot in Bull. Soc. Myc. Fr. VII, p. 143, 1891. III. *Phyllostachys reticulata* C. Koch (*Chām-Dai*) (Cultivated) (Wan Island, Psov. Chōnnam, Jan. 11, 1959. C. J. Km). New to Korea!

*Puccinia magnusiana* Körnicke in Hedwigia, X V, p. 179, 1876. II, III. *Phragmites japonica* Steud. (=*Ph. prostrata* Makino) (*Tal-Buri-Phul*) (Seoul) *Ph. communis* Trin. (=*Ph. longivalvis* Steub.) (*Kaldai*) (Distr. —Unknown).

*Puccinia mandshurica* Miura, Flora of Manchuria & E. Mongolia. III, p. 308 & pl. IV, fig. G, 1928. II, III. *Carex siderosticta* Hance (*Tai-Sacho*) (Pochōn-Myōn, Hesan-Gun).

*Puccinia menthae* Persoon, Syn. Meth. Fung. p. 227, 1801. O, I, II, III. *Mentha arvensis* L. var. *Piperascens* Malinv. (=*M. sacharinensis* Kudo) (*Pakha*) (Mayang Island, Bukchōng-Gun; Chinju; Chunchōn\*).

*Puccinia minusssensis* Thümen in Bull. Soc. Imp. Nat. Moscou. LIII, p. 214, 1878. O, I, II, III. *Lactuca laciniata* Makino (*Wang-Gocōl-Baigi*) (Mayang Island, Pukchōng-Gun; Chunchōn\*; Chunsōng-Gun\*). *L. dracoglossa* Makino (*Yong-Sōl-Chi*) (Kyōngsōng, Kyōngsōng-Gun). *L. Raddiana* Maxim. (*San-Sumbagwi*) (Sohōl-Myōn, Phochōn-Gun; Mt. Tairyong, Chunsōng-Gun\*). *L. triangulata* Maxim. (*Tume-Godōl-Baigi*) (Mt. Odai, Prov. Kangwôn, Aug. 10, 1960, C. J. Kim).

*Puccinia miyakei* P et H. Sydow in Ann. Myc. VII, p. 168, 1908. II, III. *Carex siderosticta* Hance (*Tai-Sacho*) (Sohōl-Myōn, Phochün-Gun).

*Puccinia miyoshiana* Dietel in Bot. Jahrb. XX

VII, p. 569, 1899. II, III. *Spodiopogon cotulifer* Hack. (=*Eccocilopus cotulifer* A. Camus (*Kirum-Sai*) (Mt. Kūmgang).

*Puccinia moliniae* Tulasne in Ann. Sci. Nat. (IV) II, p. 141, 1854. II, III. *Molinia japonica* H. Ck. (=*Molinopsis japonica* Hayata) (*Chinphōri-Sai*) (Mt. Kumgang).

*Puccinia moriokaensis* S. Ito in Jour. Coll. Agric. Tohoku Imp. Univ. III, p. 224 & pl. XII, fig. 1, 1909. III. *Phragmites communis* Trin. (= *Ph. longivalvis* Steud.) (*Kal-Dai*) (Mt. Tairyong, Chunsōng-Gun, Sept. 19, 1958, C. J. Kim). *Ph. japonica* Steud. (=*Ph. prostrata* Makino) (*Tal-Buri-Phul*) (Nam-Myōn, Chunsōng-Gun, Nov. 9, 1958, C. J. Kim). New to Korea!

*Puccinia nanbuana* Hennings in Hedwigia, XL, p. (26), 1901. O, II, III. *Angelica dahurica* Benth et Hook. (*Kurit-Dai*) (Mt. Solak, Prov. Kangwōn, Jul. 21, 1961, C. J. Kim). *A. fallax* Boissieu (*Kai-Ganghwai*) (Cheju Island). *A. polymorpha* Maxim. (*Chōn-Gung*) (Cheju Island). *A. purpureaefolia* Chung (*Chiri-Ganghwai*) (Mt. Odai, Prov. Kangwōn, Aug. 11, 1960, C. J. Kim). *A. p.* (Mt. Kūmgang).

*Puccinia nolitangeris* Corda, Icon. Fung. IV, p. 16 & pl. V, fig. 57, 1840. II, III. *Impatiens noli-tangere* L. (*Norang-Mul-Bongsōn*) (Mt. Kūmgang; Mt. Tairyong, Chunsōng-Gun\*). *I. Texori* Miq. (*Mul-Bongsōn*) (Mt. Tairyong, Chunsōng-Gun, Nov. 8, 1959, C. J. Kim).

*Puccinia obscura* Schröter ex Pass. in Nuov. Giorn. Bot. Ital. IX, p. 256, 1877. II, III. *Luzula campestris* DC. var. *capitata* Miq. (*Gwōngōi-Bap*) (Seoul).

*Puccinia oenanthes-stoloniferae* S. Ito ex Tranzschel, Conspect. Ured. URSS, p. 299, 1939. II, III. *Oenanthe stolonifera* DC. (*Minari*) (Yongyōn-Myōn, Ongjin-Gun).

*Puccinia pachycephala* Dietel in Ann. Myc. IV, p. 305, 1939. II, III. *Veratrum* sp. (=*V. ussurienense* Nakai?) (Chuōl-Eup, Kyōngsūng-Gun).

*Puccinia patriniae* Hennings in Bot. Jahrb. XX VIII, p. 261, 1900. III. *Patrinia villosa* Juss. (*Dukgal*) (Mt. Kōmgang).

*Puccinia phellopteri* P. et. H. Sydow, Monogr. Ured. I, p. 406, 1903. II, III. *Phellopterus littoralis* Benth. (*Kait-Bangphung*) (Wōnsan).

*Puccinia pimpinellae-brachycarpe* Tranzschel et Eremeeva in Tranzschell, Conspect. Ured. URSS

p. 308 & fig. 32 1939. III. *Pimpinella brachycarpa* Nakai (*Neru-Cam-Namul*) (Prov. Hamnam; Zat-tan-Rei? Jun. 23, 1897, V. Komarov).

*Puccinia poae-nemoralis* Ottb in Mitt. Naturforsch. Ges. Bern (1870), p. 113, 1871. (*Puccinia poae-sudeticae* (West.) Jorstad, 1932). II, III. *Poa pratensis* L. (*Wang-Pha-Phul*) (Chuōl-Eup, Kyōngsōng-Gun).

*Puccinia poae-pratensis* Miura in Flora of Manchuria & E. Mongolia, III, p. 280, pl. IV, fig. A. 1928. O, I. *Rhamnus davurica* Pallas (*Kalmai-Namu*) (Mt. Tairyong, Chunsōng-Gun, Jun. 11, 1961, C. J. Kim). New to Korea!

*Puccinia polygoni-amphibii* Persoon Syn. Meth. Fung. p. 227, 1801. II, III. *Persicaria fauriei* (Léveillé & Vaniot) Nakai (*Kast-Yōgwi*) (Mt. Tairyong, Chunsōng-Gun, Oct. 8, 1959, C. J. Kim). *Polygonum Convolvulus* L. (=Bilderdykia *Convolvulus* Dumort.) (*Nado-Dalkōl-Dōnggul*) (Seoul, Mt. Kūmgang). *P. filiforme* Thunb. (=Tovara *filiformis* Nakai) (*Isak-Yōggwi*) (Mt. Tairyong, Chunsong-Gun, Oct. 8, 1959, C. J. Kim). *P. perfoliatum* L. (=Persicaria *perfoliata* Gross.) (*Myōnuri-Baiggop*) (Seoul). *P. Reynoutria* Makino (=Raynoutria *japonica* Houtt) (*Hojanggūn*) (Cheju Island). *P. sagittatum* L. var. *Sieboldii* Maxim. (=Parsicaria *Sieboldii* Ohki) (*Migguri-Nakssi*) (Mt. Tairyong, Chunsōng-Gun, Jul. 11, 1960, C. J. Kim). *P. Thunbergii* Sieb. et Zucc. (=Persicaria *Thunbergii* Gross.) (*Komari*) (Chunchōn, Nov. 8, 1959; Mt. Tairyong, Chunsōng-Gun Nov. 1959; —C. J. Kim).

*Puccinia polygoni-weyrichii* T. Miyake ex Kawai & Otani in Transact Sapporo Nat. Hist. Soc. XI, p. 234 & fig. 1, 1931. II, III. *Pleuropteroplyrum polymorphum* Nakai (*Singa*) (Tongsan-Myōn Chunsōng-Gun, Aug. 6, 1961, C. J. Kim). New to Korea!

*Puccinia punctata* Link in Ges Nat Freude Berlin Mag. VII, p. 30, 1815. O, I, II, III. *Galium uerum* L. var. *asisticum* Nakai f. *nikkense* Ohwi (*Hin-Got-Sol-Namul*) (Wōnsan).

*Puccinia punctiformis* (Str.) Röhling, Deutsch. Fl. 2. Ed., III (3), p. 132, 1813. (*Puccinia obtgens* Tulasne, 1854). O, II, III. *Cephalonoplos segetum* (Bunge) Kitamura (*Chobaingi*) (Hamhōng; Chubuk-Myōn, Hamju-Gun).

*Puccinia pygmaea* Eriksson, Fung. Paras. Scand. no. 449, 1895; Bot. Centralbl. LXIV, p. 281, 18

95. II, III. *Calamagrostis Epigeios* Roth var. *tenuiflora* Ledeb. (*Kanōn-Sanjo-Phil*) (sohōl-Myōn, Phochōn-Gun).

*Puccinia recondita* Roberge ex Desmazières in Bull. Soc. Bot. Fr. IV, p. 798, 1857. (*Puccinia agropyri* Ellis et Everhart, 1892; *P. agropyrina* Eriksson, 1892; *P. agrostidis* Plowright ex Oudemans, 1892; *P. bromi-japonicae* S. Ito, 1909; *P. bromina* Eriksson, 1899; *P. dispersa* Eriksson et Henning, 1895; *P. elymi-sibirici* S. Ito, 1909; *P. glyceriae* S. Ito, 1909; *P. ishikariensis* S. Ito, 1909; *P. triseti* Eriksson, 1899; *P. triticina* Eriksson, 1899). II, III. *Agropyrum semicostatum* Nees (=*Roegneria semicostata* Kitagawa) (*Kai-Mil*) (Huchang-Myōn, Pukchōng-Gun; Sōngdōk-Myōn Pukchōng-Gun). *Triticum aestivum* L. (*Mil*) (*Cultivated*) (Sariwōn, Taijōn, Chunchōn\*).

*Puccinia scorzonerae* (Schum.) Jacky in Zeitschr. f. Pflanzenkr. IX, p. 248 & text-fig. 7, 1899. O, I, II, III. *Scorzonera albicaulis* Bunge (*Soechai*) (Hamhüng).

*Puccinia sonchi* Roberge ex Desm. in Ann. Sci. Nat. (III), XI, p. 274, 1849. II, III. *Sonchus arvensis* L. var. *uliginosus* Trautv. (*Sade-Phil*) (Chuūl-Eup, Kyōngsōng-Gun).

*Puccinia stipae-sibiricae* S. Ito in Jour. Coll. Agric. Tohoku Imp. Univ. III, p. 228 & pl. XII fig. 5, 1909. O, I. *Sedum Aizoon* L. (*Kanūn-Girincho*) (Tōksōng-Myōn, Pukchōng-Gun; Pukchōng, Pukchōng-Gun; Pochōn-Myōn, Hesan-Gun). *S. kamtschaticum* Fisch. (*Kirinko*) (Tōksōng-Myōn, Pukchōng-Gun). II, III. *Stipa effusa* Nakai (*Narai-Sai* Sohōl-Myōn, Phochōn-Gun).

*Puccinia striiformis* Westendorp in Bull. Soc. Roy. Acad. Belg. XXI(2), p. 235, 1954. (*Puccinia glumarum* Eriksson et Henning, 1874). II, III. *Hordeum sativum* Jess. var. *hexastichon* Hack. (*Kot-Pori*) (*Cultivated*) (Suwōn, Chunchōn\*). *H. sativum* Jess. var. *vulgare* Hack. f. *coeleste* Makino (*Sal-Bori*) (*Cultivated*) (Suwōn). *Panicum crusgalli* L. var. *frumentaceum* Trin. (= *Echinochloa (Crusgalli)* Beauv. subsp. *edulis* Honda) (*Phi*) (*Cultivated*) (Sariwōn). *Triticum aestivum* L. (*Mil*) (*Cultivated*) (All Provinces).

*Puccinia taraxaci* Plowright, Monogr. Brit. Ohw-Ured. & Ustil. p. 185, 1839. II, III. *Taraxacum ianum* Kitamura (*San-Miniöllat*) (Pochōn-Myōn, Hesan-Gun). *T. platycarpum* Dahlst. (*Mindällat*) (Mt. Tairyong, Chunsōng-Gun, Nov. C. J. 9, 19

59. C. J. Kim). *T. sp.* (Chōl-Eup, Kyōngsōng-Gun).

*Puccinia tokyensis* P. et H. Sydow. Monogr. Ured. I, p. 377, 1902. O, I, II, III. *Cryptotaenia canadensis* DC. (= *C. japonica* Hassk.) (*Pandi-Namul*) (Seoul; Mt. Odai, Prov. Kangwōn\*).

*Puccinia transschelii* Dietel in Hedwigia, XXX, p. 295 & pl. XXXV, fig. 5, 1891. III. *Cacalia hastata* L. var. *glabra* Ledeb. (*Min-Bakchwi-Namul*) (Pochōn-Myōn, Hesan-Gun).

*Puccinia violae* Schum. De Candolle, Fl. Fr. VI, p. 62, 1815. O, I, II, III. *Viola collina* Besser (*Tonggūn-Thōl-Jebi-Got*) (Mt. Kūmgang; Mt. Dairyong, Prov. Kangwōn\*). *V. mandshurica* W. Beck. (*Chebi-Got*) (Chunchōn, Nov. 30, 1961, C. J. Kim).

*Puccinia violae-glabellae* Miura ex P. & H. Sydow in Ann. Myc. XI, p. 101 & fig. 4, 1913. O, I, II, III. *Viola brevistipulata* W. Beck. (*Khün-San-Jebi-Got*) (Huchi-Ryōng, Phungsan-Gun)

*Puccinia zoysiae* Dietel in Bot. Jahrb. XXXII, p. 48, 1902. II, III. *Zoysia japonica* Steud. (*Ch. andi*) (Seoul, Hamhüng, Chunchōn\*).

*Z. tenuifolia* Trin. (*Kūm-Jandi*) (Seoul).

## UREDINALES IMPERFECTI

### *Uredo* Persoon

*Species of Uredo which seem to belong to Milesina*

*Uredo asplenii-incisi* (Faull) Hiratsuka, f. in Transact. Myc. Soc. Japan, no. 5, p. 1957. II. *Asplenium incisum* Thunb. (*Gori-Gosari*) (Seoul).

*Uredo fagarae* P. et H. Sydow in Ann. Myc. XII, p. 111, 1914. II. *Fagara schinifolia* Engl. (*Sankho-Namu*) (Cheju Island).

*Uredo iyoensis* Hiratsuka, f. et Yoshinaga in Mem. Tottori Agric. Coll. III, p. 334, 1935. II. *Viola* sp. (Mt. Kūmgang).

### *Caeoma* Link

*Caeoma makinoi* Kusano in Bot. Mag. Tokyo, XVII, p. 15, 1903. O, I. *Prunus Armeniaca* L. var. *Ansu* Maxim (= *P. Ansu* Komar.) (*Sai-gu-Namu*) (*Cultivated*) (Thosōng-Myōn, Pongsan-Gun).

### *Aecidium* Persoon

*Aecidium adenocauli* P. et H. Sydow in Ann. Myc. XI, p. 111, 1913. O, I. *Adenocaulon adhaerescens* Maxim. (= *Myōl-Gachi*) (Sohōl-Myōn, Phochōn-Gun).

*Aecidium ainsliaeae* Dietel in Bot. Jahrb. XXVII, p. 571, 1900. O, I. *Ainsliaea acerifolia* Sch.

Bip. (*Tanphung-Chwi*) (Mt. Kümgang; Mt. Tairyong, Chunsöng-Gun\*; Mt. Sölak, Prov. Kangwön\*).

*Aecidium alangii* Hiratsuka, f. et Yoshinaga in Mem. Tottori Agric. Coll. III, p. 329, 1935. O. I. *Marlea platcnifolia* Sieb. et Zucc. Var. *macrophylla* Makino (*Pakchi-Namu*) (Mt. Samhak, Chunsöng-Gun, Jun. 25, 1961; Mt. Sölak, Prov. Kangwön, Jul. 18, 1961;—C. J. Kim). New to Korea!

*Aecidium epimedii* Hennings et Shirai in Hennings in Bot. Jahrb. XXVIII, p. 264, 1901. O. I. *Epimedium Koreanum* Nakai (*Samji-Guyop-Cho*) (Imok-Ryōng, Pukchōng-Gun; Mt. Tairyong, Chunsöng-Gun\*).

*Aecidium klugkistianum* Dietel in Hedwigia, X XXVII, p. 212, 1898. O. I. *Ligustrum ibota* Sieb. (*Thöl-Jwiddong-Namu*) (Seoul). *L. ibota* Sieb. f. *glabrum* Nakai (*Chöng-Jwidong-Namu*) (Seoul).

*Aecidium meliosmae-myrianthae* Hennings et Shirai in Bot. Jahrb. XXVIII, p. 264, 1901. O. I. *Meliosma myriantha* Sieb. et Zucc. (*Nado-Bam-Namu*) (Distr.—Unknown).

*Aecidium mertensiae* Arthur in Bull. Torrey Bot. Club. XXXI, p. 6, 1904, O. I. *Mertensia*

*asiatica* Macbr. (*Kait-Chichi*) (Distr.—Unknown). *Aecidium minoensa* P. et H. Sydow in Ann. Myc. XIII, p. 36, 1915. O. I. *Elaeagnus umbellata* Thunb. (= *E. crispa* Thunb.) (*Porisu-Namu* (Cheju-Island))

*Aecidium mori* Barclay in Jour. Asiatic Soc. Bengal, LX (2), p. 226, 1891. (O), I. *Morus bombycis* Koidz. (*Bong-Namu*) (Suwon, Cheju Island, Sangju-Gun\*).

*Aecidium philadelphi* Dietel in Ann. Myc. O. I. *Philadelphus tenifolius* Rupr. & Maxim. (*Yulbōn-Ip-Kogwang-Namu*) (Mt. Sölak, Prov. Kangwön, Jul. 19, 1961, C. J. Kim). New to Korea!

*Aecidium quintum* P. et H. Sydow in Ann. Myc. XV, p. 144, 1917. O. I. *Elaeagnus umbellata* Thunb. (= *E. crispa* Thunb.) (*Porisu-Namu*) (Seoul).

*Aecidium viburni* Hennings et Shirai in Bot. Jahrb. XXVIII, p. 265, 1901. O. I. *Viburnum erosum* Thunb. var. *punctatum* Franch. et Sav. (*Thöl-Ggwāng-Namu*) (Sohöl-Myōn, Phochōn-Gun) *V. pubinerve* Bl. f. *calvescens* Nakai (*Chöng-Baikdang-Namu*) (Sohül-Myōn, Phochōn-Gun) *V. pubinerve* Bl. f. *intermedium* Nakai (*Paikdang-Namu* (Mt. Tairyong, Chunsöng-Gun,) Jun. 11, 1961; Mt. Sölak, Prov. Kangwön, Ju. l. 21, 1961;—C. J. Kim).

## 摘要

文獻上에 나타난 韓國產銹菌을 調査整理한 바 3科 32屬 208種이다. 筆者は 今般 銹菌未記錄 4屬 12種

斗 未記錄寄主 22種을 얻었기에 이를 包含한 總 3科 32屬 220屬種을 韓國產銹菌으로서 報告하는 바이다.

이번 追加한 銹菌韓國未記錄種은 云 *Phakopsora zizyphi-vulgaris* Dietel, *Uromyces geranii* (DC.) Léveillé, *Uromyces lycoctoni* (Kalchbr.) Trotter, *Puccinia adenophorae* Dietel, *Puccinia allii* (DC.) Rudolphi, *Puccinia bupleuri* Rudolphi, *Puccinia longicornis* Patouillard et Hariot, *Puccinia moriokaensis* S. Ito, *Puccinia poae-pratensis* Miura, *Puccinia polygoni-weyrichii* T. Miyake ex Kwai & Otani, *Aecidium alangii* Hiratsuka, f. et Yoshinaga, *Aecidium philadelphi* Dietel의 12種이다.

## REFERENCES

- Engler, A. u. Prantl, K. (1897), Kie naturlichen Pflanzenfamilien, I. Teil, I. Abteilung\*\*.
- Gwynne-Vaughan, Helen (1922), Fungi. Ascomycetes, Utilaninales.
- 原 扶祐 (1928), 東亞菌類誌, 靜岡縣農學會, 359 ~364.
- Hennings, P., Fungi Monsunensis I. (Warburg, Monsunia, I: 1-38, 1 Taf. (1899).
- Hiratsuka, Naohide (1930), Pucciniastrum of Japan, Bot. Mag. Tokyo, XLVI: 261-284.
- (1933), Studies on *Uromyces fabae* and its related species, Jap. Journ. Bot., VI: 329-379.

- (1934), 日本銹菌類雜記 其五, 植物研究雜誌 X: 617-623.
- (1935), Uredinales collected in Korea. I, Bot. M. g. Tokyo, XLIX (579): 145-152.
- (1935), *Idem*. II, Transact. Tottori Soc. Agric. Sci., V (3): 231-236.
- (1939), *Idem*. III, *Ibid* VI (3): 185-190.
- (1940), *Idem* IV, Bot. Mag. Tokyo, LIV (647): 427-432.
- (1942), *Idem* V, *Ibid.*, LVI (662): 53-61
- (1937), Notes on Japanese Species of *Uromyces*, Jap. Journ. Bot., XIII (10): 729-747.
- (1939), Miscellaneous Notes on the East Asiatic Uredinales with Special Reference to the

- Japanese Species (VI), *Ibid.*, XV (10): 621-627.
15. ——(1955), Uredinological Studies.
16. ——(1958), Revision of Taxonomy of the Pucciniastreae.
17. ——(1960), A Provisional List of Uredinales of Japan proper and the Ryukyu Islands.
18. Ito, Seiya (1938), Mycological Flora of Japan, II (2).
19. ——(1950), *Idem*, II (3).
20. Jaczewski, Komarov Tranzschel (1899), Fungi Rossiae exsiccati, 220, 280 a & 324.
21. 三浦密成 (1928), 滿蒙植物誌, 第三輯鱗花植物菌類 南滿洲鐵道株式會社 興業部農務課產業資料, 27.
22. Miyake, T. (1906), On Puccinia parasitic on the Umbelliferae of Japan, Jour. Sapporo Agric. Coll., II: 97-132, 1 pl.
23. 中島友輔・中川九一 (1938), 和梨赤星病二關大研究 (第一報) 朝鮮總督府農試委報, X(3).
24. 中田覺五郎 (1915), 朝鮮ニ於マル果樹病害(蘋果赤星病), 朝鮮農會報, X(7).
25. —— (1916), ——(梨, 赤星病) ——, XI(6).
26. 中田覺五郎・瀬元清透 (1928), 朝鮮作物病害目錄, 朝鮮總督府勸業模範場研究報告, 151.
27. Park, J. S. (1958), Fungous Diseases of Plants in Korea (1), Bull. Coll. Agric. Chungnam University, 1.
28. Sydow, P. & H. (1902-1904), Monographia Uredinearum, I.
29. ——(1912-1915), *Idem*, III: 50.
30. ——(1923-1924), *Idem*, IV.
31. 高木五六 (1937), 朝鮮ニ於テ新ニ發見サレタルテウセンマツ, 病害, 朝鮮山林會報, 151.