

Tape Deck Mechanism 国産化

本회는 Tape Deck Mechanism 国産化를 촉진하기 위하여, Set 業体에서 輸入하는 品目과 Mechanism 業体에서 生産하는 品目を 前月号에 소개한 바 있는데, 이번호에 추가로 지정業体的 品目を 소개한다. 業界의 国産化 開發에 적극 참여가 있기를 바란다. 〈編輯者 註〉

○(株)원 방

○모델 : CT-400 SERIES

○규격 : Eject type : POP-UP type

Tape Speed : 4.75cm/sec $\pm 2.0\%$

Operation Condition : 6V D.C

Wow & Flutter : Less than 0.25% JIS (WRMS)

Function : 1) Vertical type 6 Key (Rec. Rew/
Reviw, Pla;, FF/Cue, Stop/Eject,
Pause)

2) Mechanical Auto-Stop


F.F Rewind time : Less than 100sec(C-60 Tape)

Play Torque : 40-75 g.cm

F.F/Rew Torque : More than 60 g.cm

Dimension : 173(L)×118(W)×62(H)mm

Weight/1 kit : 550 g.



○모델 : CT-1400

○규격 : Eject Type : POP-UP Type

Tape Speed : 4.75cm/sec $\pm 2.0\%$

Operation Condition : 9V D.C

Wow & Flutter : Less than 0.25% JIS (WRMS)

Function : 1) Piano Type 6 Key (Rec. Rew/Review,
Play, FF/Cue, Stop/Eject, Pause)
2) Mechanical Auto-Stop


F.F Rewind Time : Less than 100sec(C-60 Tape)

Play Torque : 40-75 g.cm

FF/Rew Torque : More than 60 g.cm

Dimension : 189(L)×119(W)×63(H)mm

Weight/1 kit : 600 g.



○모델 : CT-2400

○규격 : Eject Type : Oil Damping, Soft Eject
Type

Tape Speed : 4.75cm/sec $\pm 2.0\%$

Operation Condition : 12V D.C

Wow & Flutter : Less than 0.25% JIS (WRMS)

Function : 1) Front Loading Type 6 Key (Rec.
Rew/Review, Play, FF/Cue, Stop/
Eject, Pause)

2) Mechanical Auto-Stop


FF/Rewind Time : Less than 100sec (C-60 Tape)

Play Torque : 40-75 g.cm

FF/Rew Torque : More than 60 g.cm

Dimension : 130(L) × 125(W) × 108(H)mm

Weight/1kit : 650g.



○ 모델 : **KCD-80**


○ 규격 : Eject Type : POP-UP Type

Tape Speed : 4.75cm/sec ±2.5%

Operation Condition : 4.5V D.C

Wow & Flutter : Less than 0.3% JIS (WRMS)

Function : 1) Walkman Type 4 Key (Stop/Eject,
Play, Rew/Review, FF/Cue)



FF/Rewind Time : Less than 100sec (C-60 Tape)

Play Torque : 30-60 g.cm

FF/Rew Torque : More than 60 g.cm

Dimension : 131(L) × 84(W) × 24(H)mm

Weight/1kit : 200g.

○ 모델 : **KCD-80R**

○ 규격 : Eject Type : POP-UP Type

Tape Speed : 4.75cm/sec ±2.5%

Operation Condition : 4.5V D.C

Wow & Flutter : Less than 0.3% JIS (WRMS)

Function : 1) Walkman Type 4 Key (Stop/Eject,
Rec, Play, Rew/Review, FF/Cue)


FF/Rewind Time : Less than 100sec (C-60 Tape)

Play Torque : 30-60g.cm

FF/Rew Torque : More than 60g.cm

Dimension : 131(L) × 84(W) × 24(H)mm

Weight/1kit : 200g.



○ 모델 : **KCD-80RS**

○ 규격 : Eject Type : POP-UP Type

Tape Speed : 4.75cm/sec ±2.5%

Operation Condition : 4.5V D.C

Wow & Flutter : Less than 100sec (C-60 Tape)

Function : 1) Walkman Type 5 Key (Stop/Eject,
Rec, Play, Rew/Review, FF/Cue)
2) Mechanical Auto-Stop


FF/Rewind : Less than 100sec (C-60 Tape)

Play Torque : 30-60g.cm

FF/Rew Torque : More than 60g.cm

Dimension : 131(L) × 84(W) × 24(H)mm

Weight/1kit : 200g.



○ 모델 : **KCD-26**

○ 규격 : Eject Type : POP-UP Type

Tape Speed : 4.75cm/sec $\pm 2.5\%$, $\pm 3\%$

Wow & Flutter : Less than 0.35% JIS (WRMS)

Operation Condition : 6V D.C

Function : 1) Mini Piano Type 5 Key (Rec. Rew.

F.F, Play, Stop/Eject,)

2) Mechanical Auto-Stop


FF/Rewind Time : Less than 100sec (C-60 Tape)

Play Torque : 35-70 g.cm

FF/Rew Torque : More than 70 g.cm

Dimension : 135(L) \times 105(W) \times 27(H)mm

Weight/1 kit : 420g.



○ 모델 : **KCD-80J**

○ 규격 : Eject Type : POP-UP Type

Tape Speed : 4.75cm/sec

Operation Condition : 4.5V D.C

Wow & Flutter : Less than 0.35% JIS (WRMS)

Function : 1) Walkman Plastics Deck Mechanism

4 Key (Play, FF/Cue, Stop/Eject,)


FF/Rewind Time : Less than 100sec (C-60 Tape)

Play Torque : 35-70 g.cm

FF/Rew Torque : More than 70 g.cm

Dimension : 140(L) \times 90(W) \times 25(H)mm

Weight/1 kit : 100g.



○ 모델 : **MS-700SS**

○ 규격 : Eject Type : POP-UP Type

Tape Speed : 4.75cm/sec $\pm 2\%$

Operation Condition : 4.5V D.C

Wow & Flutter : Less than 0.32% JIS (WRMS)

Function : 1) Walkman Vertical Type 5 Key

(Play, Rew/Review, Stop, FF,

Eject)


FF/Rewind Time : Less than 100sec (C-60 Tape)

Play Torque : 30-60 g.cm

FF/Rew Torque : More than 60 g.cm

Dimension : (78+2)L \times (97+28)W \times 26(H)mm

Weight/1 kit : 180g with motor & Playback head



○모델 : **JC-8100**

○규격 : Eject Type : POP-UP Type

Tape Speed : 4.75cm/sec $\pm 3\%$, $\pm 2\%$

Operation Condition : 4.5V D.C

Wow & Flutter : Less than 0.3% JIS (WRMS)

Function : 1) Walkman Vertical Type 4 Key
(Play, Rewind/Review, FF/Cue,
Stop/Eject,)

FF/Rewind Time : F.F Time : Within 115sec


Rewind Time : Within 95 sec(C-60 Tape)

Play Torque : 30-50 g.cm

FF/Rew Torque : More than 50g.cm

Dimension : (78+2)L \times (97+28)W \times 26(H)mm

Weight/1kit : 185g with Motor & Playback head



○모델 : **C-3FE**

○규격 : Eject Type : Soft Damper

Tape Speed : 4.75cm/sec $\pm 2.0\%$

Operation Condition : 12V D.C

Wow & Flutter : Less than 0.2% JIS (WRMS)

Function : 1) Front Loading Mechanical Soft
Touch 6 Key(Rec, Rew, Play, FF,
Stop, Pause,)

2) Mechanical Full Auto-Stop

3) Auto Program Searching System


FF/Rewind Time : Less than 115sec (C-60 Tape)

Play Torque : 40-75 g.cm

FF/Rew Torque : 80-160 g.cm

Dimension : 167(L) \times 116(W) \times 97(H)mm

Weight/1kit : 850g with motor, playback head &
E. head



○모델 : **JC-8100R**

○규격 : Eject Type : POP-UP Type

Tape Speed : 4.75cm/sec $\pm 3\%$, $\pm 2\%$

Operation Condition : 4.5V D.C

Wow & Flutter : Less than 0.3% JIS (WRMS)

Function : 1) Walkman Vertical Type 5 Key
(Play, Rewind/Review, FF/Cue,
Stop/Eject, Pause,)

FF/Rewind Time

F.F Time : Within 115sec (C-60 Tape)


Rewind Time : Within 95sec (C-60 Tape)

Play Torque : 30-50 g.cm

FF/Rew Torque : More than 50g.cm

Dimension : (78+2)L \times (9+28)W \times 26(H)mm

Weight/1key : 185g with Motor & Playback head



○모델 : **C-9T**

○규격 : Eject Type : Soft Damping


Tape Speed : 4.75cm/sec $\pm 2\%$

Operation Condition : 12V D.C

Wow & Flutter : Less than 0.2% DIN (WTD)

- Function : 1) I.C Logic Controlled Mechanism
 2) Full Auto-Stop
 3) Auto Repeat
 4) Auto-Program Searching System
 5) Timer Stand-by Available

FF/Rewind Time : Less than 110sec (C-60 Tape)
 Play Torque : 35-70 g.cm
 FF/Rew Torque : 60-140 g.cm
 Dimension : 122(L)×146(W)×48(H)mm
 Weight/1 kit : 720 g.



○모델 : C-9F


○규격 : Eject Type : Soft Damping Eject

Tape Speed : 4.75cm/sec ± 2%

Operation Condition : 12V D.C

Wow & Flutter : Less than 0.2% DIN (WTD)

Function : 1) I.C Logic Controlled Mechanism 6
 Key(Rec. Rew, Play, FF, Stop,
 Pause,)



- 2) Full Auto-Stop
 3) Auto Repeat
 4) Auto-Program Searching System
 5) Timer Stand-by Available

FF/Rewind Time : Less than 110sec (C-60 Tape)
 Play Torque : 35-70 g.cm
 FF/Rew Torque : 60-140 g.cm
 Dimension : 145(L)×90(W)×111(H)mm
 Weight/1 kit : 800g.

○모델 : CT-3800

○규격 : Eject Type : Soft Damping (Air Vane
 Type)

Tape Speed : 4.75cm/sec ± 2.5%

Operation Condition : 12V D.C

Wow & Flutter : Less than 0.15% JIS (WRMS)

Function : 1) Front Loading Type 6 Key(Rec,
 Rew/Review, Play, FF/Cue, Stop/
 Eject, Pause,)

2) Mechanical Auto-Stop


FF/Rewind Time : Less than 100sec(C-60 Tape)

Play Torque : 40-75 g.cm

FF/Rew Torque : More than 60g.cm

Dimension : 173(L)×118(W)×62(H)mm

Weight/1kit : 700g with Motor, Playback Head
 & E. Head



○모델 : MF-10

○규격 : Eject Type : POP-UP Type

Tape Speed : 4.75cm/sec ±3%, ±2%

Operation Condition : 6V D.C

Wow & Flutter : Less than 0.35% JIS (WRMS)

Function : 1) Mini Type 6 Key(Rec, Play, FF/
Cue, Stop/Eject, Pause,)

2) Mechanical Auto-Stop



FF/Rewind Time : Less than 110sec(C-60 Tape)

Play Torque : 40-70 g.cm

FF/Rew Torque : 60-140 g.cm

Dimensions : 149(L)×103(W)×35(H)mm

Weight/1kit : 350 g.



○모델 : Car Cassette

○규격 : Eject Type : POP-UP Type

Tape Speed : 4.75cm/sec ±3%, ±2%

Operation Condition : 12V D.C

Wow & Flutter : Within 0.35% JIS (RMS)

Function : 1) Mini Car Cassette Mechanism

2) Auto-Stop

Play Torque : 50-70 g

Dimension : 120(L)×91(W)×35(H)mm

Weight/1kit : 250 g.

○모델 : MF-10F

○규격 : Eject Type : Soft Eject

Tape Speed : 4.75cm/sec ±3%, ±2%

Operation Condition : 12V D.C

Wow & Flutter : Less than 0.35% JIS (WRMS)

Function : 1) Front Loading Type 6 Key(Rec,
Play, Rew/Review, FF/Cue, Stop/
Eject, Pause,)

2) Mechanical Auto-Stop

FF/Rewind Time : Less than 110sec (C-60 Tape)

Play Torque : 40-70 g.cm

FF/Rew Torque : 60-140 g.cm

Dimension : 172(L)×104(W)×68(H)mm

Weight/1kit : 500 g.

