

: , ,

.

:  
:

.

1.

1996). 3 70 3 ( ,  
1989) 가 18% ( ,

,

가  
가 가

가 가

, 가

가

가

가

가가 가

. Waechter, Hologay & Phillips(1985) 가

가 ,

가

가

가

가

2.

100 4 ( , 1996).  
 ( , 1991)  
 (1993)  
 50% , 5-10% 40%  
 (1991) 20-25% ,  
 3-5% , 40% , 1% ,  
 65-75% .

Mother's narcissistic trauma가 (Lax, 1972).

가

(Bradbury & Hewison, 1994).

가

(Waechter, Hologay & Phillipis, 1995). Waechter(1977) 가

가 . Olshansky(1962)

'Chronic Sorrow '

“

가

.” Pierre

Robin Syndrome 가

가

가

“

”

(Frally, 1980).

가 . Damrosch & Perry(1985)

가

8

가

가

Damarosch Perry(1985)

83%가

68%

Holroyd(1974) 43

가

. Gath(1977)

가 30

가



가 가 .  
 가 . Fraly(1990) 가 가  
 . 가  
 , (Waechter, Hologay &  
 Phillips, 1985).

1.

20 가 4 , 30 가 2 . 가 가 5 6 1  
 3 , 2 , 1 . 가 1 , 가 1  
 1 , 1 , 1 , 1 .  
 가 1 , 1 , 1 , 1 .

2.

1995 7 1 1996 1 27 .  
 가  
 가 , .  
 . 1 1 30 2 30 ,  
 4 .  
 가 , 가 ,  
 , .  
 가 가 .

3.

Giorgi(1970)가 , .  
 1) .  
 2) .  
 3) ,  
 4) .



< 1 >

---

“ 가  
“ 가  
“ ”  
“ ”  
“ ”  
“ ”  
“ ”  
“ ”  
“ 가 가 ”  
“ 가 ”  
“ ”  
“ 가 ”  
“ 가 ”  
“ ”  
“ ”  
“ ”  
“ ”  
“ 가 가 ”  
“ , , 가 ”  
“ , 가 ”  
“ ”  
“ ”  
“ 가 가 ”  
“ 가 6,7 ”  
“ ”  
5  
“ 가 ”  
“ ”

---



가  
가

. Macgreger(1963)

가 가 가  
가

. Waeachter(1977)  
가

가

가 . 가

가

. Fraly(1990)

, Olshanky(1961)

'chronic

sorrow'

가

가  
가

가

‘ ,

가

가

가가 가

가 가

. Weachter, Holagay & Phillips(1985)

가



가 Damrosch  
 & Perry(1989) 가  
 Fraly(1990) 가 , 가

가 가

5 1995 7 1 1996 1 27  
 Giorgi

가 가 가

1. 가
2. 가 가

1. (1996). , 174- 181.
2. (1993). :
3. (1991). , : , 676-691.
4. Baradbury, E. T. & Hewison, J.(1994). Early parents adjustment to visible congenital disfigurement. Child Care and development, 20, 251-266.
5. Bull R. & Rumsery N.(1988). The social psychology of facial appearance. Spring-Verlag, New York.
6. Clifford E.(1969). The impact of Symptom: a preliminary comparicon of cleft lip and palate and asthmatic children. Cleft Joutnal 6, 221-227.
7. Damrosch. S., Lenz. E. & perry, L. (1985). Use of parental advisors in the development of a parparental coping scale. Maternal-Child Nursing Journal, 14, 103-109.
8. Drotar D et al(1975). The Adaptation of parents to the Birth of an infant with Congenital Malformation. Pediatrics. 56(5). 710-717.
9. Fraly, Adella M(1990). Chronic Sorrow: A Parental Response. Journal of Pediatric

Nursing. 5(4), 268-273.

10. Gath A (1977). The impact of an abnormal child upon the parents. British journal of Psychiatry, 130, 405-410.

11. Giorgi, A.(1970). Psychology as Human Science. New York: Har & Row.

12. Holroyd, A.(1974). The questionnaire on resources and stress; An instrument to measure family member. Journal of Community Psychology, 2, 92-94.

13. Kazak, A. & Marvin, R.(1984). Differences, Difficulties and Adaptation; Stress and Social networks in families with a handicapped child; Understanding and treatment. New York; Grune & Stratton.

14. Lax, R. F(1972). Some Aspect of the interaction between mother and impaired child; A mother's narcissistic trsuma. International Journal Psychoanalysis, 53, 339-343.

15. Lussier, A.(1960). The analysis of a boy with a congenital defomity. Psychoanalytical study of the child, 15, 450-453.

16. Macgregor F. C., Abel T. M., Bryt A., Lauer E. & Weissmann S.(1953). Facial deformity and plastic surseury. C. C. Thomas, Springfield Illinois.

17. Olshansky, S.,(1962). Chronic Sorrow; Response to a Mentally defective child, Social Casework, 43, 190-193.

18. Pilliter Adele(1981). Child health Nursing. Litter Brown and company.

19. Waechter, Eugenia H.(1977). Bonding Problems of Infants with Congenital Anomalies. Nursing Forum, 228-317.

20. Whaly, L. E & Woung, D. L(1985). Essential of Pediatric Nursing. Mosby.

21. Waechter, Eugena H., Hologay Bounie, Phillips Jan(1985). Nursing Care of Children, Philadelphia, J. B. Lippincott.

**- Abstract -**

## **Experience of Mothers who Gave Birth to Congenitally Anomalic Babies**

Choi, So-Young · Lee, Mila

Choi, So-Young:Nurse, Kyung-Sang unversity hospital

Lee, Mila:professor, Dept. of Nursing, college of medicine, Chung-ang university

Recently, the birth rate of congenitally anomalic babies is increasing in Korea. But there are few studies and articles in nursing field. So nurses are having difficulties in caring those mothers. This study is to reveal experiences of the mothers with congenitally anomalic

babies.

Subjects were six and data were gathered by interviews. Data were analyzed by Giorgi's method.

Mother's responses were organized into five categories-shock, sadness, expectation, attribution and loss of confidence on future pregnancies. Loss of confidence on future pregnancies were categories which were not found in foreign articles.

Based on the result of this study, author recommend that another studies which deal only same anomaly will be done, and genetic counseling system will be organized in hospitals.