

가

*

** . ** . ***

, 1991; , 1991; King, et al., 1993;
Stewart, 1979; Shirotnani, et al., 1994).

1.

가 가

(Abdellah, et al., 1970; Hushower,
et al., 1978),

가
(Hinds, 1986; Miller, 1985; Tringali,
1986).

, 가 , (, 1997),
(, 1993; , , 1996;
Lauer, et al., 1981), 가
(, 1999; , 1998;
Harteveld, Mistiaen & Emden, 1997),
가 (, 1998)
, 가

가

가

가

가

가 (, 1991, 1994; 가

* 1998

**

2. 가 가

가 가

가 15 15 가

가 505 42%가

3. , 34% , 11%

가 , 21% 가 , 24%

1) 가 43

가 42% 가 가

, 70%

(1998) 가 (Hileman

Lackey, 1990). Dodd, Dibble Thomas

(1992) 64 69 가

가 65 57

가 8

2) 가 가 가

3) 가 (Larson, 1984)

가

4. 가 가

가 가

(,

1987) 113

(54.8%), (42.5%), (38.8%),

(31.0%), (30.1%), (29.2%),

(29.2) (19.5%)

가 (, 1989) 3.0

가 Jennings(1977) 가 가

3.56

(, 1996). . 가 101
 , , 가 1
 가 (, 1993). . 가
 , , 가 (3.
 , 1997) 가 가 ((1998)
 가 가 65 .
 (, 1997) , 가 8 57
 가 가
 가 (, 1999; , 1998; ,
 1997; , 1994) 1 ,
 2
 , 가 , 가 (.
 , 1997) 가 가 ,
 가 가 가
 , , , ,
 , 31 , 10 ,
 , 6 9
 , 가 57 .
 가 가 . Likert
 5 ,
 1 , 2 , 3 ,
 4 , 5 가
 1. 가
 Cronbach's
 가 가 .8903, .8597,
 .9331, .8870
 .8816 .
 2. 4.
 (, , ,) 3

1999 6 11

< 1>

(N = 101)

		52	51.5
	가	49	48.5
	가	60	59.4
	가	2	4.9
	가	10	24.4
	가	12	29.2
	가	9	21.9
	가	2	4.9
	가	6	14.7
	가	30	18
	가	31-40	19
	가	41-50	19
	가	51-60	27
	가	61	18
	가	37	36.6
	가	64	63.4
	가	23	22.8
	가	53	52.5
	가	25	24.8
	가	15	14.9
	가	11	10.9
	가	46	45.5
	가	22	21.8
	가	7	6.9
	가	86	85.1
	가	15	14.9
	가	14	13.9
	가	44	43.6
	가	34	33.7
	가	9	8.9
	가	94	93.1
	가	7	6.9
	가	30	29.7
	가	71	70.3
	가	53	52.5
	가	46	45.5
	가	12	11.9
	가	73	72.3
	가	2	2.0
	가	14	13.9
	가	45	44.6
	가	33	32.7
	가	7	6.9
	가	16	15.8

* 가 가

2.

4가
 < 2> . 5
 3.83 가 ,
 4.40 가 .
 (t=-2.750, p=.007),
 (t=-2.123, p=.036), (t=-2.525,
 p=.013) (t=-3.657, p=.000)
 가 .

< 2>

				t	p
3.73	.61	3.97	.52	-2.123	.036*
3.78	.85	3.87	.65		
3.87	.85	4.12	.68		
4.01	.76	4.46	.47		
3.47	.90	3.77	.85		
2.98	.95	3.41	.73	-2.525	.013*
3.83	.96	4.40	.59	-3.657	.000**
3.08	.89	3.12	1.04	-.208	.836
3.58	.62	3.88	.47	-2.750	.007**

가 < 3>
 가 가 4.16,
 4.03 가 , 3.12,
 3.07 .
 ,
 가 (=3.75, 3.68).

< 3>

가				t	p
3.87	.57	3.81	.60	.507	.614
3.85	.61	3.80	.60		
4.02	.77	3.95	.79		
4.16	.83	4.03	.88		
3.64	.89	3.58	.89		
3.23	.86	3.13	.90	.594	.554
4.16	.83	4.03	.88	.779	.438
3.12	.99	3.07	.93	.216	.829
3.75	.56	3.68	.59	.649	.518

3.

가 , 가
 가 가
 가 , 가
 , 가 가
 가 가
 가 100
 가 가 가 (4.11, , .43).
 가 , 가
 가 .
 가
 가
 가

< 4>

	()	()	()	()	()
30	3.79(.56)	3.02(.90)	3.96(.99)	2.79(.97)	3.61(.59)
31-40	3.88(.68)	3.22(.72)	4.08(.92)	3.10(1.01)	3.73(.58)
41-50	3.96(.54)	3.35(.75)	4.28(.65)	3.26(.83)	3.87(.50)
51-60	3.77(.55)	3.17(1.04)	4.09(.79)	3.19(1.05)	3.72(.57)
61	3.85(.58)	3.20(.90)	4.13(.95)	3.11(.95)	3.67(.63)
F	.312	.334	.331	.648	.508
	4.07(.51)	3.37(.58)	4.34(.62)	3.26(.77)	3.92(.40)
	3.72(.58)	3.09(.99)	3.98(.93)	3.00(1.05)	3.61(.62)
t	3.070**	1.589	2.337*	1.291	2.785**
	3.97(.26)	3.65(.52)	4.33(.19)	3.68(.68)	3.95(.18)
	3.63(.66)	2.76(.95)	3.52(1.51)	3.09(.77)	3.42(.73)
	3.86(.75)	3.63(.78)	4.42(.63)	3.01(1.27)	3.86(.65)
	3.87(.64)	3.20(.78)	4.17(.60)	3.05(.92)	3.73(.47)
	3.86(.64)	3.07(1.05)	4.03(1.05)	3.14(1.05)	3.71(.69)
F	.373	1.636	1.655	.422	.953
	3.86(.41)	3.39(.77)	4.09(.60)	3.04(1.12)	3.72(.46)
	4.19(.38)	3.62(.40)	4.30(.37)	3.16(.78)	4.01(.25)
	3.90(.67)	3.18(.80)	4.33(.50)	3.19(.97)	3.80(.48)
	3.70(.67)	2.97(1.08)	3.89(1.11)	2.91(1.03)	3.55(.74)
	3.42(.66)	2.86(1.17)	3.05(1.65)	3.09(.69)	3.27(.79)
F	2.554*	1.507	4.651**	.338	2.649*
	3.86(.55)	3.25(.79)	4.18(.74)	3.05(.90)	3.74(.50)
	3.79(.73)	2.87(1.25)	3.68(1.26)	3.40(1.27)	3.62(.88)
t	.358	1.566	2.177*	-1.032	.748
100	4.23(.42)	3.64(.56)	4.21(.74)	3.72(.93)	4.11(.43)
100-200	3.60(.46)	2.94(.80)	4.03(.83)	2.96(.90)	3.52(.47)
200-300	3.95(.67)	3.30(1.00)	4.11(.96)	2.96(1.05)	3.78(.66)
400	4.07(.48)	3.30(.82)	4.31(.71)	3.31(.62)	3.91(.46)
F	6.328**	2.744*	.369	2.758*	5.158**
	3.86(.56)	3.23(.86)	4.15(.73)	3.04(.97)	3.73(.53)
	3.76(.85)	2.66(.95)	3.62(1.83)	3.90(.60)	3.58(.97)
t	.442	1.551	1.599	-2.320*	.678
	3.87(.62)	3.19(.89)	4.05(.94)	3.06(.99)	3.72(.61)
	3.81(.48)	3.19(.85)	4.24(.54)	3.19(.90)	3.73(.46)
t	.506	.001	-1.234	-.654	-.132
6	3.81(.65)	3.23(.86)	4.05(.96)	3.00(.96)	3.69(.62)
6	3.84(.40)	3.56(.87)	4.18(.64)	3.18(.95)	3.72(.41)
F	.441	.591	.638	.744	.464
	3.79(.59)	3.08(.75)	3.72(.33)	3.15(.65)	3.63(.50)
	3.84(.58)	3.19(.93)	4.15(.95)	3.13(1.08)	3.73(.60)
	2.97(.00)	2.00(.00)	4.00(.00)	2.55(.00)	2.98(.00)
	4.10(.44)	3.47(.57)	4.24(.55)	2.97(.51)	3.88(.40)
F	2.577	1.829	1.014	.326	1.637
	3.96(.53)	3.34(.87)	4.28(.63)	3.35(.97)	3.86(.51)
	3.70(.65)	2.87(.92)	3.91(1.19)	2.96(1.08)	3.54(.69)
	3.80(.88)	3.70(.73)	3.98(.49)	2.82(.98)	3.73(.61)
	3.88(.34)	3.22(.66)	4.09(.58)	2.80(.41)	3.69(.30)
F	1.305	2.851*	1.247	2.014	2.044

*p<.05 **p<.01

가 가

가, 가, 가

, 가 가

가 Maslow

가 가

가 가

가 3.75 가

가 4.16 4.03 가

가 3.12 3.07 가

가 가

78%가

(Hileman Lackey, 1990).

가 (1999)

가 가

가 가 4.46

(1998) 가

가 가

가 가

가 3.88 가

가 4.40

가 3.12 가

가 3.83

가 2.98 가

가 가

가 (1997), Harteveld, Mistian

Emden(1997) 가 . 가 1 18

가

(Wingate Lackey, 1989). Lewandowski

Jones(1988) 가 Derdianrian(1986)

가

가 , Hileman Lackey(1990)

(1999) 가

가 가 78%가

가 , 가 /

가 , 가

가 100

(1999) 가

2. 가 . 가 .
- (1998). 가 , 28(3), 602-615.
- (1999). 가 , 29(4), 743-754.
- (1997). 가
- (1989).
- (1998). 가 , 10(3), 403-413.
- (1997). 가
- (1987).
- (1997). 가 , 27(4), 787-795.
- (1993). , 5(1), 86-93.
- (1991). 가 , 30(1), 11-17.
- (1994). 가 , 33(2), 6-18.
- (1996).
- (1991). 가 , 30(5), 6-11.
- (1994). 가 , 6(2), 308-323.
- (1991). 가 , 30(1), 6-10.
- (1996). 가 , 10(2), 189-201.
- Abdellah, F. W., Beland, I. L. & Martin, A. (1970). Patient centered approaches to nursing. New York: The Macmillan Co., 2nd., 90.
- Derdiarian, A. K. (1986). Informational needs of nursing conference group(Eds.). Nursing theories (p.125), Prentice-Hall: Englewood Cliffs.
- Dodd, M. J., Dibble, S. L. & Thomas, M. L. (1992). Outpatient chemotherapy: Patients' and family members' concerns and coping strategies. Public Health Nursing, 9, 37-44.
- Hileman, J. W. & Lackey, N. R. (1990). Self-identified needs of patients with cancer at home and their home caregivers: A descriptive study. Oncology Nursing Forum, 17(6), 907-913.
- Hinds, C. (1986). The needs of families who care for patients with cancer at home: Are we meeting them?. Journal of Advanced Nursing, 10, 578-581.
- Harteveld, J. T. M., Mistiaen, P. J. M., & Van Emden, D. M. D. (1997). Home visits by community nurses for cancer patients after discharge from hospital: An evaluation study of the continuity visit. Cancer Nursing, 20(2), 105-114.
- Hushower, G., Gamberg, D. & Smith, N. (1978). The nursing process in dischargeplanning. Supervisor Nurse, Sep., 55-58.
- King, L. A., Carson, L. F., Konstantinides, N., House, M. S., Adcock, L. L., Prem, K. A., Twiggs, L. B. & Cerra, F. B. (1993). Outcome assessment of home parenteral nutrition in patients with gynecologic malignancies: what have we learned in a decade of experience?. Gynecologic Oncology, 51(3), 377-382.
- Larson, P. J. (1984). Important nurse caring behaviors perceived by patients with cancer. Oncology Nursing Forum, 11(6), 46-50.
- Lauer, P., Murphy, S. P., & Powers, M. J.

- (1981). Learning needs of cancer patients: a comparison of nurse and patient perceptions. Nursing Research, 31(1), 11-16.
- Lewandowski, W. & Jones, S. L. (1988). The family with cancer: nursing interventions throughout the course of living with cancer. Cancer Nursing, 11(6), 226-235.
- Master, M. & Shontz, F. C. (1989). Identification of problem and strengths of the hospice client by clients, caregivers, and nurses. Cancer Nursing, 12(4), 226-235.
- Miller, A. (1985). When is the time for teaching?. American Journal of Nursing, 85, 801-804.
- Shirovani, N., Seshimo, A., Kameoka, S. & Hamano, K. (1994). Home therapy approach in cancer patients-nutrition therapy (case1-1) - a case of recurrent gastric cancer with home parenteral nutrition. Gan-to-Kagaru-Ryoho, 21(suppl 4), 537-540: discussion 541.
- Stetz, K. M. (1987). Caregiving demands during advanced cancer: the spouse's needs. Cancer Nursing, 10(5), 260-268.
- Tringali, C. A. (1986). The needs of family members of cancer patients. Oncology Nursing Forum, 13(4), 65-70.
- Wingate, A. L. & Lackey, N. P. (1989). A description of the needs of noninstitutionalized cancer patients and their primary care givers. Cancer Nursing, 12(4), 216-225.

-Abstract-

Key concept: Care needs

The Needs of Patients with Cancer and Family Members in Inpatient and Outpatient Settings *

*Choi, Kyung Sook **· Park, Kyung Sook **
Ryu, Eunjung ****

This study was designed to compare care needs of patients with cancer and family members in inpatient and outpatient settings. The questionnaire was a Likert type 5 point scale with 57 items on four need categories; informational, physical care emotional care and socioeconomic care. There were significant differences between inpatient and outpatient settings. Also, there were significant differences in degree of care need according to gender, religion, marital status, economic status, public insurance status, and the past regimen. In conclusion, emotional needs perceived by patients with cancer and family members were higher than the others. Based upon the result, it is recommended that the research to compare needs between cancer patients who have a same illness and family member are necessary.

* This research was supported by the Chung-Ang University Research Grants in 1998.

** Department of nursing, Chung-ang University

*** Department of nursing, Konkuk University