

.

1	韓國植物圖鑑(植物篇)	鄭大鉉	1965	182
2	大韓植物圖鑑		1989	441
3	韓方醫學大辭典	金五吉	1980	331
4	名醫錄(南大版) 大阪	小嶋尚真	1972	120
5	本草學		1995	863
6	韓國藥品植物資源圖鑑		1981	188
7	韓國 資源植物()		1996	
8	本草義武(醫學叢書) 東京	冠芳選	1910	1
9	原色畫集圖鑑 東京	難波玄佳	1980	331
10	中藥大辭典 上海人民出版社		1977	2668
11	本草綱目(學苑出版社)		1992	1080
12	Anti-HBsAg herbs employing ELISA technique	Chung Hsi I Chieh Hb Tsa Chih	Zheng MS. 1990	10 560
13	Detection of hepatitis B virus DNA in serum by a single spot hybridization technique	Hepatol Chem	Scotto J. 1983	3 279
14	<i>In vitro</i> studies on the effect of certain natural products against hepatitis B virus	Indian J Med Res	Mehrotra R. 1990	92 133

-
-
- | | | | | | | |
|----|--|-----------------|-----------------|------|--------|-----------|
| 15 | The <i>in vivo</i> effect of Chinese traditional medicine on alteration of the infection pattern of Duck hepatitis B virus in ducks | J Med Virol | Fukuda R. | 1991 | 10 | 601 |
| 16 | Tyrosinase | | | | | 27(6) 891 |
| 17 | B | 慶醫大誌 | | 1992 | 33(3) | 211 |
| 18 | (Duck) B
覆盆子, 大黃 | 訶子, 地榆
慶醫大誌 | | 1993 | 34(12) | 35 |
| 19 | Rubusoside(-D-glucosyl ester of 13- - -D-glucosyl-steviol), a sweet principle of <i>Rubus chingii</i> Hu (Rosaceae) | Agri Biol Chem | Tanaka T. | 1981 | 45 | 2165 |
| 20 | <i>Rubus coreanus</i> MQ | | 難皮或維 | 1986 | 40(1) | 54 |
| 21 | A dimeric triterpene-glycoside from <i>Rubus coreanus</i> | Chem Pharm Bull | Ohtani K. | 1990 | | |
| 22 | Chemical studies on fuku-bon-shi: A dimer of glucosyl esters of 19- -hydroxyursolic acid derivatives from <i>Rubus coreanus</i> and its significance for identification of the source plants | J Pharm bio Dyn | Kazuhiro Ohtani | 1990 | 29(10) | 3275 |
| 23 | | | | | 1996 | 2 27 |
| 24 | Rubitic acid, a new triterpene acid from <i>Rubus fruticosus</i> | Phytochem | Sarkar A. | 1978 | 17 | 1983 |
| 25 | Rubinic acid, a triterpene acid from <i>Rubus fruticosus</i> | Phytochem | Mukherjee M | 1984 | 23 | 2581 |
| 26 | -Glucosyl esters of 19- -hydroxyursolic acid derivatives in leaves of <i>Rubus</i> species | Phytochem | Seto T. | 1984 | 23 | 2829 |
| 27 | Triterpenoids from rubi fructus (Bogbunja) | Arch Pharm Res | Kim, YH | 1993 | 16 | 109 |
| 28 | 19- -Hydroxyursane-type triterpene glucosyl esters from the roots of <i>Rubus suavisissimus</i> | Chem Pharm Bull | Gao F. | 1985 | 33 | 37 |
| 29 | Diterpene glycosides from leaves of Chinese <i>Rubus Chingii</i> and fruits of <i>R. suavisissimus</i> , and identification of the source plant of the Chinese folk medicine "Fu-pen-zi" | Chem Pharm Bull | Chou WH | 1987 | 35 | 3021 |

30	Sweet and bitter diterpene-glycosides from leaves of <i>Rubus suavisissimus</i>	Chem Pharm Bull	Hirono S.	1990	38	1743
31	Labdane-type glycosides from fruits of <i>Rubus foliolosus</i>	Chem Pharm Bull	Chitani K.	1991	39	2443
32	A triterpene glycosides in berries of <i>Rubus coreanus</i>	Kor J Pharmogn	Kim E.	1987	39	188
33	Triterpenses from the fruits of <i>Rubus chingii</i>	Phytochem	Hattori M.	1988	27	3975
34	A dimeric triterpene glycoside from <i>Rubus coreanus</i>	Phytochem	Chitani K.	1990	29	3275
35	Cleanane and ursane glucosides from <i>Rubus</i> species	Phytochem	Zhou XH.	1992	31	3642
36	Minor diterpene glycosides from sweet leaves of <i>Rubus suavisissimus</i>	Phytochem	Chitani K.	1992	31	1553
37	Phenylbutan-2- α -D-glucosides from raspberry fruit	Phytochem	Pabst A.	1990	29	3853
38	Two diastereomeric-3-oxo- β -ionol- β -D-glucosides from raspberry fruit	Phytochem	Pabst A.	1992	31	1649
39	4-Hydroxy- β -iononedisaccharide glycoside from raspberry fruits	Phytochem	Pabst A.	1992	31	3105
40	Raspberry (<i>Rubus</i> spp.) RNA	Molecular Biotechnol	Johnes CS.	1997	8(3)	54
41		J Chromat Sci	Kimieck W.	1995	46(2)	1
42	HPLC of Vit C	Z Lebensm Unters Forsch	Romero Rodriguez	1992	Nov;3	219
43	Raspberry colloidal soluble polysaccharide	Food Add Contam	Schopplein E.	1991	193(1)	135
44		Crit Rev Food Sci Nutri	De Vincenzi M.	1989	6(2)	433
45	Part 1: Temperate fruit poem	J Ass Off Anal	Thomas P.	1986	24(4)	1
46	sorbitol	Ann Nutri Aliment	Wrolstad RE.	1981	64(1)	235
47	raspberry juice roteopolysaccharide	Br J Pharmacol	Aoussat A.	1978	32(5)	357

48	Raspberry		Molecular Biotechnol	Banford DS.	1970	40(1)	91
49	Raspberry(Rubusidæus)	RNA	Molecular Biotechnol	Jones CS.		8(3)	1149
50	Raspberry(Rubusidæus)	RNA	Przenysl	Jones CS.		8(3)	161
51	Boysenberry		J Essential Oil Res			44(12)	216
52	Red raspberry juice mineral	, - 1-3C-1-2C	J AOAC Int	Allen JM		8(4)	
53	Arctic bramble jelly 가	- Juice	Agri Sci Finland	Durst RW.		78(5)	3919
54	Red raspberry MA		J Am Sci	Häkkinen S.		4(4)	351
55	Red raspberry wine-		Fruit Process	Joles DW.		119(3)	1195
56	Raspberry		Hortisci	Withy LM		3(8)	385
57	Red raspberry juice anthocyanin	wine: 가	J Food Sci	Perkins Veazie P.		27(4)	540
58	Red raspberry MA		J Am Sci			55(4)	308
59	Red raspberry wine-		Fruit Process	Joles DW.		119(3)	331
60	Raspberry		Hortisci	Withy LM		3(8)	1101
61		GC GC/MS carrier solvent	J Food Sci	Perkins Veazie P.		27(4)	540
62	Raspberry liqueur	ellagic acid	Lebensmittel- chemie	Uematsu Y.		38(6)	308
1	Antihepatotoxic activity of icariin, a major constituent of <i>Epimedium koreanum</i>		Planta Med	M-Kyeong Lee		61(6)	523
2	A difuranflavone from <i>Epimedium koreanum</i>		Pytochem	Wen-Kui Li		38(3)	807
3	Flavonoids from <i>Epimedium koreanum</i>		J Nat Prod	Sam Sik Kang		54(2)	542

4	Three flavanol glycosides from <i>Epimedium koreanum</i>	Phytochem	Yuji Ito	1988	27(3)	911
5	Anhydrocaritin 3-o-rhamnosyl(1-2)rhamnoside from <i>Epimedium koreanum</i> and a reappraisal of other rhamnosyl(1-2, 1-3 and 1-4)rhamnoside structures	Phytochem	Wen-Kui Li		42(1)	213
6	Flavanol glycosides from <i>Epimedium koreanum</i>	Phytochem	Wen-Kui Li		38(1)	263
7	Antihepatotoxic activity of icaraside, a constituent of <i>Epimedium koreanum</i>	Archive Pharm Res	Nam Jin Cho		18(4)	289
8	Microplate assay of hyaluronidase				28(3)	131
9	flavonoid glycoside				22(2)	85
10	icariin				20(1)	21
11	flavonoid				19(2)	93
12					40(2)	230
13	7β				13	48
14					24(6)	535
15					28(4)	616
16	<i>Epimedium koreanum</i> NAKAI				13(2)	277
17	Neue prenylflavonoid-glykoside aus <i>Epimedium koreanum</i>	Planta Med	Peter Pachaly		56(3)	23
18	Studies on the glycosides of <i>Epimedium grandiflorum</i> MERR. var. <i>thunbergianum</i> (Miq.) NAKAI	Chem Pharm Bull	Toshio Myase		35(3)	1109
19	Studies on the glycosides of <i>Epimedium grandiflorum</i> MERR. var. <i>thunbergianum</i> (Miq.) NAKAI	Chem Pharm Bull	Toshio Myase		35(9)	3713
20	Studies on the glycosides of <i>Epimedium grandiflorum</i> MERR. var. <i>thunbergianum</i> (Miq.) NAKAI	Chem Pharm Bull	Toshio Myase		36(7)	2475
21	<i>Epimedium</i> flavonoids				23(1)	1
22	Ionone and bibenzyl glycosides from <i>Epimedium grandiflorum</i> var. <i>thunbergianum</i>	Phytochem	Toshio Myase		30(5)	1727

23	Dimethylallyl diphosphate: Kaempferid 8-dimethylallyl transferase in <i>Epimedium diphyllum</i> cell suspension cultures	Phytochem	Hirobumi Yamamoto	44(1)	23	
1	<i>Artemisia</i>			1996	27(2)	96
2				1995	38(6)	584
3				1997	28(1)	48
4				1998		
5	Volatile components of <i>Artemisia capillaris</i>	Phytochem	Rikuro Hirada	1982	21(8)	2009
6	Antihepatotoxic principles of <i>Artemisia capillaris</i> buds	Planta Med	Yoshirou Kiso	1984	50(1)	81
7	Production of choleric substances in the capitulum, leaf and stem of <i>Artemisia capillaris</i> during the plant growth cycle	Phytochem	T. Namba	1983	22(4)	1057
