

## 주가지수예측에서의 변환시점을 반영한 이단계 신경망 예측모형\*

오 경 주\*\*, 김 경 재\*\*, 한 인 구\*\*

### Two-Stage Forecasting Using Change-Point Detection and Artificial Neural Networks for Stock Price Index

Oh, Kyong Joo, Kim, Kyoung-jae, Han, Ingoo

The prediction of stock price index is a very difficult problem because of the complexity of stock market data. It has been studied by a number of researchers since they strongly affect other economic and financial parameters. The movement of stock price index has a series of change points due to the strategies of institutional investors. This study presents a two-stage forecasting model of stock price index using change-point detection and artificial neural networks. The basic concept of this proposed model is to obtain intervals divided by change points, to identify them as change-point groups, and to use them in stock price index forecasting. First, the proposed model tries to detect successive change points in stock price index. Then, the model forecasts the change-point group with the backpropagation neural network (BPN). Finally, the model forecasts the output with BPN. This study then examines the predictability of the integrated neural network model for stock price index forecasting using change-point detection.

---

\* 이 논문은 1998년도 한국과학재단 연구지원(과제번호: 98-0102-08-01-3)에 의하여 연구되었음.

\*\* 한국과학기술원 테크노경영대학원

## I. Introduction

Stock market prediction is a matter of common interest among investors, speculators, and industries. Prior studies on stock market prediction using artificial neural networks (ANN) have been executed during the past decades. These studies used various types of ANN to predict the stock price index and the direction of its change.

The early days of these studies focused on estimating the level of return on stock price index. Kimoto et al. [1990], one of the earliest studies for stock market prediction using AI, employed several learning algorithms and prediction methods for the Tokyo stock exchange prices index (TOPIX) prediction system. Their system used modular neural networks to learn the relationships among various factors. Kamijo and Tanigawa [1990] used recurrent neural networks for analyzing candlestick charts. Ahmadi [1990] used backpropagation neural networks with the generalized delta rule to predict the stock market. They intended to test the *Arbitrage Pricing Theory* (APT) using ANN. Yoon and Swales [1991] also performed predictions using qualitative and quantitative data. Some researchers investigated the issue of predicting the stock index futures market. Trippi and DeSieno [1992] and Choi et al. [1995] predicted the daily direction of change in the S&P 500 index futures using ANN. Duke and Long [1993] executed the daily predictions of the German government bond futures using feedforward backpropagation neural networks.

Recent research tends to include novel factors and to hybridize several AI techniques.

Hiemstra [1995] proposed fuzzy expert systems to predict stock market returns. He suggested that ANN and fuzzy logic could capture the complexities of functional mapping because they do not require the specification of the function to approximate. Kohara et al. [1997] incorporated prior knowledge to improve the performance of stock market prediction. Tsaih et al. [1998] integrated the rule-based technique and ANN to predict the direction of the S&P 500 stock index futures on a daily basis. Kwon and Han [1999] proposed a sector-factor model for predicting the return on industry stock index using ANN. They concluded that ANN outperformed the traditional regression model. Quah and Srinivasan [1999] proposed an ANN stock selection system to select stocks that are top performers from the market and to avoid selecting under performers. They concluded that the portfolio of the proposed model outperformed the portfolios of the benchmark models in terms of compounded actual returns overtime. In addition, Kim and Han [2000] proposed a genetic algorithms approach to feature discretization and the determination of connection weights for ANN to predict the stock price index. They suggested that their approach reduced the dimensionality of the feature space and enhanced prediction performance. A more recent study of Kim and Han [2001a] proposed the rough set approach to the extraction of trading rules for discriminating between bullish and bearish patterns in the stock market. Kim and Han [2001b] also proposed hybrid genetic algorithms and case-based reasoning to predict the stock price index.

Previous works in the above have tended to use statistical techniques and AI techniques in isolation. However, an integrated approach, which makes full use of statistical approaches and AI techniques, offers the promise of better performance than each method alone [Chatfield, 1993]. In this study, we suggest the integrated neural network model based on the statistical change-point detection.

In general, macroeconomic time series data is known to have a series of change points since they are controlled by governments monetary policy [Mishkin, 1995; Oh and Han, 2000]. However, previous studies did not consider the structural break or the change-point in stock price index forecasting. The government takes intentional action to control the currency flow that has direct influence upon fundamental economic indices. For the stock price index, institutional investors play a very important role in determining its ups and downs since they are major investors in terms of marking and volume for trading stocks. They respond sensitively to such economic indices like stock price indexes, the consumer price index, anticipated inflation, etc. Therefore, we can conjecture that the movement of the stock price index also has a series of change points.

Based on these inherent characteristics in stock price index, this study suggests the change-point detection for stock price index forecasting. The proposed model consists of two stages. The first stage is to detect successive change points in the stock price index dataset, and to forecast the change-point group with BPN. The next stage is to forecast the output with BPN. This study then examines

the predictability of the integrated neural network models for stock price index forecasting using change-point detection. To explore the predictability, we divide the stock price index data into the training data over one period and the testing data over the next period. The predictability of stock price index is examined using the metrics of the root mean squared error (RMSE), the mean absolute error (MAE) and the mean absolute percentage error (MAPE).

In Section 2, we outline the development of change-point detection and its application to the financial economics. Section 3 describes the proposed integrated neural network model details. Section 4 reports the processes and the results of the case study. Finally, the concluding remarks are presented in Section 5.

## II. Review of Change-Point Detection

### 2.1 Application of Change-Point Detection to the Financial Economics

Financial analysts and econometricians have frequently used piecewise-linear models which also include change-point models. They are known as models with structural breaks in economic literature. In these models, the parameters are assumed to shift — typically once — during a given sample period and the goal is to estimate the two sets of parameters as well as the change point or structural break.

This technique has been applied to macroeconomic time series. The first study in this field is conducted by Rappoport and Reichlin

[1989] and Perron [1989, 1990]. From then on, several statistics have been developed which work well in a change-point framework, all of which are considered in the context of breaking the trend variables [Banerjee et al., 1992; Christiano, 1992; Zivot and Andrews, 1992; Perron, 1995; Vogelsang and Perron, 1995]. In those cases where only a shift in the mean is present, the statistics proposed in the papers of Perron [1990] or Perron and Vogelsang [1992] stand out. However, some variables do not show just one change point. Rather, it is common for them to exhibit the presence of multiple change points. Thus, it may be necessary to introduce multiple change points in the specifications of the models. For example, Lumsdaine and Papell [1997] considered the presence of two or more change points in the trend variables. In this study, it is assumed that the Stock price indexes can have two or more change points as well as just one change point.

There are few artificial intelligence models to consider the change-point detection problems. Most of the previous research has a focus on the finding of unknown change points for the past, not the forecast for the future [Wolkenhauer and Edmunds, 1997; Li and Yu, 1999]. However, piecewise nonlinear model using structural change is known to significantly improve the performance for time series forecasting [Wasserman, 1989; Gorr, 1994; White, 1994; Oh and Han 2001]. Our model obtains intervals divided by change points in the training phase, identifies them as change-point groups in the training phase, and forecasts to which group each sample is assigned in the testing phase. It will be tested whether the introduction of change points to our model

may improve the predictability of stock price index.

In this study, a series of change points will be detected by the Pettitt test, a nonparametric change-point detection method, since nonparametric statistical property is a suitable match for a neural network model that is a kind of nonparametric method [White, 1992]. In addition, the Pettitt test is a kind of Mann-Whitney type statistic, which has remarkably stable distribution and provides a robust test of the change point resistant to outliers [Pettitt, 1980b]. In this point, the introduction of the Pettitt test is fairly appropriate to the analysis of chaotic stock price index data.

## 2.2 The Pettitt Test

In this study, a series of change points will be detected by the Pettitt test [Pettitt, 1979; Pettitt, 1980a], a nonparametric change-point detection method, since nonparametric statistical property is a suitable match for a neural network model that is a kind of nonparametric method [Vostrikova, 1981]. In this point, the introduction of the Pettitt test is fairly appropriate for the analysis of chaotic time series data. The Pettitt test is explained as follows.

Consider a sequence of random variables  $X_1, X_2, \dots, X_T$ , then the sequence is said to have a change-point at  $\tau$  if  $X_t$  for  $t = 1, 2, \dots, \tau$  have a common distribution function  $F_1(x)$  and  $X_t$  for  $t = \tau + 1, \tau + 2, \dots, T$  have a common distribution  $F_2(x)$ , and  $F_1(x) \neq F_2(x)$ . We consider the problem of testing the null hypothesis of *no-change*,  $H_0: \tau = T$ , against the alternative hypothesis of *change*,

$H_A: 1 \leq \tau < T$ , using a non-parametric statistic.

An appealing non-parametric test to detect a change would be to use a version of the Mann-Whitney two-sample test. Let

$$D_{ij} = \text{sgn}(X_i - X_j) \quad (1)$$

where if  $\text{sgn}(x) = 1$ , if  $x > 0$  if  $x = 0$ ,  $-1$ , if  $x < 0$ , then consider

$$U_{t,T} = \sum_{i=1}^t \sum_{j=t+1}^T D_{ij}. \quad (2)$$

The statistic  $U_{t,T}$  is equivalent to a Mann-Whitney statistic for testing that the two samples  $X_1, \dots, X_t$ , and  $X_{t+1}, \dots, X_T$  come from the same population. The statistic  $U_{t,T}$  is then considered for values of  $t$  with  $1 \leq t < T$ . For the test of  $H_0$ : no change against  $H_A$ : change, we propose the use of the statistic

$$K_T = \max_{1 \leq t < T} |U_{t,T}| \quad (3)$$

The limiting distribution of  $K_T$  is  $\Pr \cong 2 \exp\{-6k^2/(T^2 + T^3)\}$  for  $T \rightarrow \infty$ .

The Pettitt test detects a possible change point in the time sequence dataset. Once the change point is detected through the test, the dataset is divided into two intervals. The intervals before and after the change point form homogeneous groups which take heterogeneous characteristics from each other. This process becomes a fundamental part of the binary segmentation method explained in Section 3.

### III. Description of the Proposed Model

Statistical techniques and neural network learning methods have been integrated to forecast the stock price indices. The advantages of combining multiple techniques to yield synergism for discovery and prediction have been widely recognized [Gottman, 1981; Kaufman et al., 1991]. BPN is applied to our model since BPN has been used successfully in many applications such as classification, forecasting and pattern recognition [Patterson, 1996].

In this section, we discuss the architecture and the characteristics of our model to integrate the change-point detection and the BPN. Based on the Pettitt test, the proposed model consists of two stages: (1) the change-point-assisted group prediction (CPG) stage and (2) the output forecasting neural network (OFN) stage. The BPN is used as a classification tool in CPG and as a forecasting tool in OFN.

#### 3.1 The CPG Stage: Construction and analysis on homogeneous groups

ANN for univariate time series forecasting are a kind of nonlinear autoregressive (AR) model and so the choice of order in the model is based on the embedding dimension of the series (i.e. stock price index) since the chaos analysis is a good method to analyze nonlinear dynamics in the time series. ANN provides a reliable basis for nonlinear and dynamic market modeling. Nonlinear dynamics and chaos theory can also provide information about input sizes (i.e. time-lags) for the design

of forecasting systems using neural networks [Embrecht et al., 1994]. Then, we make the change-point-assisted neural network model for the intervals based on the Pettitt test, which is composed of two steps.

#### Step 1: Change-Point Detection

In the first step, we apply the Pettitt test to the stock price index at time  $t$  in the training phase. The Pettitt test mentioned in Section 2 is method for finding just one change point in time series data. Based on this method, multiple change points can be obtained under the binary segmentation method [Vostrikova, 1981]. With  $H_0$  as in Section 2, under the alternative hypothesis we now assume that there are changes in the parameters, where  $R$  is a known integer. The alternative can be formulated as

$$\begin{aligned} H_A^{(R)}: & \text{there are integers } 1 < k_1 < k_2 < \dots < k_R < n \\ & \text{such that } \theta_1 = \dots = \theta_{k_1} \neq \theta_{k_1+1} = \dots \\ & = \theta_{k_2} \neq \theta_{k_2+1} = \dots = \theta_{k_R} \neq \theta_{k_R+1} \\ & = \dots = \theta_n \\ & \text{for the parameter } \theta \text{'s.} \end{aligned}$$

We note that the test statistics under the null hypothesis will remain consistent against  $H_A^{(R)}$  as well, despite the fact that they were derived under the assumption that  $R=1$ . Without the loss of generality, we can deduce that the tests mentioned in Section 2 are extended to the form for "no change" against the " $R$  changes" alternative  $H_A^{(R)}$ .

Vostrikova [1981] suggested a binary segmentation method as follows. First, use the change-point detection test. If  $H_0$  is rejected,

the find  $\hat{k}_1$  that is the time where Equation (3) is satisfied. Next divide the random sample into two subsamples  $\{X_i: 1 \leq i \leq \hat{k}_1\}$  and  $\{X_i: \hat{k}_1 < i \leq n\}$ , and test both subsamples for further changes. One continues this segmentation procedure until no subsamples contain further change points. If exactly  $R$  changes are found, then one rejects  $H_0$  in favor of  $H_A$ .

This process plays a role of clustering which constructs groups as well as maintains the time sequence. In this point, the Step 1 is distinguished from other clustering methods such as the k-means nearest neighbor method and the hierarchical clustering method which classify data samples by the Euclidean distance between cases without considering the time sequence.

#### Step 2: Change-Point Group Detection with BPN

The significant intervals in the Step 1 are grouped to detect the regularities hidden in stock price index. Such groups represent a set of meaningful trends encompassing stock price index. Since those trends help to find regularity among the related output values more clearly, the neural network model can have a better ability of generalization for the unknown data. This is indeed a very useful point for sample design. In general, the error for forecasting may be reduced by making the subsampling units within groups homogeneous and the variation between groups heterogeneous [Cochran, 1977]. After the appropriate groups hidden in stock price index are detected by the Step 1, BPN is applied to the

input data samples at time  $t$  with group outputs for  $t+1$ . In this sense, CPG is a model that is trained to find an appropriate group for each given sample.


### 3.2 The OFN stage: Forecast the output with BPN

OFN is built by applying the BPN model to each group. OFN is a mapping function between the input sample and the corresponding desired output (i.e. stock price index). Once


OFN is built, then the sample can be used to forecast the stock price index.

## IV. Empirical Results

Research data used in this study comes from the daily KOSPI from January 1990 to August 2001. The total number of samples includes 2851 trading days. The results of chaos analysis in <Figure 1> indicate a saturating tendency for the correlation dimension, leading to a fractal dimension of about 5. The embedding



<Figure 1> Correlation dimension vs. Embedding dimension in daily KOSPI



<Figure 2> Daily KOSPI data from January 1990 to August 2001

dimension (i.e. the dimension of the phase space for which saturation in the correlation dimension occurs) is 7. The embedding dimension of 7 indicates that 6 time-lags must be shown to a neural network to predict the 7<sup>th</sup> data point of the time series.

The training phase involves observations from January 1990 to April 1999 while the testing phase runs from May 1999 to August 2001. The stock price index data is presented in <Figure 2>. <Figure 2> shows that the movement of stock price index highly fluctuates.

The Pettitt test is applied to the stock price index data. In this study, KOSPI data is varied from just one change-point to three change-points. For more change-points, the proposed model can be applied by the binary segmentation method. This study employs two neural network models. One model, labeled Pure\_NN, involves four input variables at time  $t$  to generate a forecast for  $t+1$ . The second types, labeled Prop\_NN(2) and Prop\_NN(4), are the two-staged BPN model for 2 groups and 4 groups, respectively. The first step is the CPG stage that forecasts the change-point group while the next step is the OFN stage that


forecasts the output. For validation, three learning models are also compared

Numerical values for the performance metrics by the predictive model are given in <Table 1>. In addition, <Figure 3> presents histograms of RMSE, MAE and MAPE for the forecast of each learning model. According to RMSE, MAE and MAPE, the outcomes indicate that the proposed neural network models are superior to the pure BPN model. In particular, Prop\_NN(2) turns out to be the best model. This indicates that the number of change-point group may be an important factor to improve the performance.

<Table 1> Performance results of KOSPI forecasting based on RMSE, MAE and MAPE

Model	RMSE	MAE	MAPE (%)
Pure_NN	20.87	16.13	2.235
Prop_NN(2)	19.11	14.31	1.935
Prop_NN(4)	19.19	14.71	1.982

We use the pairwise t-test to examine whether the differences exist in the predicted values of models according to the absolute percentage error (APE). This metric is chosen



<Figure 3> Histogram of RMSE, MAE and MAPE resulting from forecasts of KOSPI



since it is commonly used [Carbone and Armstrong, 1982] and is highly robust [Armstrong and Collopy, 1992; Makridakis, 1993]. Since the forecasts are not statistically independent and not always normally distributed, we compare the APEs of forecast using the pairwise t-test. Where sample sizes are reasonably large, this test is robust to the distribution of the data, to nonhomogeneity of variances, and to statistical dependence [Iman and Conover, 1983]. <Table 2> shows t-values and p-values. The neural network models using change-point detection (Prop\_NN(2) and Prop\_NN(4)) perform significantly better than the pure BPN model (Pure\_NN) at a 1% significant level. Therefore, the proposed models are demonstrated to obtain improved performance using the change-point detection approach.

<Table 2> Pairwise t-tests for the difference in residuals between the pure BPN model and the proposed neural network models for KOSPI based on the APE with the significance level in parentheses.

	Prop_NN(4)	Pure_NN
Prop_NN(2)	2.06 (0.039)*	5.58 (0.000)**
Prop_NN(4)		4.38 (0.000)**

\*\* : Significant at 1%; \* : Significant at 5%

In summary, the neural network models using the change-point detection turns out to have a high potential in stock price index forecasting. This may be attributable to the fact that it categorizes the stock price index data into homogeneous groups and extracts regularities from each homogeneous group. Therefore, the neural network models using change-point detection may cope with the noise or irregularities more efficiently than the pure

BPN model.

## V. Concluding Remarks

This study has suggested change-point detection to support neural network models in stock price index forecasting. The basic concept of this proposed model is to obtain significant intervals divided by the change points, to identify them as change-point groups, and to use them in stock price index forecasting. We propose the integrated neural network model which consists of three stages. In the first stage, we conduct the nonparametric statistical test to construct the homogeneous groups. In the second stage, we apply BPN to forecast the change-point group. In the final stage, we also apply BPN to forecast the output.

The neural network models using change-point detection perform significantly better than the pure BPN model at a 1% significant level. These experimental results imply the change-point detection has a high potential to improve the performance. Our integrated neural network model is demonstrated to be a useful intelligent data analysis method with the concept of change-point detection. In conclusion, we have shown that the proposed model improves the predictability of stock price index significantly.

The proposed model has the promising possibility of improving the performance if further studies are to focus on the optimal decision of the number of change point and the various approaches in the construction of change-point groups. In the OFN stage, other intelligent techniques besides BPN can be used

to forecast the output. In addition, the proposed model may be applied to other

chaotic time series data such as exchange rate prediction.


## 〈References〉

- [1] Achelis, S.B., *Technical analysis from A to Z*, Chicago: Probus Publishing, 1995.
- [2] Armstrong, J.S. and Collopy F., "Error measures for generalizing about forecasting methods: Empirical comparisons," *International Journal of Forecasting*, 8, 1992, pp. 69-80.
- [3] Banergee, A., Lumsdaine, R. and Stock, J., "Recursive and sequential tests of the unit root and trend break hypothesis: Theory and international evidence," *Journal of Business and Economic Statistics*, 10, 1992, pp. 271-287.
- [4] Carbone, R. and Armstrong J.S., "Evaluation of extrapolative forecasting methods: Results of academicians and practitioners," *Journal of Forecasting*, 1, 1982, pp. 215-217.
- [5] Chatfield, C., "Neural networks: Forecasting breakthrough or passing fad?" *International Journal of Forecasting*, 9, 1993, pp. 1-3.
- [6] Christiano, L.J., "Searching for a break in GNP," *Journal of Business and Economic Statistics*, 10(3), 1992, pp. 237-250.
- [7] Cochran, W.G., *Sampling techniques*. New York: John Wiley & Sons, 1977.
- [8] Duke, L.S. and Long J.A., "Neural network futures trading - A feasibility study," Society for Worldwide Interbank Financial Telecomm., *Adaptive intelligent systems* (pp. 121-132), Amsterdam: Elsevier Science Publishers, 1993.
- [9] Embrechts, M., Cader, M., and Deboeck, G.J., "Nonlinear dimensions of foreign exchange, stock, and bond market," In G.J. Deboeck (Ed.), *Trading on the Edge*, John Wiley & Sons, N.Y., 1994.
- [10] Gorr, W., "Research respective on neural networks," *International Journal of Forecasting*, 10, 1, 1994, pp. 1-4.
- [11] Gottman, J.M. *Time Series Analysis*. New York: Cambridge University Press, 1981.
- [12] Hiemstra, Y., "Modeling structured nonlinear knowledge to predict stock market returns," In R. R. Trippi, *Chaos & Nonlinear Dynamics in the Financial Markets: Theory, Evidence and Applications* (pp. 163-175), Chicago, Illinois: Irwin, 1995.
- [13] Iman, R. and Conover, W.J., *Modern business statistics*, New York: Wiley, 1983.
- [14] Kamijo, K. and Tanigawa, T., "Stock price pattern recognition: A recurrent neural network approach," *Proceedings of the I. Joint Conference on Neural Networks* (pp. 215-221), San Diego, California, 1990.
- [15] Kaufman, K.A., Michalski, R.S. and Kerschberg, L., "Mining for knowledge in databases: Goals and general description of the INLEN system," In G. Piatetsky-Shapiro and W.J. Frawley (Eds.), *Knowledge discovery in databases* (pp. 449-462). Cambridge, MA: AAAI / MIT Press, 1991.
- [16] Kim, K. and Han, I., "Genetic algorithms approach to feature discretization in arti-

- ificial neural networks for the prediction of stock price index," *Expert Systems with Applications*, 19, 2, 2000, pp. 125-132.
- [17] Kim, K. and Han, I., "The extraction of trading rules from stock market data using rough sets," *Expert Systems: International Journal of Knowledge Engineering and Neural Networks*, 18, 4, 2001a, pp. 194-202.
- [18] Kim, K. and Han, I., "Maintaining case-based reasoning systems using a genetic algorithms approach," *Expert Systems with Applications*, 21, 3, 2001b, pp. 139-145.
- [19] Kimoto, T., Asakawa, K., Yoda, M. and Takeoka, M., "Stock market prediction system with modular neural network," *Proceedings of the I. Joint Conference on Neural Networks* (pp. 1-6), San Diego, California, 1990.
- [20] Kohara, K., Ishikawa, T., Fukuhara, Y. and Nakamura, Y., "Stock price prediction using prior knowledge and neural networks," *International Journal of Intelligent Systems in Accounting, Finance and Management*, 6, 1, 1997, pp. 11-22.
- [21] Kwon, Y.S. and Han, I., "Industry stock returns prediction using neural networks," *The Journal of MIS Research*, 9, 3, 1999, pp. 93-110.
- [22] Li, H.L. and Yu, J.R., "A piecewise regression analysis with automatic change-point detection," *Intelligent Data Analysis*, 3, 1999, pp. 75-85.
- [23] Lumsdaine, R.L. and Papell, D.H., "Multiple trends and the unit root hypothesis," *The Review of Economics and Statistics*, 79, 1997, pp. 212-218.
- [24] Makridakis, S., "Accuracy measures: Theoretical and practical concerns," *I. Journal of Forecasting*, 9, 1993, pp. 527-529.
- [25] Oh, K.J. and Han, I., "An Intelligent Clustering Forecasting System based on Change-Point Detection and Artificial Neural Networks: Application to Financial Economics," *Proceedings of the Thirty-Fourth Hawaii International Conference on System Sciences (HICSS)*, Hawaii, U.S.A, 2001.
- [26] Oh, K.J. and Han, I., "Using change-point detection to support artificial neural networks for stock price indexes forecasting," *Expert Systems with Applications*, 19, 2, 2000, pp. 105-115.
- [27] Patterson, D.W., *Artificial neural networks*. New York: Prentice Hall, 1996.
- [28] Perron, P. and Vogelsang, T., "Nonstationarity and level shifts with an application to purchasing power parity," *Journal of Business and Economic Statistics*, 10, 1992, pp. 301-320.
- [29] Perron, P., "Testing for a unit root in time series with a changing mean," *Journal of Business and Economic Statistics*, 8, 1990, pp. 153-162.
- [30] Perron, P., "The great crash, the oil price shock, and the unit root hypothesis," *Econometrica*, 57, 1989, pp. 1361-1402.
- [31] Perron, P., Further evidence on breaking trend functions in macroeconomic variables, Manuscript, Universit de Montreal, Canada, 1995.
- [32] Pettitt, A.N., "A non-parametric approach to the change-point problem," *Applied Statistics*, 28, 2, 1979, pp. 126-135.
- [33] Pettitt, A.N., "A simple cumulative sum type statistic for the change-point problem with zero-one observations," *Biometrika*,


- 67, 1980a, pp. 79-84.
- [34] Pettitt, A.N., "Some results on estimating a change-point using nonparametric type statistics," *Journal of Statistical Computation and Simulation*, 11, 1980b, pp. 261-272.
- [35] Quah, T.-S. and Srinivasan, B., "Improving returns on stock investment through neural network selection," *Expert Systems with Applications*, 17, 1999, pp. 295-301.
- [36] Rapport, P. and Reichlin, L., "Segmented trends and non-stationary time series," *The Economic Journal*, 99, 1989, pp. 168-177.
- [37] Trippi, R.R. and DeSieno, D., "Trading equity index futures with a neural network," *The Journal of Portfolio Management*, 19, 1992, pp. 27-33.
- [38] Tsaih, R., Hsu, Y. and Lai, C.C., "Forecasting S&P 500 stock index futures with a hybrid AI system," *Decision Support Systems*, 23(2), 1998, pp. 161-174.
- [39] Vogelsang, T. and Perron, P., "Additional tests for a unit root allowing for a break in the trend function at an unknown time. Manuscript, Department of Economics, Ithaca, New York, 1995.
- [40] Vostrikova, L.J., "Detecting disorder in multi-dimensional random process, *Sov. Math. Dokl.*, 24, 1981, pp. 55-59.
- [41] Wasserman, P.D. *Neural Computing: Theory and Practice*, New York: Van Nostrand Reinhold, 1989.
- [42] White, H., "Can neural networks forecast in the big leagues? Comparing network forecasts to the pros?" *Proceedings of International Symposium of Forecasting*, Stockholm, Sweden, June, p.24, 1994.
- [43] White, H., "Connectionist nonparametric regression: Multilayer feedforward networks can learn arbitrary mappings," In H. White (Ed.), *Artificial Neural Networks: Approximations and Learning Theory*. Oxford, UK: Blackwell, 1992.
- [44] Wolkenhauer, O. and Edmunds, J.M., "Possibilistic testing of distribution functions for change detection. *Intelligent Data Analysis*, 1, 1997, pp. 119-127.
- [45] Yoon, Y. and Swales, G., "Predicting stock price performance: A neural network approach," *Proceedings of the 24th Annual Hawaii International Conference on System Sciences* (pp. 156-162), Hawaii, 1991.
- [46] Zivot, E. and Andrews, D.W.K., "Further evidence on the great crash, the oil-price shocks, and the unit-root hypothesis," *Journal of Business and Economic Statistics*, 10, 1992, pp. 251-270.

## ◆ 저자소개 ◆




오경주 (Oh, Kyong Joo)

현재 KAIST 테크노경영연구소에 재직하고 있다. 연세대학교 상경대학 응용통계학과에서 학사(1991) 및 석사(1993)를 받았고, KAIST 테크노경영대학원에서 경영정보공학박사학위(2000)를 취득하였다. 주요관심분야는 인공지능기법을 이용한 재무예측, 웹데이터마이닝, 회계 및 재무정보시스템, 금융공학, CRM 등이다.



김경재 (Kim, Kyoung-jae)

현재 KAIST 테크노경영연구소에 재직하고 있다. 중앙대학교 경영대학 경영학과에서 경영학사를, KAIST에서 경영정보시스템을 전공하여 경영공학석사와 박사를 취득하였다. 주요관심분야는 지능정보시스템, 데이터마이닝, 고객관계관리, 지능형 에이전트, 지식경영 등이다.



한인구 (Han, Ingoo)

현재 KAIST 테크노경영대학원 교수로 재직중이다. 서울대 국제경제학사, KAIST 경영과학석사를 취득하고 University of Illinois at Urbana-Champaign에서 회계정보시스템을 전공하여 경영학박사를 받았다. 주요관심분야는 지능형 신용평가시스템, 인공지능을 이용한 주가예측, 지식자산 가치평가, 정보시스템 감사 및 보안 등이다.

◆ 이 논문은 2001년 2월 26일 접수하여 1차 수정을 거쳐 2001년 11월 13일 게재확정되었습니다.