

38

1

3

(Fig.1),

3

3

(Fig.2),

(Fig.3).

100%

4




Fig 1. Photograph of oral cavity shows extracted left lower third molar(arrow).



Fig 2. Panorama view also shows extracted left lower third molar(arrow).




Fig 3. Neck CT finding. A: soft tissue emphysema on left submandibular space(black arrow) and left parapharyngeal space(white arrow) B: Subcutaneous emphysema on suprasternal notch (black arrow) and mediastinal emphysema(white arrow)

CT

가

3

9)

10)

가 가

가 가

1960³⁾

가

가

25%

4,5)

가

100%

100%

6)

가

12)

7)

3

13)

가

14)

15)

가

3

2

13)

8)

References

1. Turnbull A. Remarkable coincidence in dental surgery. *Br Med J* 1900;1:1131.
2. Shovelton D. Surgical emphysema as a complication of dental operations. *Br Dent J* 1957;102:4.
3. Bodai CF, DiFiore PM. Subcutaneous emphysema in dental practice. *Gen Dent* 1992;40:324-8.
4. Marlette RH. Mediastinal emphysema following tooth extraction. *Oral Surg Oral Med Oral Pathol* 1963;16:116-9.
5. Body GP. Medical mediastinal emphysema. *Ann Intern Med* 1961;54:46-56.
6. Sood T, Pullinger R. Pneumomediastinum secondary to dental extraction. *Emerg Med J* 2001;18:517-18.
7. Tonnesen AS, Wagner W, Mackey-Hargadine J. Tension subcutaneous emphysema. *Anesth.* 1985;62:90-2.
8. Goodnight JW, Sercarz JA, Wang MB. Cervical and mediastinal emphysema secondary to third molar extraction. *Head Neck* 1994;16:287-90
9. Choo MJ, Kim YJ, Shin SO, Yong MG, Shin JW, Jeon CW. Non-Traumatic Subcutaneous Emphysema in the Head and Neck. *Korean J Otolaryngol* 2001;44:533-7
10. Jun HJ, Hahm SY, Sung SC, Kim YS. Pneumomediastinum and subcutaneous emphysema produced by air turbin dental drill. *Korean Society for Thoracic and Cardiovascular Surgery* 1991;24:1225-7.
11. Reznick JB, Ardary WC. Cervicofacial subcutaneous air emphysema after dental extraction. *J Am Dent Assoc* 1990;120(4):417-9.
12. Satilmis A, Dursun O, Velipasaoglu S, Guven AG. Severe subcutaneous emphysema, pneumomediastinum, and pneumopericardium after central incisor extraction in a child. *Pediatr Emerg Care* 2006;22:771-3.
13. Choi EY, Lee SK, Choi HH, Cho SH, Kim YB, Cho NS. Clinical evaluation of subcutaneous emphysema. *Korean J Thorac Cardiovasc Surg* 1995;28:1019-24.
14. Sandler CM, Libshitz HI, Marks G. Pneumoperitoneum, pneumomediastinum and pneumopericardium following dental extraction. *Radiology* 1975;115:539-40.
15. Steiner M, Gran MJ, Wilson DL, Snow NJ. Ontogenic infection leading to cervical emphysema and fatal mediastinitis. *J Oral Maxillofac Surg* 1982;40:600-4.