

여러 가지 데이터와 신뢰성 평가

백재욱

한국방송통신대학교 정보통계학과

Various kinds of data and reliability assessment

Jaiwook Baik

Department of Information Statistics, Korea National Open University.

Abstract

There are a lot of different data in a company. Some of the data can be modified to produce valuable information on reliability. In this study different types of data that can be obtained in a company are reviewed. Reliability related data that can be taken throughout the life cycle of a product are also reviewed. Developing a method of gathering all of the pertinent data from the various sources and databases and pulling them into one central location is explained.

Key words : Data, Life Cycle, Field Data, Data Collection, Warranty Data

1. Introduction

There are various kinds of data in a company. Some of the data can be used to provide valuable information on reliability once they are modified Blischke and Murthy(1994). But bulk of the data is specific to certain purposes and so it is not easy to transform the data into resources for decision-making. In-house testing data can be used to predict the performance of the product fairly well if they are managed properly. Field data can also be used to confirm the prediction that was made in the lab. However, there is a lot of discrepancy between the two predictions Kececioglu(1993). Therefore, in this study different types of data that can arise in a company are reviewed in sections 2 and 3. In section 4, life cycle approach to the data that can be generated in a product and appropriate analysis to the data are examined. In section 5 several different logs for data collections are examined. In section 6 warranty data are explored and summary of the study is given in section 7.

2. Types of Data

There are many different kinds of data in a company: product related data, technology related data, scientific data etc. These types of data are needed to build models for reliability related decision-making Nyman(2009). First of all, the data can be broadly grouped into several different categories as indicated below.

2.1 Product Related Data

This includes the product performance data, design data as well as development data. Product Performance Data: These can be again divided into (i) reliability related (such as failure times, causes, components replaced or repaired etc.) and (ii) non-reliability related data.

Design Data: Design details are explained in specification.

Development Data: Various kinds of test data are included in the development data. The data can be at the system level or component level. The hierarchy can be separated into as many levels as required - System, Sub-system, Component, Part, Material, etc. For instance in an engine(system) the sub-systems can be front assembly, sealing, cooling, timing, etc while the front assembly can again be divided into plug assembly spark, sensor crankshaft position, coil assembly etc.

2.2 Technology Related Data

Manufacturing of products involves many different types of technologies. An interesting feature of technologies is that they are changing over time due to scientific advances and technology breakthroughs. Technology related data relevant to manufacturing of new products include the changes in the following technologies.

- 1) Material Technologies: There are different kinds of material technologies depending on the product considered.
- 2) Process Technologies: There are also different kinds of process technologies based on the product concerned.
- 3) Support Technologies: There are different kinds of technologies to support the various operations such as transportation of material, management of inventories, material flow, etc.

2.3 Commercial Related Data

Commercial data comprise of the following.

- 1) Market Related: This includes total sales over time, number of competitors etc.
- 2) Competitor Related: This includes sales, price, promotion effort, market share of each of the competitor.
- 3) Legislative: This includes various legislative laws relevant to the product. Examples include warranty legislation, health standards for products consumed by humans or animals etc.
- 4) Industry-wide Data: Example of the data is trends over time.

2.4 Customer Related Data

There are two different levels of customer related data.

- 1) Industry Level: This can be consumption patterns over time, age profile, income distribution etc.
- 2) Individual Customer Level: This can be needs, satisfaction with past products, usage mode and intensity, income, satisfaction and dissatisfaction etc.

2.5 Financial Related Data

Financial data comprises of revenue data and cost data. The cost data is comprised of the following costs for past products.

- 1) Development cost
- 2) Production cost per unit
- 3) Life cycle costs
- 4) Warranty servicing costs

Cost data can be broadly divided into two categories – as direct and indirect. Direct costs can be described as the cost of materials and labour that result in the final product, and indirect costs are those that are required to support the activities in different phases of the product life cycle. For example, the cost of the metal, plastic, oil, components, technical labour, etc. that make up the product are direct costs; the cost to design the product, set up and maintain the production plant, perform administrative tasks, service, and market the product, and manage the entire process are indirect costs.

2.6 Intuitive Judgemental Data

When hard data are sparse or lacking altogether, it is not unusual to use engineering judgment in attempting to predict item characteristics, including reliability. Estimates of this type, based on quantified subjective or partially subjective information, enable the analyst to introduce engineering knowledge and experience into the reliability assessment process. This type of information may also form the basis of an important input element (the "prior distribution") to Bayesian analysis, which provides a method of incorporating this information with test data as it is obtained. Therefore, reliability assessment scheme should include Bayesian approach as one of the tools for investigation.

3. Sources of Data

There are several sources from which data needs to be collected. We discuss briefly some of these. In the process, we highlight some issues of relevance to managing product reliability Murthy et al(2008).

3.1 Historical Records

Historical records are generated from data obtained from the various business management systems when the product becomes obsolete and is replaced by a new one. The importance of this data in new product development is that a new product that has undergone major design change or is based on completely new designs often has some parts or even major components in common with earlier products. As such, data and information relating to earlier products obtained from historical records are of importance for reliability assessment of the product.

3.2 Business Management Systems

Businesses use many different kinds of management systems to manage the different activities. These, along with the kind of data they provide, are as follows:

- 1) Accounting System: Cost data
- 2) Project Management System: Product related data during development
- 3) Production System: Product related data (for example, conformance to specification) during production
- 4) Supply Management System: Material flow data
- 5) Customer Support System: Customer related data

As mentioned earlier, data from such systems for earlier products create the historical records.

As a new product evolves through the different phases of the product life cycle, these systems collect data. Data collected in earlier phases are needed for building and revising models in later phases for effective decision making.

3.3 Scientific Journals and Conference Papers

These provide scientific data and information. There are several search engines and databases that make it easy to obtain the information. Examples of scientific journals and conference papers are Quality and Reliability Engineering International, Reliability Review, Annual Quality Congress, Annual Reliability and Maintainability Symposium, etc.

3.4 Vendors

Vendor data includes components, materials, and/or sub-systems that are purchased from outside the manufacturing organization. Test data from vendors can be obtained and verified by in-house testing, if necessary, and used the same way as historical data.

3.5 Tests

Several different kinds of tests are carried out during the development and production phases of the product life cycle. Test data allow performance to be quantified and reliability to be estimated. Experiments should ideally be designed and carried out under controlled conditions so that the information obtained is meaningful. If the product is complex and expensive, testing may be required at several different levels: material, component, and system. For simple products, it may be adequate to test only the completed product. As the complexity of the product increases, so do the data and analysis required for aggregation of meaningful information.

Random samples are often taken when inspecting items from the production line. The data are used to estimate production quality

Environmental data includes temperatures, stresses, etc. that are encountered during tests or during operational life (if recorded). These variables can be used to evaluate the effect of different environments on product performance.

3.6 Scientific and Technical Handbooks

Handbook data includes specifications and calculations obtained from technical publications. Data of this type may typically include labour costs in certain regions, formulae for various technical relationships, market indices for commodities, and so on.

In theoretical assessments of reliability, for example at the part level, physical failure models are sometimes used. The models typically require inputs such as geometrical

configurations, materials and their properties, environments in which the item will be operated, and measures of variability in all of these variables. Much of this information can be obtained from standard engineering, physics and chemistry handbooks.

Important data sources are GIDEP, MIL-HDBK-217, Non-Electronic Equipment Reliability Data, BELL CORE, etc.

3.7 Market Surveys

Market surveys are carried out to obtain commercial and customer related data. Rarely does one have access to an entire population or the resources to seek the response of every individual. A simple random sample is a sample selected in such a way that every sample of size n drawn from a population of size N is equally likely to be selected. This is done by use of a computer program or a random number table. Another issue is the type of questionnaire used as it can have a significant impact on customer response.

3.8 Warranty Servicing and Field Support

Warranty service and field support (such as spares used) data provide valuable information regarding product performance in field. If the data is collected properly, it also provides useful customer related information such as usage mode and intensity, customer satisfaction and needs.

3.9 Customer Feedback

Customer feedback information is a valuable data source and can provide product related and customer related information.

3.10 Consumer Reports and Magazines

Consumer groups carry out different kinds of tests on similar products and customer surveys. The findings of their study are usually reported in magazines or reports and constitute a valuable source for relative comparison between different products. In the case of cars, Automobile Magazine, Autoweek as well as Car and Driver provide an excellent report on cars and customer's reaction on them.

4. Reliability Data - Life Cycle Approach

Reliability data can be gathered throughout the life cycle of a product Guangbin(2009). An important requirement for designing useful reliability is to have a good idea of how the product is actually developed in the laboratory and used in the field. A brief summary of the various types of reliability tests in the development and manufacturing stages and in the field is presented next.

4.1 Development Stage

Reliability testing in the development stage occurs during the early phases of the product's life cycle, usually from project inception to product release. With a multitude of design stages that could affect the product's reliability, it is necessary to closely monitor how the product's reliability grows and changes as the product design matures. A number of different test types that can be run during this stage to provide useful reliability information are as follow:

- 1) Component-level testing: Component-level testing is usually carried out during early phase of a product for critical components. There may also be special interest in the performance of a specific component if it has been radically redesigned. With sufficient understanding to characterize the interaction of the components the system-level reliability can be modelled based on the configuration of components.
- 2) System-level testing: The ideal approach to the system-level testing is to test the entire system, especially when the reliability of the system is specified. System-level testing should be performed immediately prior to the product's release for manufacturing in order to verify reliability.
- 3) Environmental and Accelerated Testing: The product may be used in an unfavourable condition. It may be that the product would not normally fail within the time constraints of the test, and so the stress factors must be accelerated to get meaningful data within the reasonable amount of time. Environmental and accelerated testing should be performed properly so as not to induce failure modes that would not normally encountered in the field.

4.2 Manufacturing Stage

In manufacturing stage, testing takes place during and after the release of the product to measure the performance of the manufacturing process as well as the product.

Following types of testing can be performed in this stage:

- 1) **Functionality Testing:** A large number of products are put on a very short test to verify that they are functioning. In some cases they may be run for a predetermined “burn-in” time to weed out early failures in the field.
- 2) **Design/Process Change Verification Testing:** This type of testing occurs at regular intervals during production, or immediately after the design/process change of the manufacturing process.

4.3 Field Stage

The information from the field data is the proper measure of product performance. However, there is usually disconnection between the reliability performance of the product in the field and the results of in-house reliability testing with the performance in the field being very lower than the results in the testing. Major reason is that the product in the field in general receives harsher treatment in the field than in the lab. In addition the units tested in the field are often hand-built or carefully set up prior to testing. Some of the most prevalent forms of field data are as follow:

- 1) **Sales or Shipping Data:** This information provides the analyst with a figure for the population of products in the field, which enables us to do any sort of reliability-oriented calculations.
- 2) **Warranty Data:** Most warranty systems are designed to keep track of finances and not reliability performance. Therefore they do not provide adequate information for reliability performance. For instance it is hard to get accurate time to failure for warranty systems. However, careful handling of the warranty data will allow a crude estimation of reliability.
- 3) **Field Service Data:** Repair technicians manually repair failed products during an On-site visit. This gives a potentially powerful source of field reliability information. But the job of the service technician is to restore the customer’s equipment to operating condition as quickly as possible, and not necessarily to perform a detailed failure analysis. It may be that only one of the parts that have been replaced had actually failed. From a reliability perspective, it is best to record necessary failure information correctly.
- 4) **Customer Support Data:** Many customers call to solve their problems in the products. It may be related to the field service data in that the customer with a failed product will call to the company. Ideally the customer support and field service data would reside in the same database, but this is not always the case.

4.4 Reliability Assurance Activities at each stage

<Table 1> provides a detailed series of steps in the process of designing, manufacturing and field stages of a new product Ireson et al(1996). In the Design stage R&D data inputs are needed for system definition. In the Manufacturing stage complete production drawings, specification, parts lists, etc., are turned over to production. In the Field stage all malfunctions and failures in the customers' hands should be recorded by the service organization and the information fed back to the project manager.

<Table 1> Reliability assurance activities during the life cycle of a product

Reliability during the life cycle assurance activities of a product	
Life-cycle stages	Activities
Design phase	
System definition (goals)	R&D data inputs
Concepts for design	
Preliminary design	R&Q consultation, data
Design disclosure (drawings and specs)	
Preliminary design review	Carried out by designers, reliability engineers, quality engineers, production engineers, customers or marketing department
Redesign: new design disclosure	
Design repeated (may be repeated several times until design approved)	Same as above
Build prototype	
Prototype testing	Planned and executed by designers, reliability engineers, quality engineers
Design review	Same as above
Redesign	Developed concurrently are quality inspection plans, reliability test program plan, providing of facilities
Production phase	
Release for production (complete drawings and specs)	
Production begins	R&Q perform production tests and verifications; Quality sets up change and configuration control system
Continue production program	R&Q continue tests and inspections
Support phase	
Deliver product to customer	R&Q set up field failure report system
Customer starts using product and may	

find malfunction and failures	
Field failure, malfunction, and service reports received	Reliability analyzes reports and suggests design changes and corrective actions
Corrective action decided	May require full design review and customer's approval
Corrective action implemented	R&Q follow-up to assure effectiveness
	Retirement of product or system
	End-of-life cycle

5. Data Collection

It is necessary to have an accurate and efficient way of recording data related to reliability. With the decreasing cost and increasing power of computer systems, it is not very difficult to set up a computerized data collection system.

Since many types of reliability testing are performed and data collected, it is important to have certain common elements that extend across all of the different types of tests. It is recommended to have at least three related databases: a test log, a failure log, and a service log.

5.1 Test Log

The structure of the database for test log may depend on the type of products and the testing procedures. Therefore if the product requires a series of inputs during testing the test log should contain all of the pertinent information. For instance the test log should include transaction number, test start date and time, test identifier, test stage and inputs at each stage, operator comments.

5.2 Failure Log

This is a major source of information for reliability analysis. Therefore care has to be taken in constructing the database that captures all pertinent information. For instance the failure log should include transaction number, test log cross-reference (test stage included), failure date and time, symptom code, failure type and code, failed part and relevant failure (or masked parts), resolution, and comments.

5.3 Service Log


Service log is to keep track of service actions on the test units. A service log should be written whenever the item is serviced, installed or upgraded since these actions have a large effect on the performance of the test units. The entries for the service log are transaction number, test log cross-reference, service date and time, current version identifier (and new version identifier if the service upgraded the test unit), service type, part modified or replaced, comments.

5.4 Field Data


Field data are collected in many different types of formats in companies. The potential drawback to the field data collection is that the data collection system may be focused on field performance rather than on reliability performance. Another difficulty with the field data is that the data may reside in different places and formats depending on whether they are field service data, customer support data, etc. The challenge in this case is to develop a method of gathering the pertinent data from the various sources and databases and put them into one central location where reliability information can be extracted from it.

6. Case Study: Warranty Data Collection

1 to 5 years of warranty claim data were collected for reliability and warranty cost analyses. Appropriate data for the analyses were sorted out to form a population for each critical component. Nonparametric methods have been applied to get the graphs of reliability(See <Figure 1>) and warranty cost over time (See <Figure 2>) for a couple of critical components.




<Figure 1> Nonparametric analyses of two components in cooling subsystem (reliability and hazard rate)



<Figure 2> Warranty cost analysis for component 25100

Subsystem (or system) level performance has been shown in terms of hazard plots assuming competing risk model (See <Figure 3>). Warranty cost analysis at subsystem (or system) level can also be obtained once we know the repair or replacement cost of each component.



<Figure 3> Nonparametric hazard plot for the cooling subsystem
with components 25100 and 25500

7. Summary

A lot of data are gathered in the daily activities of quality management. In-house testing data are useful to provide valuable information on reliability. On the other hand, bulk of the field data are not meant to be used for reliability prediction unless extra care is taken to deal with the data. Field data is to be analyzed for any discrepancy with the lab prediction and data collection methods have to be updated continually.

With the decreasing cost and increasing power of computer systems, it is not difficult to set up a computerized data collection system and automatic analysis for the entire life cycle of a product. But care has to be taken in applying appropriate reliability methods.

References

- [1] BELLCore, 290 West Mt. Pleasant Ave., Room 4D-110, Livingston, N.J. 07039 (1-800-521-2673).
- [2] Blischke, W.R., and Murthy, D.N.P.(1994), Warranty Cost Analysis, MarcelDekker, Inc., New York.
- [3] Commander, Rome Air Development Center, "MIL-HDBK-217: Military Standardization Handbook - Reliability Prediction of Electronic Equipment," RBRS, Griffiss Air Force Base, New York 13441.
- [4] GIDEP, Government-Industry Data Exchange Program, "Reliability-Maintainability Data

- Bank,” GIDEP Operations Center, Naval Warfare Assessment Center, Corona, California 91720.
- [5] Guangbin, Y.(2007), Life Cycle Reliability Engineering, John Wiley and Sons Inc.
- [6] Ireson, W.G., Coombs, Jr. C.F. and Moss, R.Y.(1996), Handbook of Reliability Engineering and Management, Second Edition, McGraw-Hill.
- [7] Kececioglu, D.(1993), Reliability and Life Testing Handbook, Prentice Hall, New Jersey.
- [8] Murthy, D.N.P., Rausand, M., Osteras(2008), Product Reliability, Springer Verlag.
- [9] Nyman, D.(2009), Maintenance and Reliability Managerial Insights, Industrial Pr.
- [10] Yurkowsky, William, Hughes Aircraft company, Non-electronic Reliability Notebook, RADC-TR-69-458, Final Report to Rome Air Development Center, Air Force Systems Command, Griffiss Air Force Base, New York, March 1970.