Letter to the Editor

Environmental Health and Toxicology Volume: 27, Article ID: e2012004: 2 pages

http://dx.doi.org/10.5620/eht.2012.27.e2012004 eISSN 2233-6567



Use of Humidifiers with Children Suffering from Atopic Dermatitis

Eun-Hye Kim¹, Kangmo Ahn^{2,3}, Hae-Kwan Cheong¹

¹Department of Social and Preventive Medicine, Sungkyunkwan University School of Medicine, Suwon; ²Department of Pediatrics, Samsung Medical Center, Sungkyunkwan University School of Medicine, Seoul; ³Environmental Health Center for Atopic Diseases, Samsung Medical Center, Seoul, Korea

DEAR EDITOR

Following the recent press release regarding the toxicity of the biocides mixed in the water of humidifiers as a cause of fatal pulmonary syndrome among pregnant women and young children in Korea [1], the use of humidifiers has became a public concern. There are few reports, however, on the use of humidifiers with children suffering from atopic dermatitis. Those children use humidifiers more frequently than healthy individuals, because their symptoms largely depend on the humidity in the environment, especially during winter in Korea. Therefore, they might be a risk group who are exposed to the biocides in the humidifiers. Parents of atopic dermatitis patients are more aware of controlling the relative humidity in the household environment. It is important to know how many of the children with atopic dermatitis have been exposed to humidifiers during their periods of illness, because they are more sensitive to environmental changes.

We have reviewed the children's environmental health status questionnaire used in the Environmental Health Center for Atopic Diseases in the Samsung Medical Center. When children with atopic dermatitis visited the clinic, it was recommended that their parents complete the questionnaire on the children's environment, including housing, home environment, use of a humidifier, and use of pesticides and chemicals at home, etc. Although the exact time period of reference is not clarified, it can be supposed to reflect the usage at the time of survey. Because of unbalanced distribution across the year, the proportion of humidifiers used is presented on a seasonal basis.

Among 375 subjects aged between 3 and 12 (218 boys and 157 girls), 179 (54.3%) children used a humidifier, while 106 (34.5%) children used an air cleaner at home. Compared to a survey on the general population (37.2%) [2] and pregnant mothers (27.6%) [3], atopic children's use of humidifiers was more popular than those population groups. There was a strong seasonal difference. Unlike the usage in

the general population [2], the season with the highest usage of humidifiers in patients with atopic dermatitis was spring, followed by fall (Table 1). Use of air cleaners was also highest in spring, but was similar across the other three seasons.

Although the study population was not representative and use of biocides was not included in the questionnaire, this result may be used to estimate the hazard of humidifier use in children with atopic dermatitis. This report shows that atopic children are exposed to humidifier aerosols much more than the general population. Parents need to be alert about the potential risk of inhaling undesirable components such as endotoxin and minerals that can be included in the water used in humidifiers.

REFERENCES

- Korea Centers for Disease Control and Prevention. Interim report of epidemiological investigation on lung injury with unknown cause in Korea. Public Health Wkly Rep 2011;4(45):817-832 (Korean).
- Jeon BH, Park Y. Frequency of humidifler and humidifler disinfectant usage in Gyeonggi Provine. Environ Health Toxicol 2012;27:e2012002.
- Chang MH, Park H, Ha M, Kim Y, Hong YC, Ha EH. Characteristics of humidifier use in Korean pregnant women: the Mothers and Children's Environmental Health (MOCEH) study. Environ Health Toxicol 2012;27:e2012003.

Correspondence: Hae-Kwan Cheong, MD, DrPH 2066 Seobu-ro, Jangan-gu, Suwon, 440-746 Korea Tel: +82-31-299-6300, Fax: +82-31-299-6299 E-mail: hkcheong@skku.edu

Published Online: Jan 26, 2012

This article is available from: http://e-eht.org/

Table 1. Usage of humidifiers and air cleaners in houses of children with atopic dermatitis

	Season					<i>p</i> -value
	Spring (n=141)	Summer (n=49)	Fall (n=31)	Winter (n=86)	Total (n=307)	ρ-value
Humidifier Air cleaner	99 (70.2) 60 (42.6)	20 (40.8) 14 (28.6)	20 (64.5) 9 (29.0)	40 (46.5) 23 (26.7)	179 (58.3) 106 (34.5)	<0.001 0.057

Values are presented as number (%).