

The Anti-neoplastic Effects of Alpha-Lipoic Acid: Clinical Benefits in System Tumors besides Lung Carcinomas

Shailendra Kapoor, M.D.

I read with great interest the recent article by Kim et al. [1]. Interestingly, alpha-lipoic acid has recently been shown to exert anti-neoplastic effects in a number of systemic tumors other than lung carcinomas. For instance, alpha-lipoic acid exerts anti-neoplastic effects in colon carcinomas. DHL-HisZnNa is a newer alpha-lipoic acid derivative that has shown similar anti-neoplastic effects in colon cancer cell lines [2]. Levels of retinoblastoma protein are attenuated by DHL-HisZnNa while a simultaneous accentuation of p21 levels is seen. Similarly, anti-proliferative effects have been seen in hepatocellular carcinomas following the administration of alpha-lipoic acid in conjunction with caffeic acid and a new synthesized lipoyl-caffeic conjugate. This combination results in enhanced interleukin 10 levels and attenuated tumor necrosis factor- α levels.

Similarly, alpha-lipoic acid derivatives such as CPI-613 demonstrate anti-neoplastic effects in pancreatic malignancies by disrupting the mitochondrial metabolism in tumor cells resulting in accentuated apoptosis in these cells. For instance, Schwartz et al. [3] have recently reported the case of an 80-year-old female with pancreatic adenocarcinoma and hepatic metastases who responded favorably to a treatment regimen in which the efficacy of gemcitabine was enhanced by using a combination of hydroxycitrate in conjunction with alpha-lipoic acid.

Hydroxycitrate and alpha-lipoic acid combinations also exert anti-proliferative effects in mouse bladder carcinoma-2 cell line bladder transitional cell carcinoma lines, which is equivalent to the anti-neoplastic effects exerted by conventional chemotherapeutic agents such as 5-fluorouracil [4].

Similarly, alpha-lipoic acid exerts anti-proliferative effects

in breast carcinomas. These anti-neoplastic effects are mediated by its attenuating effect on matrix metalloproteinase (MMP)-2 and MMP-9 levels. It not only down-regulates the expression of these molecules but also decreases their activity. In particular, it decreases cellular migration and cellular motility, resulting in decreased metastases. Besides this, it also alters the Bax/Bcl-2 ratio [5]. A simultaneous increase in p27 (kip1) expression is seen, resulting in accentuated apoptosis in breast malignancies.

Alpha-lipoic acid also demonstrates benefits in the management of dermatological malignancies. It exerts these effects by inhibiting proliferation and by accentuating apoptosis in these tumors. It also enhances the apoptosis of cells with aberrant nuclei, thus further attenuating tumor growth in these malignancies. These effects have been seen particularly in B16-F10 melanoma cell lines [5].

The above examples clearly illustrate the anti-neoplastic effects of alpha-lipoic acid and the need for further studies to assess its potential efficacy in the management of other systemic tumors.

CONFLICT OF INTEREST

No potential conflict of interest relevant to this article was reported.

REFERENCES

1. Kim JI, Cho SR, Lee CM, et al. *Induction of ER*

Private practice

Received: August 30, 2012, Revised: September 21, 2012, Accepted: October 8, 2012

Corresponding author: Shailendra Kapoor, Private practice, Chicago, IL, USA

(Tel) 1-865-345-2345 (Fax) 1-865-657-6767 (E-mail) shailendrakapoor@yahoo.com

© The Korean Society for Thoracic and Cardiovascular Surgery. 2013. All right reserved.

© This is an open access article distributed under the terms of the Creative Commons Attribution Non-Commercial License (<http://creativecommons.org/licenses/by-nc/3.0>) which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.

- stress-mediated apoptosis by alpha-lipoic acid in A549 cell lines.* Korean J Thorac Cardiovasc Surg 2012;45:1-10.
2. Kono Y, Inomata M, Hagiwara S, et al. *Antiproliferative effects of a new α -lipoic acid derivative, DHL-HisZnNa, in HT29 human colon cancer cells in vitro.* Expert Opin Ther Targets 2012;16 Suppl 1:S103-9. PubMed PMID: 22313417.
 3. Schwartz L, Abolhassani M, Guais A, et al. *A combination of alpha lipoic acid and calcium hydroxycitrate is efficient against mouse cancer models: preliminary results.* Oncol Rep 2010;23:1407-16.
 4. Lee HS, Na MH, Kim WK. *Alpha-Lipoic acid reduces matrix metalloproteinase activity in MDA-MB-231 human breast cancer cells.* Nutr Res 2010;30:403-9.
 5. Kisurina-Evgen'eva OP, Onishchenko GE. *Alpha-lipoic acid triggers elimination of cells with abnormal nuclei in human carcinoma epidermoid cell line.* Tsitologiya 2010;52:225-34.