



Erratum: Pulmonary stenosis and pulmonary regurgitation: both ends of the spectrum in residual hemodynamic impairment after tetralogy of Fallot repair

Byung Won Yoo, MD¹, Han Ki Park, MD, PhD²

¹Department of Clinical Pharmacology, Clinical Trial Center, Severance Hospital, Yonsei University College of Medicine, Seoul, ²Department of Cardiovascular Surgery, Yonsei University College of Medicine, Seoul, Korea

Korean J Pediatr 2013;56(6):235-241, June 2013


<http://dx.doi.org/10.3345/kjp.2013.56.6.235>

To the Editor:

In the Figs. 1, 2, and 4 of this article, we found that labels of x and y axes were unintentionally misprinted. The authors sincerely regret these errors. The labels of x and y axes should be corrected as follows:

Corrected labels of x and y axes


1. Corrected Fig. 1B label of y axis → RVESVi (mL/m²)
 Corrected Fig. 1D label of x axis → RVESVi (mL/m²)



Copyright © 2016 by The Korean Pediatric Society

This is an open-access article distributed under the terms of the Creative Commons Attribution Non-Commercial License (<http://creativecommons.org/licenses/by-nc/3.0/>) which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.

- 2. Corrected Fig. 2B label of x axis → RVESVi (mL/m²)
- Corrected Fig. 2C label of x axis → RV EF (%)



- 3. Corrected Fig. 4C label of y axis → RVESVi (mL/m²)

