

# Implementation of a Switched PV Technique for Rooftop 2 kW Solar PV to Enhance Power during Unavoidable Partial Shading Conditions

B. Praveen Kumar<sup>†</sup>, D. Prince Winston<sup>\*</sup>, S. Cynthia Christabel<sup>\*\*</sup>, and S. Venkatanarayanan<sup>\*\*\*</sup>

<sup>†,\*</sup>Department of Electrical and Electronics Engineering, Kamaraj College of Engineering and Technology, Tamilnadu, India

<sup>\*\*</sup>Department of Electronics and Communication Engineering, Kamaraj College of Engineering and Technology, Tamilnadu, India

<sup>\*\*\*</sup>Department of Electrical and Electronics Engineering, K.L.N. College of Engineering, Tamilnadu, India

## Abstract

We propose maximum power extraction from a rooftop solar photovoltaic (PV) array during partial shading conditions. Partial shading is unavoidable during power extraction from rooftop PV systems due to nearby tall buildings (construction of additional floors) and trees (growth of trees). Many reconfiguration techniques can be used to extract maximum power in partial shading conditions, but in several cases, the real maximum power output is not achieved. In this study, a new switched PV technique is proposed to enhance the power output. The proposed technique is simple to use and more cost effective than other reconfiguration techniques. Therefore, it is suitable for rooftop applications. The power output of the proposed technique is compared with that of existing techniques with similar shading patterns. Eight panels with ratings of 250 watts (2 kW) each are used for testing. MATLAB simulation and hardware verification are done for the proposed and existing techniques. The proposed technique is implemented on a 4×2 PV array, although it can be extended to a number of arrays.

**Key words:** Maximum Power Point (MPP), Partial Shading, Reconfiguration, Solar PV

## I. INTRODUCTION

Solar power is an immense energy resource. Abundant solar power is a result of nuclear fusion reaction in the sun. Solar power can be harvested in many ways, one of which is by using photovoltaic (PV) panels. These panels operate based on the PV effect. Power is generated when sunlight falls on PV panels. The power output is reduced when irradiation is lacking. This lack of irradiation is due to the uneven falling of sunlight on Earth. Another reason for power reduction is the shading effect, which emerges when trees,

buildings, clouds, and other factors interfere with sunlight.

Shading affects power extraction from PV panels. Maximum power point tracking (MPPT), reconfiguration, and reallocation are common techniques used to obtain maximum power even in conditions of partial shading. However, the shifted PV array technique and module reconfiguration require many conductors and considerable manpower to obtain maximum power [1], [2]. The Sudoku pattern of reconfiguration and positioning may produce maximum power, but it is too complex to construct [3]. The couple-matching best-generation algorithm for partially shaded conditions can produce ideal maximum power, but the cost of switching matching circuits is comparatively high [4]. Reconfiguration of aged solar PVs is highly effective but requires detailed analyses of panel conditions [5]. The maximum power point (MPP) technique tracks the point at which maximum power is produced [6]. It searches for MPP to obtain peak power that is comparable to that obtained at the previous best point. This technique is well suited for PV

Manuscript received Mar. 29, 2017; accepted Aug. 8, 2017

Recommended for publication by Associate Editor Jongbok Baek.

<sup>†</sup>Corresponding Author: praveenbala038@gmail.com

Tel: +91-4549-278791, Fax: +91-4549-278791, Kamaraj College of Engineering and Technology

<sup>\*</sup>Dept. of Electr. & Electron. Eng., Kamaraj College of Eng. & Tech., India

<sup>\*\*</sup>Dept. of Electron. & Commun. Eng., Kamaraj College of Eng. & Tech., India

<sup>\*\*\*</sup>Dept. of Electr. & Electron. Eng., K.L.N. College of Eng., India




Fig. 1. Types of connection configurations: (a) series parallel, (b) total cross tied, (c) bridge linked, and (d) honeycomb with (e) the structure of the honeycomb.

panels under normal conditions because of the unique MPP, and it is an effective technique for extracting maximum power. However, in partial shading conditions, PV panels have various operating points. Therefore, locating the global maximum power point (GMPP) from various local maxima is difficult for the MPPT technique [7].

Conventional MPPT techniques may fail to find GMPP due to partial shading [8]. Many artificial intelligence techniques have been developed to avoid this tracking problem [9]-[11] and ensure rapid convergence. Four types of configuration (Fig. 1) are adopted in practice for conventional PV power systems. These four types are series parallel (SP), total cross tied (TCT), bridge linked (BL), and honeycomb (HC). The various types of inverters typically utilized for conventional PV systems are central-type inverters, string-type inverters, PV-integrated converters (i.e., separate MPPT converters), and differential power processing (DPP)-based solar PV systems [12], [13].

Modeling of PV cells for simulation was conducted in this study using a single-diode model and its equivalent circuit (Fig. 2). In Fig. 2, PV is a current source given as  $I_g$ , resistance is denoted by series  $R_s$ , the diode is denoted by  $D$ , and  $R_s$  refers to the internal resistance of a PV cell. The difference between diode current  $I_D$  and photocurrent  $I_g$  is net current  $I_{PV}$  from the solar PV cell, and it is expressed as

$$I_{PV} = I_g - I_s (\exp(q(V_{PV} + I_{PV} R_s) / nkT) - 1), \quad (1)$$

where

- $n$  – diode ideality factor,
- $k$  – Boltzmann's constant,
- $q$  – electron charge,
- $T$  – temperature in °C,
- $I_s$  – saturation current.

The solar cell model was used to build a PV array of 2 kW in MATLAB/SIMULINK, and the shading levels were determined by varying the values of irradiance. The four main types of connection configurations are possible with this model [14]. Voltage mismatch frequently occurs in a




Fig. 2. Equivalent circuit of a single-diode PV cell.

string-connected DC bus due to partial shading. This mismatch in voltage causes a large loss in output, and several inverter-based techniques are utilized to reduce mismatch loss [12], [13].

Central-type inverters cannot extract all the power from a PV array due to mismatch loss during shading. However, central-type inverters are simpler and more reliable than other converters, including string-type inverters in which each string has its own inverter in the PV array. When shading is present, string-type inverters provide individual string MPPT to reduce mismatch losses. An integrated PV converter is connected to an individual PV panel to allow MPPT to extract the exact maximum power. The full power of each module is processed by this type of integrated converter. Meanwhile, the differential power processing-based solar PV system has become highly efficient recently [15]; it extracts the maximum power, but it is not cost effective. Shunt-series compensation in partial shading conditions has been proposed for extracting maximum power [16], but it requires many switches. Many other algorithms and approaches have been developed [17]-[23] to extract maximum power in partial shading conditions. An example is dynamic electrical reconfiguration [17] of PV panels for maximum power extraction. However, this approach requires a large number of switches in the switching matrix circuit, which is a major drawback.

In this work, a smart-switched PV technique is proposed to boost power extraction from PV arrays in partial shading conditions. The proposed technique can also be used for domestic applications. It can be easily applied to conventional and modern solar PV systems. In this approach, we assumed a conventional PV system with an  $(m \times n)$  panel dimension (i.e.,  $m$  number of series-connected panels in a string and  $n$  number of parallel-connected panels in a string).

In the proposed technique, in partial shading conditions, each  $m$  string panel is reconfigured as two parallel strings with  $m/2$  number of panels in each string, thus forming an array with a dimension equal to  $(m/2 \times 2n)$ . Therefore, the  $n$  number of parallel-connected panels is automatically doubled to  $2n$ . Owing to this array reconfiguration, the entire system extracts better maximum power in partial shading conditions than conventional configurations; furthermore, the parallel-connected panels are invulnerable to uneven shading




Fig. 3. Altering a conventional PV system to a switched PV system. (a) Existing PV array, (b) proposed reconfiguration by the switching system, (c) Mode 1: switches S1 and S2 are closed (constant irradiance on all string modules), (d) Mode 2: switch S1 is opened and switch S2 is closed (partial shading on the second string modules), (e) Mode 3: switch S1 is opened and switch S2 is closed (partial shading on the first string modules), and (f) Mode 4: switches S1 and S2 are opened (partial shading on all string modules).

[24]-[28]. When the array dimension is changed by switching (i.e.,  $(m \times n)$  to  $(m/2 \times 2n)$ ), the parallel paths are increased to  $2n$ , which in turn increases the output short-circuit current from the array. The maximum short circuit is constrained to an allowable safe limit in accordance with predefined current of the system. This setup reduces conductor and converter sizes. The selection of this reconfiguration dimension was based on the power production in partial shading conditions; the dimension may vary for high power production in relation to irradiance. Fig. 3(a) shows the existing PV configuration in SP with a by-pass diode in each panel.

The proposed technique was simulated with MATLAB and verified experimentally. The proposed switched PV technique is simple to use and more cost effective for household applications than other reconfiguration methods. This technique can also be easily incorporated into conventional PV systems with multiple arrays for use on partial-shading and cloudy days. The following sections present a detailed explanation of the proposed approach along with the simulation and experimental results. The discussions and findings prove that the proposed approach effectively enhances the maximum extracted power output.

## II. PROPOSED TECHNIQUE – SWITCHED PV

In the proposed switched PV, each leg is divided into two strings with an equal number of panels by switching the reconfiguration, as shown in Fig. 3(b). A string is divided by a single controlled switch ( $S_1$  and  $S_2$  primary switches) placed at the center of each string.  $(n+1)$  diodes are required for each leg. Primary switches play a major role in the switching system depending on the irradiance. Each string is separated by a switch, as shown in Fig. 3(b). The switching connection of the proposed system is also shown in this figure. The remaining switches, namely, the secondary switches, are used only to reconfigure the panels depending on the requirements of the primary switches. The number of panels equals the number of switches, that is, eight panels and eight switches are used in the proposed system. Similarly,  $n$  number of panels use  $n$  number of switches. The switches and diodes used are rated with half of the panel's short-circuit current and open-circuit voltage. This system is proposed for a  $4 \times 2$  PV array. The rating of each panel is shown in Table II. The proposed system of topology has four modes of operation and is illustrated in the following sections as modes 1 to 4 (Table I). The modes may increase or decrease depending on the number of switches used (i.e.,  $2^i$  modes). Two switches are used; hence, the number of modes is four. Fig. 4 provides an illustration of different shading levels in a PV array caused by nearby buildings at different time intervals.




Fig. 4. Illustration of a  $4 \times 4$  PV array with different unavoidable shading levels caused by nearby buildings: (a) PV array with no shading, (b) shading in one string of the array, (c) shading in all strings, and (d) fully shaded PV array.

TABLE I  
DIFFERENT PV SWITCHING MODES

| Modes  | Switching Logic |    |    |    |    |    |    |    |
|--------|-----------------|----|----|----|----|----|----|----|
|        | S1              | S2 | S3 | S4 | S5 | S6 | S7 | S8 |
| Mode 1 | 1               | 1  | 0  | 0  | 0  | 1  | 1  | 0  |
| Mode 2 | 0               | 1  | 1  | 1  | 1  | 1  | 0  | 0  |
| Mode 3 | 0               | 1  | 1  | 1  | 0  | 0  | 1  | 1  |
| Mode 4 | 0               | 0  | 0  | 0  | 0  | 1  | 1  | 0  |

TABLE II  
PANEL DETAILS IN STANDARD TESTING CONDITIONS

| S. No. | Parameters                             | Rating |
|--------|--|--------|
| 1      | Maximum power ( $P_{max}$ )            | 250 W  |
| 2      | Voltage at maximum power ( $V_{max}$ ) | 30.7 V |
| 3      | Current at maximum power ( $I_{max}$ ) | 8.15 A |
| 4      | Open circuit voltage ( $V_{oc}$ )      | 37.4 V |
| 5      | Short circuit current ( $I_{sc}$ )     | 8.63 A |

#### A. Mode 1

Table 1 shows the various switching logics of the reconfiguration. In mode 1, primary switches  $S_1$  and  $S_2$  are closed (Fig. 3(c)). This mode illustrates full irradiance without partial shading on the PV array, which is typical in conventional connections. In this mode,  $V_{oc}$  is designated as the possible maximum voltage output, and  $nI_{sc}$  is the possible maximum current output (i.e., short-circuit current multiplied by the number of parallel-connected panels in a string). The output values must be able to withstand the converter.

#### B. Modes 2 and 3

Mode 1 is activated only when the PV array is unshaded. In comparison, partial shading on any of the strings causes the system to activate either mode 2 or 3, as shown in Fig. 3(d) and Fig. 3(e), respectively. Mode 2 is activated when partial

shading occurs fully on the first string and the lower part of the second string. The shaded parts are reconfigured to the parallel-connected circuit and then to the series-connected less-irradiated part of the string (Fig. 3(d)). Mode 3 is activated when partial shading occurs fully on the first string and in the upper part of the second string. Mode 2 opens switch  $S_1$  and keeps switch  $S_2$  closed (partial shading on the second string modules). Mode 3 opens switch  $S_1$  and keeps switch  $S_2$  closed (partial shading on the first string modules). In these modes, the voltage in the partially shaded leg is reduced to half of the maximum open-circuit voltage (i.e.,  $V_{oc}/2$ ). The current in the partially shaded leg is equal to the sum of the divided short circuit currents of the string (i.e.,  $2I_{sc}$ ).

#### C. Mode 4

When all the panels in the PV array are partially shaded, mode 4 is activated, that is, the primary switches are open (Fig. 3(f)). In this mode, only half of the  $V_{oc}$  from the PV array is generated as the maximum voltage output (i.e.,  $V_{oc}/2$ ). The maximum current output is twice the  $I_{sc}$  of the panel multiplied by the number of legs (i.e.,  $2nI_{sc}$ ). Mode 4 increases conductor and converter sizes because of the maximum short-circuit current rating. The size increase is the only drawback of the proposed technique, but it is ultimately compensated for by MPPT. The size increase also limits the reference current output to the current rating of the semiconductor. As a process, current limiting is expressed as  $nkI_{sc}$ , where  $k$  is a constant given as  $1 < k < k_{max}$  and  $k_{max}$  is a value that does not exceed 2 ( $k_{max} < 2$ ). In addition,  $K$  is a current-limiting factor used to maintain the array current output below the rated value to avoid damaging the conductor. The possible maximum voltage output of mode 4 is nearly equal to the semi of the maximum voltage output of mode 1.




Fig. 5. MPPT and switching algorithm for the proposed concept.

Hence, the converter used should have both bucking and boosting capabilities to provide power successfully to resistive and battery loads irrespective of the voltage input. The converter used in this work was of SEPIC type, which can satisfy these needs. A SEPIC converter draws the required current from PVs with similar input and output voltage polarities to ensure a continuous current input. For two-stage conversion applications, such as grid connections

or three-phase AC loads, SEPIC or boost DC–DC converters are used with three-phase voltage source inverters or single-stage quasi-Z-source inverters.

#### D. Mode Selection

In partial shading conditions, the power generated in the proposed PV system (modes 2, 3, and 4) should be higher than that in the conventional PV connection (mode 1)

depending on the  $k$  value. Mode selection was implemented with MPPT. First, the MPPT algorithm switches to mode 1 and saves the maximum power in the mode as  $P_{\max 1}$ . Similarly, this algorithm switches to all other modes and saves the maximum powers of the corresponding modes as  $P_{\max 2}$ ,  $P_{\max 3}$ , and  $P_{\max 4}$ . Second, the MPPT algorithm settles at the corresponding mode that produces the maximum power. MPPT runs routinely at predetermined time intervals using a timer flag that updates the powers in the modes for varying shading conditions. Fig. 5 presents the flowchart of the MPPT algorithm and the switching of various modes depending on the shading levels. In normal PV panels, current is directly proportional to irradiance. Hence, the rated current output corresponding to irradiance was compared with the real output to determine the levels of partial shading. In this algorithm,  $I_{\text{ref}}$ , the current output from PV, is used as a reference;  $I_o$  is the actual current output from PV;  $V_{\text{PV}}$  is the voltage output from PV;  $P$  is the power output from PV;  $\Delta I$  is the increment current;  $I_{\text{sc}}$  is the PV short-circuit current;  $k$  is a constant ( $1 < k < k_{\max}$ ); and  $P_{\max 1}$ ,  $P_{\max 2}$ ,  $P_{\max 3}$ , and  $P_{\max 4}$  are the powers at GMPP in modes 1, 2, 3, and 4, respectively.

#### E. Effects of Converter Rating in the Proposed Technique

Except for that in mode 4, the current ratings of the semiconductor switches in the three other modes do not exceed 150%. However, in the mode 4 reconfiguration, the current rating exceeds  $nI_{\text{sc}}k_{\max}$ . By limiting the value of  $k$  to 1.5, the current rating is maintained at 150% as the maximum.

#### F. Example of the Proposed Approach

The proposed switched PV technique was applied to a 2 kW PV array with  $4 \times 2$  dimensions. The irradiance of each panel differed in the PV array (i.e., the array is in a partially shaded condition). Partial shading is unavoidable in rooftop solar PVs because of nearby trees and high buildings. The system outputs of the proposed method for different cases and modes are shown in Fig. 6. Initially, the system was operated in mode 1 (no partial shading), similar to a conventional connection method. The output of mode 1 is shown in Fig. 6(a). For the varying irradiance level, the same system was operated with the proposed switched PV technique, and the corresponding output is also shown. A different shading pattern of a PV array by nearby buildings is shown in Fig. 4, and these shading patterns occur at various time intervals. The proposed 2 kW PV array is shown in Fig. 7. In the simulation output shown in Fig. 6(a), case 1 has no shading, and no local MPPs (LMPPs) occur. Only one MPP exists; the power at this point is 1,950 W, and the point operates in mode 1 and depends on the irradiance on the panels in the array.

Case 2, which operates in mode 2 with the GMPP of all LMPPs, was then analyzed. The power from the proposed method was 895 W. This power is comparatively higher than

that of other methods of configuration, as shown in Fig. 6(b). Similarly, cases 5 and 8 were analyzed. They operate in modes 3 and mode 4 and produce 1,115 and 610 W of power, respectively, as shown in Figs. 6(c) and 6(d). In partial shading conditions, the power from the proposed method is higher than that of the conventional connection system. For the illustrated case, the current is less than  $2I_{\text{sc}}$  at the maximum power of the proposed method. This finding was proven by the other cases of shading patterns (shown in Table III).

### III. PROPOSED SYSTEM ASSESSMENT

A case study was conducted to compare the proposed system with other available methods in various shading conditions (Table III). This comparison also aims to establish the pros and cons of the proposed technique. Rooftop PV arrays can be permanently affected by partial shading caused by nearby trees and high buildings. A number of cases were considered for MPPT assessment, simulated in MATLAB, and verified for hardware application. For this assessment, a PV array with two legs was considered. Each leg has four panels (8 modules in total).

The ratings of the panels are listed in Table II. Eight shading patterns were considered, and the shading patterns were created by varying the insulation level on each panel (Table III). The proposed scheme and an existing method were assessed, and the total powers extracted with both methods are shown in Table IV (a lossless system was assumed). A detailed analysis was performed for the proposed approach with different types of configuration (Fig. 1). A central inverter can extract the maximum power, which is the global MPP power of the PV array characteristics. However, in the case of a string inverter, the maximum power is the sum of individual string global MPP power. In integrated and DPP-based converter systems, the maximum power is the sum of the global MPP power of the individual panel or module. To obtain the highest extracted power from the PV array in all modes by using the proposed switched PV method, the values of  $k$  was set to 1.33 ( $k = 1.33$ ). The maximum current to the converter in mode 4 is 33% higher than the maximum current in mode 1. The enhanced powers for all the aforementioned converter types and those for the proposed method are listed in Table IV.

The results in Table IV show that all of the previously established connection configuration methods can produce the same maximum power in the no shading condition (i.e.,  $1000 \text{ W/m}^2$ ). At varying irradiation levels (partial shading conditions), the TCT configuration-based solar PV system produces the highest power among the techniques. The results prove that the proposed switched PV approach can produce higher maximum power during partial shading compared with the central-type inverter scheme. Depending on the value of  $k$  and the shading pattern, the string-type




Fig. 6. PV characteristics for the case study: (a) mode 1, (b) mode 2, (c) mode 3, and (d) mode 4.

TABLE III  
DIFFERENT CASES OF SHADING PATTERNS FOR ASSESSMENT

| S. No. | Cases  | Different irradiance levels of the panels in W/m <sup>2</sup> |      |      |      |      |      |      |      |
|--------|--------|---|------|------|------|------|------|------|------|
|        |        | P1  | P2   | P3   | P4   | P5   | P6   | P7   | P8   |
| 1      | Case 1 | 1000  | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 |
| 2      | Case 2 | 1000  | 200  | 800  | 300  | 1000 | 1000 | 500  | 500  |
| 3      | Case 3 | 500   | 1000 | 500  | 1000 | 500  | 1000 | 500  | 1000 |
| 4      | Case 4 | 1000  | 1000 | 800  | 200  | 200  | 800  | 300  | 300  |
| 5      | Case 5 | 800   | 800  | 1000 | 1000 | 800  | 200  | 600  | 800  |
| 6      | Case 6 | 800   | 200  | 800  | 800  | 1000 | 1000 | 1000 | 1000 |
| 7      | Case 7 | 600   | 400  | 800  | 200  | 800  | 800  | 1000 | 1000 |
| 8      | Case 8 | 600   | 400  | 800  | 200  | 600  | 400  | 800  | 200  |

TABLE IV  
POWER OUTPUTS FOR DIFFERENT CASES FOR THE CONVENTIONAL AND PROPOSED METHODS

| DC power extracted for different cases and configurations in W |                  |                 |                  |                  |                  |                  |                  |                 |
|--|------------------|-----------------|------------------|------------------|------------------|------------------|------------------|-----------------|
| Simulation results   |                  |                 |                  |                  |                  |                  |                  |                 |
| Connection Configurations                                      | Case 1           | Case 2          | Case 3           | Case 4           | Case 5           | Case 6           | Case 7           | Case 8          |
| Series-parallel  | 1956             | 453             | 1132             | 410              | 896              | 802              | 703              | 420             |
| Bridge-linked  | 1956             | 670             | 1088             | 432              | 1008             | 1241             | 865              | 599             |
| Total-cross-tied   | 1956             | 902             | 1124             | 975              | 1110             | 1363             | 1353             | 619             |
| Proposed switching technique with $k = 1.33$                   | 1956<br>(mode1)  | 914<br>(mode2)  | 1138<br>(mode4)  | 1114<br>(mode2)  | 1123<br>(mode3)  | 1399<br>(mode3)  | 1349<br>(mode3)  | 627<br>(mode4)  |
| Experimental results   |                  |                 |                  |                  |                  |                  |                  |                 |
| Series-parallel  | 1950             | 430             | 1123             | 391              | 880              | 788              | 684              | 400             |
| Bridge-linked  | 1950             | 643             | 1070             | 420              | 995              | 1231             | 843              | 588             |
| Total-cross-tied   | 1950             | 880             | 1100             | 957              | 1101             | 1350             | 1336             | 600             |
| Proposed switching technique with $k = 1.33$                   | 1950<br>(mode 1) | 895<br>(mode 2) | 1120<br>(mode 4) | 1095<br>(mode 2) | 1115<br>(mode 3) | 1380<br>(mode 3) | 1330<br>(mode 3) | 610<br>(mode 4) |




Fig. 7. Architecture of the proposed switched system for the case study.

inverter may produce power equal to that of the proposed scheme, but not consistently. In shading case 2, the power produced is higher than that of the proposed technique. However, in all other cases, the proposed scheme leads to power enhancement. The TCT-based system can also produce maximum power in several cases of partial shading. The main advantages of the switching circuit over the TCT-based PV system are (1) small size, cost, and weight; (2) low complexity; (3) easy maintenance; and (4) high reliability. The power devices use simple contactors as controlling switches.

#### IV. PRACTICAL IMPLEMENTATION

Simulation and hardware implementation were conducted for the proposed system. A prototype of the proposed PV system was built to verify the hardware results against the




Fig. 8. Experimental setup of the proposed system.




Fig. 9. Test result of the transient condition when mode 1 is changed to mode 2.






Fig. 10. Simulation of the proposed reconfiguration by the switching method in MATLAB.

simulation results. For this procedure, a 2 kW,  $4 \times 2$  PV array was created. The hardware prototype is shown in Fig. 8. The same process was performed with MATLAB simulation (Fig. 10). The panel rating used for implementation is given in Table II. This rating was obtained from standard testing conditions (STC), i.e.,  $1000 \text{ W/m}^2$  at  $25^\circ\text{C}$ . The hardware setup included the converter and inverter circuit, as shown in Fig. 8. Experimental validation was conducted for all the cases of partial shading (Table III), after which the extracted powers for the proposed method were determined (Table IV). Shading was conducted by hiding the panels from insolation using cardboard sheets. The percentage of shading by cardboard sheets was converted into respective insolation levels in  $\text{W/m}^2$ . The hardware and simulation results were on par. The PV current output reference was between 0 and  $2I_{sc}$  for the conventional method (mode 1). For the proposed method, it was between 0 and  $2kI_{sc}$  ( $k = 1.4$ ). The scanning time and the value of  $k$  were fixed by the MPPT algorithm, which limited the current reference value and produced GMPP. During partial shading or reduced irradiance, the actual current reached its highest value, but it was limited to the reference current level and did not exceed it. This is proof that the current level of the proposed system cannot exceed the reference value, and the size of the converter is the same. During full irradiance (i.e., at STC), the current output reached the current reference within the scanning period.

As shown in Table IV, the proposed switched PV system did not enhance the power extracted in mode 1 (no shading), but it improved power by 15% in all the other modes (partial

shading), assuming that  $k = 1.4$ .

The power curve of the transition from one mode to the next is shown in Fig. 9. This curve was obtained by using power samples during the switch transition from mode 1 to mode 2. At the initial phase of the experimentation (i.e., mode 1), the PV panels were unshaded, and the produced power was nearly 2,000 W. After some time, with the shading of the panels, the output power continuously varied; this period is called the transient period. Then, the panels were reconfigured to mode 2, and the produced power was nearly 950 W. Transition occurred from one mode to the next in different shading conditions.

## V. CONCLUSION

In this work, a new switched PV reconfiguration method was proposed to enhance power extraction from PV arrays in partial shading conditions. The proposed method was compared with conventional techniques in terms of maximum power extraction. Experiments and simulations were conducted for a 2 kW solar PV system with eight 250 watt panels (polycrystalline). The proposed method was implemented in a  $4 \times 2$  array. The comparison results showed that the proposed switched PV technique enhanced power by about 15% as opposed to existing techniques. The proposed technique also has fewer switching requirements compared with conventional ones, and it operates with a simple control. The effectiveness of the proposed system makes it attractive for rooftop applications.

## REFERENCES

- [1] N. Belhaouas, M.-S. Ait Cheikh, P. Agathoklis, M.-R. Oularbi, B. Amrouche, K. Sedraoui, and N. Djilali, "PV array power output maximization under partial shading using new shifted PV array arrangements," *Applied Energy*, Vol. 187, pp. 326-337, Feb. 2017.
- [2] M. Balato, L. Costanzo, and M. Vitelli, "Reconfiguration of PV modules: A tool to get the best compromise between maximization of the extracted power and minimization of localized heating phenomena," *Solar Energy*, Vol. 138, pp. 105-118, Nov. 2016.
- [3] S. R. Potnuru, D. Pattabiraman, S. I. Ganesan, and Nagamani Chilakapati, "Positioning of PV panels for reduction in line losses and mismatch losses in PV array," *Renewable Energy*, Vol. 78, pp. 264-275, Jun. 2015.
- [4] S. C. Christabel, A. Srinivasan, and D. P. Winston, "Couple Matching Best Generation Algorithm for Partially Shaded Photovoltaic Systems," *Journal of Electrical Engineering*, Vol. 16, No. 3, pp. 382-391, Sep. 2016.
- [5] S. C. Christabel, A. Srinivasan, D. P. Winston, and B. P. Kumar, "Reconfiguration solution for extracting maximum power in the aged solar PV systems," *Journal of Electrical Engineering*, Vol. 16, No. 3, pp. 440-446, Sep. 2016.
- [6] A. Bellini, S. Bifaretti, and V. Iacovone, "MPPT algorithm for current balancing of partially shaded photovoltaic modules," in *Proc. IEEE Int. Symp. Ind. Electron. (ISIE)*, pp. 933-938, 2010.
- [7] H. Patel and V. Agarwal, "Maximum power point tracking scheme for PV systems operating under partially shaded conditions," *IEEE Trans. Ind. Electron.*, Vol. 55, No. 4, pp. 1689-1698, Apr. 2008.
- [8] R.-Y. Kim and J.-H. Kim, "An improved global maximum power point tracking scheme under partial shading conditions," *J. Int. Conf. Elect. Mach. Syst.*, Vol. 2, No. 1, pp. 65-68, Mar. 2013.
- [9] G. Escobar, C. N. M. Ho, and S. Pettersson, "Maximum power point searching method for partial shaded PV strings," in *Proc. 38th Annu. Conf. IEEE Ind. Electron. Soc. (IECON'12)*, pp. 5726-5731, 2012.
- [10] K. L. Lian, J. H. Jhang, and I. S. Tian, "A maximum power point tracking method based on perturb-and-observe combined with particle swarm optimization," *IEEE J. Photovoltaics*, Vol. 4, No. 2, pp. 626-633, Mar. 2014.
- [11] E. Koutroulis and F. Blaabjerg, "A new technique for tracking the global maximum power point of PV arrays operating under partial-shading conditions," *IEEE J. Photovoltaics*, Vol. 2, No. 2, pp. 184-190, Apr. 2012.
- [12] J. M. A. Myrzik and M. Calais, "String and module integrated inverters for single-phase grid connected photovoltaic systems: A review," in *Proc. IEEE Bologna Power Tech Conf.*, Vol. 2, pp. 430-437, 2003.
- [13] P. S. Shenoy, K. A. Kim, B. B. Johnson, and P.T. Krein, "Differential power processing for increased energy production and reliability of photovoltaic systems," *IEEE Trans. Power Electron.*, Vol.28, No. 6, pp.2968-2979, Jun. 2013.
- [14] Yaw-Juen Wang and Po-Chun Hsu, "An investigation on partial shading of PV modules with different connection configurations of PV cells," *Energy*, Vol. 36, No. 5, pp. 3069-3078, 2011.
- [15] J. P. Storey, P. R. Wilson, and D. Bagnall, "Improved optimization strategy for irradiance equalization in dynamic photovoltaic arrays," *IEEE Trans. Power Electron.*, Vol. 28, No. 6, pp. 2946-2956, Jun. 2013.
- [16] P. Sharma and V. Agarwal, "Maximum power extraction from a partially shaded PV array using shunt-series compensation," *IEEE J. Photovolt.*, Vol. 4, No. 4, pp. 1128-1137, Jul. 2014.
- [17] G. V. Quesada, F. G. Gispert, R. P. Lopez, M. R. Lumbreras, and A. C. Roca, "Electrical PV array reconfiguration strategy for energy extraction improvement in grid-connected PV systems," *IEEE Trans. Ind. Electron.*, Vol. 56, No. 11, pp. 4319-4331, Nov. 2009.
- [18] D. Nguyen and B. Lehman, "An adaptive solar photovoltaic array using model-based reconfiguration algorithm," *IEEE Trans. Ind. Electron.*, Vol. 55, No. 7, pp. 2644-2654, Jul. 2008.
- [19] J. Storey, P. R. Wilson, and D. Bagnall, "The optimized-string dynamic photovoltaic array," *IEEE Trans. Power Electron.*, Vol. 29, No. 4, pp.1768-1776, Apr.2014.
- [20] X. Lin, Y. Wang, S. Yue, D. Shin, N. Chang, and M. Pedram, "Near-optimal, dynamic module reconfiguration in a photovoltaic system to combat partial shading effects," in *Proc. 49th Des. Autom. Conf. (DAC)*, pp. 516-521, 2012.
- [21] X. Lin, Y. Wang, D. Zhu, N. Chang, and M. Pedram, "Online fault detection and tolerance for photovoltaic energy harvesting systems," in *Proc. IEEE/ACM Int. Conf. Comput. Aided Des. (ICCAD)*, pp. 1-6, 2012.
- [22] Y. Wang, X. Lin, M. Pedram, J. Kim, and N. Chang, "Capital cost-aware design and partial shading-aware architecture optimization of a reconfigurable photovoltaic system," in *Proc. Des. Autom. Test Eur. Conf. Exhib. (DATE)*, pp. 909-912, 2013.
- [23] B. I. Rani, G. S. Ilango, and C. Nagamani, "Enhanced power generation from PV array under partial shading conditions by shade dispersion using Su Do Ku configuration," *IEEE Trans. Sustain. Energy*, Vol. 4, No. 3, pp. 594-601, Jul. 2013.
- [24] R. Candela, V. Di Dio, E. R. Sanseverino, and P. Ramono, "Reconfiguration techniques of partial shaded PV systems for the maximization of electrical energy production," in *Proc. Int. Conf. Clean Elect. Power (ICCEP'07)*, pp. 716-719, 2007.
- [25] P. Marimuthu and B. P. Kumar, "Reconfiguration of 25 kW solar PV power plant," *International Journal of Engineering and Computer Science*, Vol. 6, No. 6, pp. 21838-21844, Jun. 2017.
- [26] M. Mahendran, V. Anandharaj, K. Vijayavel and D. P. Winston, "Permanent mismatch fault identification of photovoltaic cells using arduino," *ICTACT Journal on Microelectronics*, Vol. 1, No. 2, pp. 79-82, Jul. 2015.
- [27] P. Pounraj, D. P. Winston, S. C. Christabel, and R. Ramaraj, "A continuous health monitoring system for photovoltaic array using arduino microcontroller," *Circuits and Systems*, Vol.7, No.11, pp.3494-3503, Sep. 2016.
- [28] S. Praveen and D. Prince Winston, "Protection and performance improvement of a photovoltaic power system," *Advances in Electronic and Electric Engineering*, Vol. 4, No. 1, pp. 41-48, Jan. 2014.



**B. Praveen Kumar** received his B.E. degree in electrical and electronics engineering from Mohamed Sathak Engineering College, Kilakarai, India, in affiliation with Anna University, Chennai, India, in 2014. He received his M.E. degree in power systems engineering from Kamaraj College of Engineering and Technology, Madurai, India, in affiliation with Anna University, in 2016, where he is presently

working toward his Ph.D. degree in the Department of Electrical and Electronics Engineering. His current research interests include solar photovoltaics, solar still, and renewable energy systems.



**D. Prince Winston** received his B.E. degree in electrical and electronics engineering from Anna University, Chennai, India, in 2006 and his M.E. degree in power electronics and drives from Anna University, in 2008. He received his Ph.D. degree from Anna University, in 2013. Presently, he is working as an associate professor in the Department of Electrical and Electronics Engineering at Kamaraj College of Engineering and Technology, Madurai, India. His current research interests include electric motor drives, power converters, power quality, and renewable energy systems.



**S. Cynthia Christabel** received her B.E. degree in electronics and communication engineering from Anna University, in 2008 and her M.E. degree in power electronics and drives from Anna University, in 2013. Presently, she is working as an assistant professor in the Department of Electronics and Communication Engineering at Kamaraj College of Engineering and Technology. Her current research interests include solar photovoltaics and image processing.



**S. Venkatanarayanan** was born in Madurai, India. He received his B.E. degree from Madurai Kamaraj University in 1998, his M.E. degree from Anna University in 2008, and his Ph.D. degree from Anna University. He is currently a professor in the Department of Electrical and Electronics Engineering, K.L.N. College of Engineering. His current research interests are power electronics and control.