

Household food insecurity, diet quality, and weight status among indigenous women (Mah Meri) in Peninsular Malaysia

Chong Su Pei, Geeta Appannah and Norhasmah Sulaiman[§]

Department of Nutrition and Dietetics, Faculty of Medicine and Health Sciences, Universiti Putra Malaysia, Serdang, 43400 Selangor, Malaysia

BACKGROUND/OBJECTIVES: This cross-sectional study assessed household food security status and determined its association with diet quality and weight status among indigenous women from the Mah Meri tribe in Peninsular Malaysia.

SUBJECTS/METHODS: The Radimer/Cornell Hunger and Food Insecurity Instrument and the Malaysian Healthy Eating Index (HEI) were used to assess household food security status and diet quality, respectively. Information on socio-demographic characteristics and 24-hour dietary recall data were collected through face-to-face interview, and anthropometric measurements including weight, height, and body mass index (BMI) were obtained from 222 women.

RESULTS: Majority of households (82.9%) experienced different levels of food insecurity: 29.3% household food insecurity, 23.4% individual food insecurity, and 30.2% fell into the child hunger group. The food-secure group had significantly fewer children and smaller household sizes than the food-insecure groups ($P < 0.05$). The mean household income, income per capita, and food expenditure significantly decreased as food insecurity worsened ($P < 0.001$). The food-secure group had significantly higher Malaysian HEI scores for grains and cereals ($P < 0.01$), as well as for meat, poultry, and eggs ($P < 0.001$), than the food-insecure groups. The child-hunger group had significantly higher fat ($P < 0.05$) and sodium ($P < 0.001$) scores than the food-secure and household food-insecure groups. Compared to the individual food-insecure and child-hunger groups, multivariate analysis of covariance showed that the food-secure group was significantly associated with a higher Malaysian HEI score while the household food-insecure group was significantly associated with a higher BMI after controlling for age ($P < 0.025$).

CONCLUSIONS: The majority of indigenous households faced food insecurity. Food insecurity at the individual and child levels was associated with lower quality of diet, while food insecurity at the household level was associated with higher body weight. Therefore, a substantial effort by all stakeholders is warranted to improve food insecurity among poorer households. The results suggest a pressing need for nutritional interventions to improve dietary intake among low income households.

Nutrition Research and Practice 2018;12(2):135-142; <https://doi.org/10.4162/nrp.2018.12.2.135>; pISSN 1976-1457 eISSN 2005-6168

Keywords: Food security, low income households, healthy eating index, body mass index, child hunger

INTRODUCTION

Indigenous people in Peninsular Malaysia are called Orang Asli. As defined by the United Nations Development Programme, "Indigenous people are the minority social group that share similar characteristics and maintenance of cultural, social, economic and political institutions within ancestral territories" [1]. They are officially classified into three main ethnic groups: Negrito, Senoi, and Proto-Malay [2]. Mah Meri people, fall under the Senoi sub-ethnic group who are internationally well known for their cultural dance with traditional wood-carved masks. Mah Meri are known as "forest people" or "sea people" because they live near the forest and sea in Selangor, and many work as fishers [2]. Like indigenous people around the world, for almost every social indicator, the Orang Asli lag behind other ethnic groups, and are among the most marginalized communities in Malaysia [3].

According to the Rome declaration on world food security,

"poverty is a major cause of food insecurity, and food security exists when all people, at all times, have physical and economic access to sufficient, safe and nutritious food to meet their dietary needs and food preferences for an active and healthy life" [4]. Poverty and food insecurity are usually associated with malnutrition, and malnourishment is defined as having poor or inadequate diet that lead to undernutrition [5]. Several studies among the Orang Asli communities in Malaysia have found that more than one third of Orang Asli were living in poverty and experiencing household food insecurity, resulting in malnutrition and chronic energy deficiency among women [6-7]. However, a study conducted by Saibul *et al.* [8] on the dual burden of malnutrition in Orang Asli households reported that half of the women were either obese or overweight. This observation was supported by the suggestion that poverty and food insecurity are paradoxically linked to overnutrition, causing overweight and obesity [7].

In light of the high burden of malnutrition and its conse-

[§] Corresponding Author: Norhasmah Sulaiman, Tel. 603-89472461, Fax. 603-89426769, Email. norhasmah@upm.edu.my

Received: October 13, 2017, Revised: February 26, 2018, Accepted: March 2, 2018

This is an Open Access article distributed under the terms of the Creative Commons Attribution Non-Commercial License (<http://creativecommons.org/licenses/by-nc/3.0/>) which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.

quences, the National Plan of Action for Nutrition of Malaysia III (NPANM III), 2016-2025 highlighted “the second Sustainable Development Goals (SDGs) which is “zero hunger” to end hunger, achieve food security, and improved nutrition” [9]. Collectively, various studies reported associations between food insecurity, diet quality, and body weight; however, discrepancies exist between the severity level of food insecurity and the complex inter-relationships with ethnicity, culture, socioeconomic, and nutritional transition [10-15]. Since these associations have never been fully described among Orang Asli women, this study aimed to determine the food security status, diet quality, and weight status relationships to other socio-demographic variables of interest among Mah Meri women.

SUBJECTS AND METHODS

Study population and design

This cross-sectional study was carried out on Carey Island and Tanjung Sepat, which are situated in the district of Kuala Langat, located on the Selangor southwest coast, Peninsular Malaysia. Cluster sampling was used to select households from one indigenous tribe, the Mah Meri of the Senoi ethnic group. In Kuala Langat district, there are three counties with Mah Meri villages (a total of eight villages). Three villages on Carey Island and one village in Tanjung Sepat were randomly selected and all the households within the villages were invited to participate in this study. The villages on Carey Island were situated approximately 30 km from a small town (Banting) while village in Tanjung Sepat was near (within 5 km) a town (Tanjung Sepat) in the Kuala Langat district of Selangor.

The required total sample size of this study was 216 subjects as a 20% non-responsive rate was expected. All households were visited to identify women aged 19 to 59 years old who were not pregnant, not lactating, not vegetarian, not suffering from any acute or chronic diseases, and had not changed their food habits in the past six months for specific purposes (*e.g.*, for weight reduction, muscle building, or disease control). Upon screening for inclusion and exclusion criteria, a total of 222 households were eligible for participation. All subjects provided informed consent and data collection was performed between August 2015 and January 2016. Prior to data collection, permission to conduct the research was obtained from the Department of Orang Asli Development, and the research protocol was

approved by Ethics Committee for Research involving Human Subjects, Universiti Putra Malaysia, IRB No. UPM/TNCPI/RMC/1.4.18.1(JKEUPM)/F2.

Socio-demographic characteristics and household food security status

Socio-demographic data were collected by trained enumerators through face-to-face interviews. The background data for the subjects included age, marital status, education level, number of children, household size, household income, and food expenditure. The Radimer/Cornell Hunger and Food Insecurity Instrument (10 items) was used to examine the severity level of food insecurity of a household [16]. The level of food insecurity was categorized into four levels based on responses to 10 items as shown in Table 1. The first level was food security: negative answer “never happen” to all items. The second level was household food insecurity: positive answer “sometimes or always happen” to at least one of items 1 to 4. The third level was individual food insecurity: positive answer to at least one of items 5 to 8. The most severe level was child hunger: positive answer to items 9 and 10. The text of each of the 10 items was translated into Malay. The translations were used in previous local studies [7] with reported good internal consistency (Cronbach’s $\alpha = 0.8-0.9$). Cronbach’s alpha in this study was 0.89.

Dietary intake assessment

Food intake information was obtained through two 24-hour diet recalls (one weekday and one weekend). Subjects were asked to recall all foods and beverages consumed in the preceding 24 hours. Household measures including spoons, cups, bowls, glasses, and plates were used to estimate the serving size of the food intake. The dietary intake data were transformed into energy and nutrient intakes using Nutritionist Pro® Software Version 4.0 (Axxya Systems, Stafford, Texas, United States) based on the Malaysian food composition database [17]. The serving size for each food group was determined based on the recommended serving size in the Malaysian Dietary Guidelines 2010 [18].

The Malaysian Healthy Eating Index (HEI) was developed by Lee *et al.* [19] and validated by Goh and Norimah [20] to assess overall diet quality of the subjects. The Malaysian HEI consists of seven components of food groups (grains and cereals,

Table 1. The 10 items in the radimer/cornell hunger and food insecurity instrument

Level	Items
Household food insecure	1. I worry whether my food will run out before I get money to buy more.
	2. The food that I bought just didn't last, and I didn't have money to get more.
	3. I ran out of the foods that I needed to put together a meal and I didn't have money to get more food.
	4. We eat the same thing for several days in a row because we only have a few different kinds of foods on hand and don't have money to buy more.
Adult food insecure	5. I am often hungry, but I don't eat because I can't afford enough food.
	6. I eat less than I think I should because I don't have enough money for food.
	7. I can't afford to eat properly.
Child's hunger	8. My child (ren) is/are not eating enough because I just can't afford enough food.
	9. I know my child (ren) is/are hungry sometimes, but I just can't afford more food.
	10. I cannot give my child (ren) a balanced meal because I can't afford that.

Source: Radimer *et al.* [16]

Table 2. Criteria scoring of Malaysian healthy eating index components

Components	Score range	Criteria for maximum score 0	Criteria for score 8	Criteria for maximum score 10
Grains and cereals	0-10	0 servings		4-8 servings ¹⁾
Vegetables	0-10	0 servings		3 servings ¹⁾
Fruits	0-10	0 servings		2 servings ¹⁾
Meat, poultry and eggs	0-10	0 servings		½-2 servings ¹⁾
Fish and seafood	0-10	0 servings		1 servings ¹⁾
Legumes	0-10	0 servings		½-1 servings ¹⁾
Milk and dairy products	0-10	0 servings		1-3 servings ¹⁾
Total fat	0-10	≥ 35% energy from fat ²⁾		≤ 30% energy from fat ¹⁾
Sodium	0-10	≥ 4,200 mg ²⁾	2,400 mg ¹⁾	≤ 2,000 mg ¹⁾

¹⁾ Based on Malaysian dietary guidelines by National Coordinating Committee on Food and Nutrition (NCCFN, 2010)

²⁾ Based on 85th percentile from Malaysian adult nutrition survey data (MANS, 2003)

Source: Lee *et al.*, [19]

vegetables, fruits, meat, poultry and eggs, fish and seafood, legumes, and milk and dairy products) and two components of nutrients (percentage of energy from fat and sodium intake). The scoring of components was calculated based on the subjects' compliance with the recommended serving size and the nutrient intake in the MDG. As presented in Table 2, the score of each component ranged from 0 to 10 and was calculated proportionately for in-between whole number responses. The total HEI score was obtained by summing the scores of each of the components. The composite score (in percent) was calculated using the formula: (total score obtained from 9 components / maximum score of 90) × 100%. A composite score less than 51% indicated poor diet, a score between 51% to 80% indicated diet requiring improvement, and a score of more than 80% indicated a good diet [19].

Anthropometric measurements

Anthropometric measurements (height and weight) were measured twice and the average used in the analyses. The height and weight of subjects were measured by using a Seca portable stadiometer model 213 (Seca GmbH & Co. KG., Hamburg, Germany) and a TANITA digital weighing scale model HD-309 (Tanita Corporation, Tokyo, Japan), respectively. The obtained height and weight were used to calculate body mass index (BMI) to determine the weight status of the subject. The BMI cut-off point was based on the WHO (1998) guideline [21].

Statistical analysis

Data were analyzed by using IBM SPSS Statistics version 22.0 (International Business Machines Corporation, Armonk, New York, United States). All variables were presented first as descriptive statistics such as mean, standard deviation, median, interquartile range, frequency, or percentage. Mean differences and associations between socio-demographic characteristics and components of Malaysian HEI with food security status were assessed by using one-way analysis of variance (ANOVA) and chi-squared tests. The Welch test was conducted when the assumption of homogeneity of variances was violated in the one-way ANOVA test. However, for data that were not normally distributed, the non-parametric Kruskal-Wallis test was performed.

To identify significant mean differences among food security groups, Tukey's honestly significant differences (HSD) post hoc

test was applied for the one-way ANOVA test, while the Games Howell post hoc test was applied for the Welch test. For Kruskal-Wallis testing, six pairwise differences among the groups were determined by using the Mann-Whitney test, controlling for type I error across tests by using Bonferroni approach. Multivariate analysis of covariance (MANCOVA) was used to determine mean differences in the Malaysian HEI and BMI according to food security status after controlling for covariates. For MANCOVA testing, Bonferroni corrections were applied to adjust the *p* value of two dependent variables and to compare each of the food security groups [22]. The acceptable level of statistical significance for all tests was *P* < 0.05 except for the Mann-Whitney test, which was *P* < 0.008, and the MANCOVA test, which was *P* < 0.025, after Bonferroni adjustment.

RESULTS

Socio-demographic characteristics

A total of 222 subjects participated in this study, and their mean age was 36.5 ± 11.5 years old (Table 3). The majority of subjects were married (81.1%). The mean education level of the subjects was low (6.1 ± 3.7 years), with approximately half receiving a primary education (49.5%). Although most subjects were housewives (62.2%), at times they engaged in fishing, rubber, coconut, and palm oil planting, or in culture-related jobs, such as dancing, weaving, and carving. The mean number of children and mean household size were 2.8 ± 2.1 and 4.8 ± 2.1, respectively. The mean monthly household income was USD 219.7 ± 207.8. About 26.1% of the households reported as poor had a monthly income below USD 216, while so-called "hard-core" poor had a monthly income below USD 135 (36.0%) [23]. The mean household income per capita was USD 58.6 ± 54.3. Meanwhile, the mean total expenditure and food expenditure were USD 120.3 ± 110.8 and USD 63.7 ± 43.8, respectively.

Household food security status

As presented in Table 3, about 82.9% households reported some form of food insecurity, with 29.3% subjects experiencing a mild level of food insecurity (*i.e.*, household food insecure). This result was followed by 23.4% subjects experiencing individual food insecurity, while 30.2% of the women were in

Table 3. Socio-demographic characteristics and food security status of respondents (n = 222)

Variables	n (%)	Mean ± SD
Age (yrs)		36.5 ± 11.5
19-29	73 (32.9)	
30-59	149 (67.1)	
Marital status		
Single	17 (7.7)	
Married	180 (81.1)	
Divorced/widowed	25 (11.3)	
Education (yrs)		6.1 ± 3.7
No school	35 (15.8)	
Primary school	110 (49.5)	
Secondary school	68 (30.6)	
College/university	9 (4.1)	
Employment status		
Working	84 (37.8)	
Housewife	138 (62.2)	
No of children		2.8 ± 2.1
Household size		4.8 ± 2.1
Household income ¹⁾ (USD)		219.7 ± 207.8
≥ 216	84 (37.8)	
135-216	58 (26.1)	
≤ 134.9	80 (36.0)	
Income per capita (USD)		58.6 ± 54.3
Total expenditure (USD)		120.3 ± 110.8
Food expenditure (USD)		63.7 ± 43.8
Food security status ¹⁾		
Food secure	38 (17.1)	
Household food insecure	65 (29.3)	
Individual food insecure	52 (23.4)	
Child hunger	67 (30.2)	

n, number; SD, standard deviation.

¹⁾ United States Dollar (USD) = 4.30 Malaysian Ringgit (MYR)

¹⁾ Brief household income & poverty statistics newsletter by Economic Planning Unit (EPU, 2014)

the child-hunger category (*i.e.*, severe level of food insecurity).

Socio-demographic characteristics by food security status

Subjects from the child-hunger group had a significantly greater number of children than that in the food-secure group and the individual food-insecure group ($p < 0.05$; Table 4). In addition, the child-hunger group had a significantly larger household size than the food-secure group ($P < 0.05$). Household income, income per capita, and food expenditure decreased significantly from that in the households experiencing food security group to that in the child-hunger group ($P < 0.001$).

Component scores of Malaysian Healthy Eating Index by food security status

The component scores of the Malaysian HEI by food security status are presented in Table 5. Compared to subjects from the food-secure and household food-insecure groups, subjects from the individual food-insecure and child-hunger groups had significantly lower scores for the grains and cereals ($P < 0.01$) and meat, poultry, and eggs ($P < 0.001$) components. With regard to nutrient components, the fat nutrient score of the child-hunger group was significantly higher than that of the household food-insecure group ($P < 0.05$). The mean sodium nutrient score of the subjects in the child-hunger group was significantly higher than those of the food-secure and household food-insecure groups, respectively ($P < 0.001$). Higher scores for fat and sodium nutrients indicate lower consumptions of fat and sodium, respectively.

Diet quality and weight status according to food security status

The MANCOVA results are shown in Table 6. The Multivariate Wilks' Lambda indicated that, overall, there was an association between food security status and Malaysian HEI and BMI after controlling for age ($P < 0.01$). The analysis also showed that the subjects from the individual food-insecure and child-hunger groups were significantly associated with lower mean Malaysian

Table 4. Socio-demographic characteristics by food security status (n = 222)

Variables	Food secure (n = 38)	Household food insecure (n = 65)	Individual food insecure (n = 52)	Child hunger (n = 67)	F / χ^2 value	P-value
Age ¹⁾ (yrs)	39.2 ± 11.7	37.1 ± 11.8	33.9 ± 11.1	36.2 ± 11.2	1.68	0.173
Education ¹⁾ (yrs)	6.2 ± 4.2	6.7 ± 3.8	6.3 ± 3.5	5.5 ± 3.3	1.64	0.182
Marital status ³⁾					0.97	0.808
Single/divorced/widowed	9 (23.7)	13 (20.0)	9 (17.3)	11 (16.3)		
Married	29 (76.3)	52 (80.0)	43 (82.7)	56 (83.6)		
Employment status ³⁾					2.98	0.394
Working	19 (50.0)	22 (33.8)	19 (36.5)	24 (35.8)		
Housewife	19 (50.0)	43 (66.2)	33 (63.5)	43 (64.2)		
No. of children ²⁾	2.6 ± 2.1 ^b	3.1 ± 2.5	2.3 ± 1.8 ^e	3.1 ± 1.7	3.56	0.017*
Household size ²⁾	4.6 ± 2.6 ^b	4.7 ± 2.2	4.7 ± 2.0	5.2 ± 1.7	3.02	0.033*
Household income ¹⁾ (USD)	324.3 ± 232.6 ^{ab}	271.4 ± 221.6 ^d	191.2 ± 113.0 ^e	132.5 ± 88.8	9.87	0.000***
Income per capital ¹⁾ (USD)	92.3 ± 94.3 ^{ab}	70.4 ± 43.0 ^{cd}	50.9 ± 35.5 ^e	31.0 ± 18.0	16.36	0.000***
Food expenditure ¹⁾ (USD)	79.2 ± 52.4 ^b	76.2 ± 47.6 ^{cd}	57.3 ± 38.5	48.0 ± 31.1	7.15	0.000***

n: number

¹⁾ One Way ANOVA

²⁾ Welch test

³⁾ Chi-Square test

^a Significant different between food secure and individual food insecure; ^b Food secure and child hunger; ^c Household food insecure and individual food insecure; ^d Household food insecure and child hunger; ^e Individual food insecure and child hunger

* $P < 0.05$, *** $P < 0.001$

Table 5. Component scores of Malaysian healthy eating index by food security status (n = 222)

Variables	Food secure (n = 38)	Household food insecure (n = 65)	Individual food insecure (n = 52)	Child hunger (n = 67)	F value	P-value
Grains and cereals ¹⁾	8.9 ± 1.4 ^{ab}	8.9 ± 1.4 ^{cd}	8.0 ± 1.7	8.1 ± 1.8	5.84	0.001**
Vegetables ¹⁾	4.0 ± 2.4	3.9 ± 2.4	3.4 ± 2.0	3.2 ± 2.1	1.51	0.213
Fruits ²⁾	0.0 (0.1)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	8.74	0.033
Meat, poultry and eggs ¹⁾	6.0 ± 3.6 ^{ab}	4.7 ± 3.6 ^d	4.0 ± 3.3	3.1 ± 2.9	6.80	0.000***
Fish and seafood ¹⁾	8.4 ± 2.8	8.8 ± 2.0	8.6 ± 2.4	8.1 ± 2.5	0.82	0.482
Legumes ²⁾	0.0 (1.3)	0.0 (1.0)	0.0 (0.0)	0.0 (0.0)	8.10	0.044
Milk and dairy products ²⁾	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	5.61	0.133
Total fat ¹⁾	7.0 ± 4.1	6.3 ± 4.3 ^d	7.7 ± 3.5	8.0 ± 3.7	2.66	0.049*
Sodium ¹⁾	7.3 ± 2.4 ^a	6.4 ± 3.0 ^d	7.5 ± 2.7	8.2 ± 2.3	7.21	0.000***

n: number

¹⁾ One Way ANOVA, with reported mean ± SD and F value²⁾ Kruskal-Wallis test, with reported median (interquartile range) and χ^2 value^a Significant difference between food secure and individual food insecure; ^b Food secure and child hunger; ^c Household food insecure and individual food insecure; ^d Household food insecure and child hunger* $P < 0.05$, ** $P < 0.01$, *** $P < 0.001$ **Table 6.** Diet quality and weight status according to food security status (n = 222)

Variables	Total (n = 222) Mean ± SD	Food secure (n = 38)	Household food insecure (n = 65)	Individual food insecure (n = 52)	Child hunger (n = 67)	P-value
Malaysian healthy eating Index (%)	46.0 ± 7.4	48.4 ± 7.3 ^{ab}	46.6 ± 8.3	45.3 ± 7.3	44.4 ± 6.3	0.023*
Body mass index (kg/m ²)	27.0 ± 5.9	27.1 ± 5.9	28.5 ± 5.8 ^{cd}	26.7 ± 7.3	25.8 ± 4.6	0.017*

n, number; SD, standard deviation.

Multivariate analysis of covariance (MANCOVA)-adjusted for covariate-age

^a Significant difference between food secure and individual food insecure; ^b Food secure and child hunger; ^c Household food insecure and individual food insecure; ^d Household food insecure and child hunger* $P < 0.025$

HEI scores than that of the food-secure group after controlling for age ($P < 0.025$). The subjects from the household food-insecure group were significantly associated with a higher mean BMI than those of the individual food-insecure and child-hunger groups after controlling for age ($P < 0.025$).

DISCUSSION

The present study showed that members of the individual food-insecure and child-hunger groups had lower mean Malaysian HEI scores; specifically for grains and cereals as well as meat, poultry and egg components. In addition, subjects in the household food-insecure group had higher BMI than that in individual food-insecure and child-hunger groups.

The prevalence of overall household food insecurity in this study was higher than that reported in previous studies conducted among non-indigenous women (Malay and Indian ethnic groups) in Peninsular Malaysia [24-25]. The higher proportions of household food insecurity shown in this study could be attributed to the high percentage of poor and hard-core poor households in this study. According to the Central Bank of Malaysia, food inflation tends to be higher in lower income households as a larger proportion of the expenditure of lower income households is for food [26]. In addition to economic changes (e.g., the Consumer Price Index increased by 4.2% from February 2015 to February 2016), a higher cost of living and frequent unexpected expenses (both food and non-food items) may put these lower income households at more risk of experiencing food shortage [27]. Another cause of high food insecurity could be related to

cultural sources of income instability, such as bad weather can affect fishing and agricultural crops, and difficulty in securing culture-related jobs.

Among the socio-demographic characteristics examined, food-insecure households were shown to have more children and a larger household size compared to their food-secure counterparts [24,28-29]. The number of children may contribute to food insecurity because having more children will increase not only expenses on child education and healthcare but also general expenses in a household [24]. Due to the limited resources, a larger household size can tend to experience more food insufficiency as food requirement increase linearly with the number of members in a household, thus causing the family to be at greater risk of food insecurity [24,29]. Moreover, the results showed that household income, income per capita, and food expenditure significantly decreased as food insecurity worsened. These results support those in many other studies in developed and developing countries, which reported that low household income was a risk for food insecurity [12,29-30]. Due to inadequate income, poor households have lesser purchasing power, not allowing them to provide sufficient food to the household or to be able to purchase a variety of foods [14,31].

Similar to results in previous Western and local studies, food insecurity at the individual and child level was associated with lower diet quality as shown by the lower consumption of components grains and cereals, as well as poultry and meat [10,32-35]. This result could be due to a lack of economic access to a variety of food choices and/or to increasing food prices limiting the ability to afford adequate food, causing an overall

reduction in food intake and diet quality [35-36]. Women from the household food-insecure group (mild food insecurity) consumed more fat and sodium, which may be the result of a coping strategy aimed at cooking and consuming whatever food is available in the household, such as fried rice with oil, soy sauce and salted fish or anchovies [37]. With regard to the child-hunger group, those women seemed to experience severe food insecurity as they reduced the number of meals eaten or skipped meals to provide for their children's needs, even reducing their expenditure on basic food, such as oil and salt, to cope with food insecurity, thus resulting in a decrease of total fat and sodium intake [34,37].

Although food insecurity was reported to be consistently associated with a lower intake of vegetables, fruits, legumes, and dairy products in America, Canada, and the general population of Peninsular Malaysia, this trend was not observed in this study [10-11,31-34]. This could be explained by financial constraint and differing social and cultural norms of Orang Asli, which logically explain their different dietary patterns [38]. The low intake of vegetables and fruits among Orang Asli could be due to the lack of availability of wild plants and seasonal fruits around their settlement [39]. In addition, Orang Asli communities generally have a low level of acceptability of milk powder or fresh milk, instead they prefer sweetened condensed milk to add to their beverages [40]. Regardless of food security status, the subjects in this study had a relatively high intake of fish and seafood, presumably because of ease of access to an adequate supply of seafood as they resided in close proximity to the sea.

This study indicated that women experiencing food insecurity at household level tended to be overweight or even obese [12,15]. A possible reason for this observation could be that this phenomenon is cyclic [41], which means that during a period of food inflation (high food prices), climate change (drought or raining), and/or economic crisis, access to food is limited and the household may experience food scarcity [36]. However, when household food supply is adequate, individuals may binge due to perceived anxiety about future food shortages [42]. Anxiety, depression, and a disrupted eating pattern due to seasonal changes in household food insecurity can put food-insecure women at risk of weight gain and obesity [25,42]. Another plausible mechanism is the alteration of the pattern of dietary intake quality to cope with household food insecurity [37,43-44]. Due to income constraint, household food-insecure women may choose less expensive, high calorie dense food instead of nutrient dense food items to maintain their quantity of food intake, which can subsequently increase energy intake and lead to weight gain [33,44].

Being limited to the cross-sectional nature of the available data, this study lacks the ability to conclude a causal inference. Moreover, the results of this study cannot be generalized to the Orang Asli community in Malaysia due to the small sample size, restricted study locations, and a sample design that did not represent all Orang Asli sub-tribes. The two-day 24-hour dietary recall data used to estimate the dietary intake of subjects could not provide an accurate estimate of intake level, most likely due to misreporting as subjects either under-reported or over-reported their recalled dietary intakes. In addition, the

Malaysian HEI used in this study did evaluate the adequacy of each food group, and excess dietary intake, such as that from carbohydrate, protein, and sugar, was not taken into consideration. Regardless, as there is limited published data on this sub-tribe, the information gathered on the diet quality and weight status of Mah Meri women does add to the current literature on this sub-tribe.

In conclusion, this study found that most Orang Asli women experienced household food insecurity. Food insecurity at the individual and child level was associated with poor diet quality, while household level food insecurity was associated with higher body weight. To improve the current level of food insecurity, it is recommended that an intervention program focus on enabling Orang Asli women to gain control over access to their own food supply by providing financial planning, nutrition intervention, or education focusing on strategic buying of healthy food choices and attaining a balanced diet. To address the food insecurity-obesity paradox, future longitudinal studies that include a wide range of economic (food prices), environmental (climate change), psychological (anxiety and depression), social, and cultural variables are required to elucidate the effects of prolonged food insecurity on nutritional outcomes within this vulnerable group.

ACKNOWLEDGEMENT

We thank the District Orang Asli Development Office of Kuala Langat, Orang Asli headmen of 4 villages and all respondents.

CONFLICT OF INTEREST

The authors declare no potential conflicts of interests.

ORCID

Norhasmah Sulaiman: <http://orcid.org/0000-0003-1478-6131>
 Geeta Appannah: <https://orcid.org/0000-0003-4636-6529>
 Chong Su Pei: <https://orcid.org/0000-0001-7586-1719>

REFERENCES

1. United Nations Development Programme. UNDP and indigenous peoples: a policy of engagement [Internet]. New York (NY): United Nations Development Programme; 2001 [cited 2017 March 1]. Available from: http://www.undp.org/content/dam/aplaws/publication/en/publications/environment-energy/www-ee-library/local-development/undp-and-indigenous-peoples-a-policy-of-engagement/UNDP_Policy_of_Engagement_with_Indigenous_Peoples.pdf?download.
2. Jais A. The Mahmeri sculpture heritage in Malaysia: an exploratory study. Proceedings of 2010 International Conference on Humanities, Historical and Social Sciences; 2010 February 26-28; Singapore. Liverpool: World Academic Press; 2010. p. 482-5.
3. Nicholas C, Baer A. Health care for the Orang Asli: consequences of paternalism and colonialism. In: Chee HL, Barraclough S, editors. Health Care in Malaysia: the Dynamics of Provision, Financing and Access. London: Routledge; 2007. p.119-36.
4. Food and Agriculture Organization. Rome declaration on world food

- security and world food summit plan of action 1996 [Internet]. Rome: Food and Agriculture Organization; 1996 [cited 2017 March 1]. Available from: <http://www.fao.org/docrep/003/w3613e/w3613e00.HTM>.
5. Tanumihardjo SA, Anderson C, Kaufer-Horwitz M, Bode L, Emenaker NJ, Haqq AM, Satia JA, Silver HJ, Stadler DD. Poverty, obesity, and malnutrition: an international perspective recognizing the paradox. *J Am Diet Assoc* 2007;107:1966-72.
 6. Lim H, Chee H. Nutritional status and reproductive health of Orang Asli women in two villages in Kuantan, Pahang. *Malays J Nutr* 1998;4:31-54.
 7. Zalilah MS, Tham BL. Food security and child nutritional status among Orang Asli (Temuan) households in Hulu Langat, Selangor. *Med J Malaysia* 2002;57:36-50.
 8. Saibul N, Shariff ZM, Lin KG, Kandiah M, Ghani NA, Rahman HA. Food variety score is associated with dual burden of malnutrition in Orang Asli (Malaysian indigenous peoples) households: implications for health promotion. *Asia Pac J Clin Nutr* 2009;18:412-22.
 9. Ministry of Health Malaysia. National plan of action Malaysia III 2016-2025 [Internet]. Putrajaya: Ministry of Health Malaysia; 2016 [cited 2017 March 20]. Available from: http://nutrition.moh.gov.my/wp-content/uploads/2016/12/NPANM_III.pdf.
 10. Huet C, Rosol R, Egeland GM. The prevalence of food insecurity is high and the diet quality poor in Inuit communities. *J Nutr* 2012;142:541-7.
 11. Leung CW, Epel ES, Ritchie LD, Crawford PB, Laraia BA. Food insecurity is inversely associated with diet quality of lower-income adults. *J Acad Nutr Diet* 2014;114:1943-1953.e2.
 12. Dharod JM, Croom JE, Sady CG. Food insecurity: its relationship to dietary intake and body weight among Somali refugee women in the United States. *J Nutr Educ Behav* 2013;45:47-53.
 13. Leyna GH, Mmbaga EJ, Mnyika KS, Hussain A, Knut-Inge K. Food insecurity is associated with food consumption patterns and anthropometric measures but not serum micronutrient levels in adults in rural Tanzania. *Public Health Nutr* 2010;13:1438-44.
 14. Isanaka S, Mora-Plazas M, Lopez-Arana S, Baylin A, Villamor E. Food insecurity is highly prevalent and predicts underweight but not overweight in adults and school children from Bogota, Colombia. *J Nutr* 2007;137:2747-55.
 15. Hanson KL, Sobal J, Frongillo EA. Gender and marital status clarify associations between food insecurity and body weight. *J Nutr* 2007;137:1460-5.
 16. Radimer KL, Olson CM, Campbell CC. Development of indicators to assess hunger. *J Nutr* 1990;120:1544-8.
 17. Tee ES. *Nutrient Composition of Malaysian Foods*. 4th ed. Kuala Lumpur: Institiut Penyelidikan Perubatan; 1997.
 18. National Coordinating Committee on Food and Nutrition (MY). *Malaysian Dietary Guidelines*. Kuala Lumpur: Ministry of Health Malaysia; 2010.
 19. Lee TT, Norimah AK, Safiah MY. Development of Healthy Eating Index for Malaysian adults. *Proceedings of 26th Scientific Conference of the Nutrition Society of Malaysia*; 2011 March 24-25; Kuala Lumpur, Malaysia. Selangor: Nutrition Society of Malaysia; 2011. p. 101-2.
 20. Goh HW, Norimah AK. Validation of Healthy Eating Index (HEI) for Malaysian adults. *Proceedings of 27th Scientific Conference of the Nutrition Society of Malaysia*; 2012 May 24-25; Kuala Lumpur, Malaysia. Selangor: Nutrition Society of Malaysia; 2012. p. 139.
 21. World Health Organization. Obesity: preventing and managing the global epidemic [Internet]. Geneva: World Health Organization; 2000 [cited 2017 June 12]. Available from: http://apps.who.int/iris/bitstream/10665/42330/1/WHO_TRS_894.pdf?ua=1&ua=1.
 22. Tabachnick BG, Fidell LS. *Using Multivariate Statistics*. 5th ed. Boston (MA): Pearson Education; 2007.
 23. Economic Planning Unit (MY). *Brief household income & poverty statistics newsletter, 2012 & 2014* [Internet]. Putrajaya: Economic Planning Unit; 2014 [cited 2017 December 3]. Available from: <http://epu.gov.my/sites/default/files/Perangkaan%20Pendapatan%20%26%20Kemiskinan%20Isi%20Rumah%20Sepintas%20Lalu%2C%202012%20%26%202014.pdf>.
 24. Shariff ZM, Khor GL. Household food insecurity and coping strategies in a poor rural community in Malaysia. *Nutr Res Pract* 2008;2:26-34.
 25. Shariff ZM, Sulaiman N, Jalil RA, Yen WC, Yaw YH, Taib MN, Kandiah M, Lin KG. Food insecurity and the metabolic syndrome among women from low income communities in Malaysia. *Asia Pac J Clin Nutr* 2014;23:138-47.
 26. Central Bank of Malaysia. *Inflation and the cost of living* [Internet]. Kuala Lumpur: Central Bank Malaysia; 2015 [cited 2017 December 3]. Available from: https://www.bnm.gov.my/files/publication/ar/en/2015/cp01_003_box_updated.pdf.
 27. Department of Statistics Malaysia. *Consumer price index Malaysia February 2016* [Internet]. Kuala Lumpur: Department of Statistics of Malaysia; 2016 [cited 2017 December 4]. Available from: <https://www.dosm.gov.my/v1/index.php?r=column/pdfPrev&id=cjF MV21DRHNHZNvbkhnYmh5Tm9HUT09>.
 28. Nurfahilin T, Norhasmah S. Factors and coping strategies related to food insecurity and nutritional status among Orang Asli women in Malaysia. *Int J Public Health Clin Sci* 2015;2:55-66.
 29. Ali Naser I, Jalil R, Wan Muda WM, Wan Nik WS, Mohd Shariff Z, Abdullah MR. Association between household food insecurity and nutritional outcomes among children in Northeastern of Peninsular Malaysia. *Nutr Res Pract* 2014;8:304-11.
 30. Loopstra R, Tarasuk V. Severity of household food insecurity is sensitive to change in household income and employment status among low-income families. *J Nutr* 2013;143:1316-23.
 31. Dachner N, Ricciuto L, Kirkpatrick SI, Tarasuk V. Food purchasing and food insecurity: among low-income families in Toronto. *Can J Diet Pract Res* 2010;71:e50-6.
 32. Sulaiman N, Shariff ZM, Jalil RA, Taib MN, Kandiah M, Samah AA. Validation of the Malaysian Coping Strategy Instrument to measure household food insecurity in Kelantan, Malaysia. *Food Nutr Bull* 2011;32:354-64.
 33. Mohamadpour M, Sharif ZM, Keysami MA. Food Insecurity, health and nutritional status among sample of palm-plantation households in Malaysia. *J Health Popul Nutr* 2012;30:291-302.
 34. Ihab AN, Rohana AJ, Wan Manan WM, Wan Suriati WN, Zalilah MS, Rusli AM. Food expenditure and diet diversity score are predictors of household food insecurity among low income households in rural district of Kelantan Malaysia. *Pak J Nutr* 2012;11:967-73.
 35. Nnakwe NE. Dietary patterns and prevalence of food insecurity among low-income families participating in community food assistance programs in a midwest town. *Fam Consum Sci Res J* 2008;36:229-42.
 36. Gustafson DJ. Rising food costs & global food security: key issues & relevance for India. *Indian J Med Res* 2013;138:398-410.
 37. Norhasmah S Jr, Zalilah MS, Mohd Nasir MT, Kandiah M, Asnarulkhadi

- AS. A qualitative study on coping strategies among women from food insecurity households in Selangor and Negeri Sembilan. *Malays J Nutr* 2010;16:39-54.
38. Fieldhouse P. *Food and Nutrition: Customs and Culture*. 2nd ed. New York (NY): Chapman & Hall; 1995.
39. Haemamalar K, Zalilah MS, Neng AA. Nutritional status of Orang Asli (Che Wong tribe) adults in Krau wildlife reserve, Pahang. *Malays J Nutr* 2010;16:55-68.
40. Ey Chua EY, Zalilah MS, Ys Chin YS, Norhasmah S. Dietary diversity is associated with nutritional status of Orang Asli children in Krau Wildlife Reserve, Pahang. *Malays J Nutr* 2012;18:1-13.
41. Nord M, Andrews M, Carlson S. Household food security in the United States, 2008 [Internet]. Washington, D.C.: U. S. Department of Agriculture; 2009 [cited 2018 January 3]. Available from: <https://ageconsearch.umn.edu/bitstream/55953/2/ERR83%20full%20doc.pdf>.
42. Hadley C, Patil CL. Seasonal changes in household food insecurity and symptoms of anxiety and depression. *Am J Phys Anthropol* 2008;135:225-32.
43. Kirkpatrick SI, Tarasuk V. Food insecurity is associated with nutrient inadequacies among Canadian adults and adolescents. *J Nutr* 2008;138:604-12.
44. Drewnowski A. Obesity, diets, and social inequalities. *Nutr Rev* 2009;67 Suppl 1:S36-9.