

Journal of Korean Society of Dental Hygiene

Erratum

Evaluation of physical property and cytotoxicity of resin infiltrant based on a triethylene glycol dimethacrylate (TEGDMA)

Ji-Hyun Min¹ • Ji-Yeon Roh¹ • Ki-Rim Kim²


Department of Dental Hygiene, College of Health & Medical Sciences

¹Research Planning and Coordination Division

²Department of Dental Hygiene, Kyungpook National University

Corresponding Author : Ki-Rim Kim, Department of Dental Hygiene, Kyungpook National University, 2559, Gyeongsang-daero, Sangju 37224, Korea, Tel: +82-54-530-1422, Fax: +82-54-530-1429, E-mail: rim0804@knu.ac.kr

*Ji-Hyun Min and Ji-Yeon Roh contributed equally to this work



Received: February 20, 2019

Revised: March 17, 2019

Accepted: March 17, 2019

한국치위생학회지 19권 2호에 게재된 저자의 소속이 잘못 기재되어 있어 바로잡습니다.

변경전(Before correction)

Department of Dental Hygiene, College of Health & Medical Sciences

¹Research Planning and Coordination Division

변경후(After correction)

Department of Dental Hygiene, College of Health & Medical Sciences, Cheongju University

¹Research Planning and Coordination Division, National Forensic Service