

# A checklist of Trichoptera (Insecta) of the Korean Peninsula

Sun-Jin Park and Dongsoo Kong\*

Department of Life Science, Kyonggi University, Suwon 16227, Republic of Korea

\*Correspondent: [dskong@kgu.ac.kr](mailto:dskong@kgu.ac.kr)

A revised checklist of Korean Trichoptera is provided for the species recorded from the Korean Peninsula, including both North and South Korea. The checklist includes bibliographic research as well as results after reexamination of some specimens. For each species, we provide the taxonomic literature that examined Korean Trichoptera materials or mentioned significant taxonomic treatments regarding to Korean species. We also provide the records of unnamed species based on larval identification for further study. Based on taxonomic considerations, 20 species among the previously known nominal species in Korea are deleted or synonymized, and three species omitted from the previous lists, *Hydropsyche athene* Malicky and Chantaramongkol, 2000, *H. simulata* Mosely, 1942 and *Helicopsyche coreana* Mey, 1991 are newly added to the checklist. *Hydropsyche formosana* Ulmer, 1911 is recorded from the Korean Peninsula for the first time by the identification of *Hydropsyche* KD. In addition, we recognized 14 species of larvae separated with only tentative alphabetic designations. As a result, this new Korean Trichoptera checklist includes 218 currently recognized species in 66 genera and 25 families from the Korean Peninsula.

Keywords: caddisflies, catalogue, history, North Korea, South Korea

© 2020 National Institute of Biological Resources  
DOI:10.12651/JSR.2020.9.3.288

## INTRODUCTION

Trichoptera is the seventh-largest order among Insecta, with more than 16,000 extant species (Morse *et al.*, 2019). This order also has more species than the total combined with other primarily aquatic insect orders (Ephemeroptera, Odonata, Plecoptera and Megaloptera) (Holzenthal *et al.*, 2007; Morse *et al.*, 2019). The adults of this holometabolous order are mainly aerial, terrestrial and nocturnal, but their eggs, larvae and pupae mostly live in freshwater. The larvae have a very unique character of producing silk, and attaching various materials from the aquatic environment using the silk to build multiple types of cases and retreats. Trichoptera is an essential component of the aquatic ecosystem because they have been adapted to the most aquatic habitats and contribute to the transfer of energy and nutrients through the trophic levels of all freshwater ecosystems (Wiggins, 1996).

Taxonomic studies on Trichoptera from the Korean Peninsula (Korea) have been intermittently conducted since the 1920s. From the 1920s to the 1950s, all the Korean Trichoptera records were done by a few Japanese scientists. After that time until the early 1990s, most taxonomic studies were performed by a few European taxonomists, using materials from the Korean People's

Democratic Republic (North Korea). Since the mid 1970s, several scientists within the Republic of Korea (South Korea) have studied Trichoptera. Despite the various research materials, the knowledge about Trichoptera fauna in Korea is still insufficient because of sporadic and unsustained studies. In addition, some species were recorded only based on their larval stage by reference to mostly Japanese literature, and research on larva-adult associations using Korean materials is lacking.

Several checklists of Korean caddisflies have been published by some North and South Korean entomologists (Cho, 1955; Ju, 1969; Yoon and Kim, 1994; Park and Bae, 1998b; Cho, 2003; Choi and Ko, 2006; Hwang, 2010; Jung *et al.*, 2011). Recently, the National Institute of Biological Resources (Incheon, South Korea) published checklists of Korean insects including caddisflies, based on the registered species in the National List of Species of Korea (Hwang, 2012; Ahn *et al.*, 2013; Park *et al.*, 2019). However, the list overlooked some records of Korean Trichoptera species and taxonomic treatments such as synonymy. Therefore, a revised checklist of Korean Trichoptera based on scientific and taxonomic consideration is required in Korea.

In this study, we provide an amended checklist of Korean Trichoptera based on not only bibliographic surveys

but also the reexamination of some specimens. We list the species included in taxonomic publications concerned with Korean Trichoptera, but exclude some publications which provided only “Korea” as a distribution area, bibliographic checklists or illustration books. The records solely based on the larval stage without any descriptions or illustrations are also excluded, but some publications including important information of Korean fauna are mentioned. There are many records of unnamed species separated with or without only tentative alphabetic designations in Korea. We provide their information for the future study.

In the checklist, we followed Morse *et al.* (2019) and Thomas *et al.* (2020) for the higher classification, and subfamilies, genera and species are arranged alphabetically in each family. The recorded country (North or South Korea), provincial localities, sex or stage, and Korean name of each species are provided. In case of giving new Korean names or correcting former Korean names, we put an asterisk beside the Korean name. The abbreviations used in this list are as follows: N (North Korea) and S (South Korea) for countries; CB (Chungcheongbuk-do), CN (Chungcheongnam-do), GB (Gyeongsangbuk-do), GG (Gyeonggi-do), GN (Gyeongsangnam-do), GW (Gangwon-do), HGB (Hamgyeongbuk-do), HGN (Hamgyeongnam-do), HHB (Hwanghaebuk-do), HHN (Hwanghaenam-do), JB (Jeollabuk-do), JJ (Jeju-do), JN (Jeollanam-do), NGW (Gangwon-do in North Korea), PB (Pyeongangbuk-do), PN (Pyeongannam-do), PY (Pyeongyang), RG (Rygang-do) and SL (Seoul) for provinces; A (adult), M (male adult), F (female adult), P (pupa) and L (larva) for sex or stage.

## RESULTS AND DISCUSSION

In North Korean checklists (Ju, 1969; Lee and Kim, 1993; Choi and Ko, 2006; Ahn *et al.*, 2013), we found the records of *Himalopsyche japonica* (Morton, 1900) (Rhyacophilidae), *Semblis melaleuca* (McLachlan, 1871) (Phryganeidae), *Uenoa tokunagai* Iwata, 1927 (Uenoidae) and *Perissoneura paradoxa* McLachlan, 1871 (Odontoceridae). They were based on the larval identification from North Korea and did not include any detailed information. We did not include these species even at the generic level although these genera, unknown from Korea at present, may be found in the future.

The following species have been removed from the previously known Korean Trichoptera due to misidentifications, synonyms or taxonomic problems mentioned in remarks for each species: *Arctopsyche spinifera* Ulmer, 1907, *Hydropsyche setensis* Iwata, 1927 (Hydropsychidae); *Stenopsyche griseipennis* McLachlan, 1866

(Stenopsychidae); *Stactobia makartschenkoi* Botosaneanu and Levanidova, 1988 (Hydroptilidae); *Glossosoma boltoni* Curtis, 1834 (Glossosomatidae); *Rhyacophila hokkaidensis* Iwata, 1927, *R. nigrocephala* Iwata, 1927 (Rhyacophilidae); *Agrypnia pagetana* Curtis, 1835, *Semblis melaleuca* (McLachlan, 1871) (Phryganeidae); *Lepidostoma ebenacanthus* (Ito, 1992), *L. japonicum* (Tsuda, 1936) (Lepidostomatidae); *Goera pilosa* (Fabricius, 1775) (Goeridae); *Dicosmoecus obscuripennis* Banks, 1938 (Limnephilidae); and *Psilotreta kisoensis* Iwata, 1928 (Odontoceridae). Three species, *Stenopsyche sauteri* Ulmer, 1907 (Stenopsychidae); *Glossosoma intermedium* (Klapálek, 1892) (Glossosomatidae); and *Oligotricha fulvipes* Matsumura, 1904 (Phryganeidae), which appeared in some illustration books or checklists (Esaki *et al.*, 1938; Kuwayama, 1949; Takeuchi, 1955; Hwang, 2012; Yang *et al.*, 2016) are also removed because there have not been any Korean records for them. On the other hand, *Hydropsyche athene* Malicky and Chantaramongkol, 2000, *H. simulata* Mosely, 1942 (Hydropsychidae); and *Helicopsyche coreana* Mey, 1991 (Helicopsychidae), which were omitted from the previous checklists are added to this list, and *Hydropsyche formosana* Ulmer, 1911 (Hydropsychidae) is recorded from the Korean Peninsula for the first time by the identification of *Hydropsyche* KD.

Additionally, we recognized 14 unnamed species separated with only tentative alphabetic designations as follows: *Hydropsyche* KD as *Hydropsyche formosana* Ulmer, 1911, *Hydropsyche* KF and *Hydropsyche* KUB as *Hydropsyche kozhantschikovi* Martynov, 1924 (Hydropsychidae); *Apsilochorema* KUa as *Apsilochorema sutshanum* Martynov, 1934 (Hydrobiosidae); *Rhyacophila* sp. KA as *Rhyacophila lata* Martynov, 1918, *Rhyacophila* sp. KB as *Rhyacophila narvae* Navás, 1926, *Rhyacophila* sp. RC as *Rhyacophila retracta* Martynov, 1914, *Rhyacophila* sp. RE as *Rhyacophila shikotsuensis* Iwata, 1927 (Rhyacophilidae); *Oligotricha* sp. as *Oligotricha lapponica* (Hagen, 1864), *Neuronina* sp. KA as *Semblis phalaenoides* (Linnaeus, 1758) (Phryganeidae); *Neophylax* sp. KA as *Neophylax ussuriensis* (Martynov, 1914) (Uenoidae); *Asynarchus* KUa as *Asynarchus amurenensis* (Ulmer, 1905) (Limnephilidae); *Leptocerus* sp. KD as *Ceraclea shuotsuensis* (Tsuda, 1942) (Leptoceridae); and *Gumaga* KUa as *Gumaga orientalis* (Martynov, 1935) (Sericostomatidae). In addition, we listed many unnamed 'species' separated by the larval morphology.

As a result, 218 nominal species belonging to 66 genera and 25 families were recognized in this study, but 12 species of them were recorded only based on larval identifications. Further study on Korean caddisfly fauna, especially faunistic studies based on adult materials and the larval and adult association, are required.

## Checklist of Trichoptera of the Korean Peninsula

Order Trichoptera Kirby, 1813 날도래목  
Suborder Annulipalpia Martynov, 1924 환상수아목

Family **Hydropsychidae Curtis, 1835** 줄날도래과  
Subfamily Arctopsychinae Martynov, 1924  
곰줄날도래아과\*  
Genus *Arctopsyche* McLachlan, 1868 곰줄날도래속

**1. *Arctopsyche ladogensis* (Kolenati, 1859)** 곰줄날도래  
*Aphelocheira ladogensis* Kolenati, 1859, Gen Spec  
Trich 2, 145, 147, 165, 183, 201, pl 1 f 4.  
*Arctopsyche ladogensis* (Kolenati, 1859): Yoon and Kim  
1988, 460–461, f 11, S (GG, GW), L.

**Remarks.** This species was recorded solely based on larval specimens by Yoon and Kim (1988). Their descriptions and illustrations mostly agree with those provided by Lepneva (1964) and Ruiter *et al.* (2013), but the adult has not been reported from Korea.

**2. *Arctopsyche palpata* Martynov, 1934** 수염곰줄날도래  
*Arctopsyche palpata* Martynov, 1934, Tabl analyt Faune  
URSS 13, 251–252, 339, f 182a–c; Botosaneanu  
1970, 296, N (HGB, PB), M, F; Kobayashi 1989, 2–3,  
S (GN), M; Malicky 1993, 14, N (PB), M; Lee and  
Kim 1993, 265, N (RG), L; Choe and Woo 1998, 74, S  
(JN), M; Hwang 2006, 54–55, f 121–125, S (GN, GW,  
JN), M, F; Oláh *et al.* 2018, 109, N (PB), M.

### *Arctopsyche* sp.

*Arctopsyche spinifera* Ulmer, 1907: Doi 1932 (as *A. spinigera*), 74, N (HGN), A. **Misidentification.**

**Remarks.** Doi (1932), a Japanese entomologist, must have used Matsumura (1931) for reference because Matsumura (1931) also used the same misspelling, *A. spinigera*. Matsumura (1931) provided the general and simple morphological characters of this Japanese species, and we believe it is not appropriate for Korean materials to be identified based on Matsumura (1931).

Genus *Parapsyche* Betten, 1934 흰알락줄날도래속\*

**3. *Parapsyche maculata* Ulmer, 1907** 점박이날도래  
*Arctopsyche maculata* Ulmer, 1907, Cat Coll Selys 6, 1,  
71–72, f 112–113, pl 4 f 18; Doi 1932, 74, N (HGN), A.

**Remarks.** Doi (1932) recorded this species, originally described from Japan, probably based on the characteristic markings of adult fore wings. However, this character is not reliable to identify the species in this genus even in Japan (Nozaki, 2016). Although we tentatively

use the name, *P. maculata*, further study of Korean species of the genus *Parapsyche* is required.

Subfamily Diplectroninae Ulmer, 1951  
산골줄날도래아과\*  
Genus *Diplectrona* Westwood, 1840 산골줄날도래속

**4. *Diplectrona kibuneana* Tsuda, 1940** 산골줄날도래  
*Diplectrona kibuneana* Tsuda, 1940a, Annot zool Jap 19,  
24–25, 33, f 1–2; Park *et al.* 2017, 6, f 4C–D, S (GB,  
GN), M, F.  
*Diplectrona* KUa: Yoon and Kim 1988, 462, f 12, S (CN,  
GN), L. Associated with this species by Park *et al.*  
(2017).  
*Potamyia czekanovskii* (Martynov, 1910): Hwang 2006,  
67–68, f 161–165, S (GW), M. **Misidentification.**

**Remarks.** The photographs of wings and genitalia as *P. czekanovskii* in Hwang (2006) apparently show that his male specimens belong to *D. kibuneana*. The genitalic morphology of *D. kibuneana* was provided by Park *et al.* (2017).

Subfamily Hydropsychinae Curtis, 1835 줄날도래아과  
Genus *Cheumatopsyche* Wallengren, 1891  
꼬마줄날도래속

### **5. *Cheumatopsyche albofasciata* (McLachlan, 1872)**

흰띠꼬마줄날도래  
*Hydropsyche albofasciata* McLachlan, 1872a, Ann Soc  
Ent Belg 15, 68, pl 2 f 6–6b.  
*Cheumatopsyche albofasciata* (McLachlan, 1872): Mey  
1989, 302, N (PB), M; Kumanski 1992, 66–67, f 48–  
51, N (PB, PY), M, F; Hwang and Yoon 1996, 9, f 4,  
8g–h, S (CN, GG), M, F; Choe and Woo 1998, 74, S  
(JN), M; Hwang 2006, 63–64, f 146–150, S (CB, GG,  
GW), M, F.

### **6. *Cheumatopsyche brevilineata* (Iwata, 1927)**

꼬마줄날도래  
*Hydropsyche brevilineata* Iwata, 1927a, Zoo Mag 39,  
222–223, 226–227, f B–c; Kim 1974, 14, f 38 (as *Hy-*  
*dropsychodes*), S (GB, GG, GW), L.  
*Cheumatopsyche brevilineata* (Iwata, 1927): Yoon and  
Kim 1988, 470–471, f 19, S (GB, GG, GN, GW, JJ,  
JN), L.

**Remarks.** Kim (1974) and Yoon and Kim (1988) recorded this species based on larval characters, especially a median notch of the frontoclypeal apotome, but the larvae of *C. infascia* and *C. tanidai* have similar characters (Hayashi, 1998; Tanida, 2018). Specimens identified as this species in the previous records need to be reexamined. Although no adults of the species have been re-

corded from Korea, adults of this species were collected from Far East Russia (Oláh *et al.*, 2008).

### 7. *Cheumatopsyche infascia* Martynov, 1934

물결꼬마줄날도래

*Cheumatopsyche infascia* Martynov, 1934, Tabl analyt Faune URSS 13, 283–284, 341, f 205a–c; Botosaneanu 1970, 297, pl 20 f 1, N (NGW, PB), M; Kobayashi 1989, 3, S (GN), F; Mey 1989, 302, N (PB), M, F; Kumanski 1992, 66, N (HHB, HHN, NGW, PN, PY), M, F; Hwang and Yoon 1996, 9, f 5, 8i–j, S (CB, CN, GG, GW), M, F; Hwang 2006, 64–65, f 151–155, S (CB, CN, GB, GG, GW, JN), M, F; Oláh *et al.* 2018, 109–110, N (PB), M.

### 8. *Cheumatopsyche tanidai* Oláh and Johanson, 2008

타니다꼬마줄날도래

*Cheumatopsyche tanidai* Oláh and Johanson, 2008, Zootaxa 1802, 184–185, f 303–306; Park *et al.* 2017, 5–6, f 4B, S (GB, GN), M, F; Oláh *et al.* 2018, 110, S (JJ), M.

### *Cheumatopsyche* KUa 꼬마줄날도래 KUa

*Cheumatopsyche* KUa: Yoon and Kim 1988, 471, f 20, S (GB), L.

### *Cheumatopsyche* sp.

*Cheumatopsyche* sp.: Malicky 1993, 14, N (PB), F.

Genus *Hydropsyche* Pictet, 1834 줄날도래속

### 9. *Hydropsyche athene*

Malicky and Chantaramongkol, 2000

호리줄날도래\*

*Hydropsyche athene* Malicky and Chantaramongkol, 2000, Linzer biol Beitr 32(2), 820, pl 32; Oláh and Johanson 2008, 90, f 132–135, N (RG), M.

**Material examined.** South Korea: CN, Geumsan-gun, 36°3'22.58"N 127°36'4.08"E, alt. 183 m; 24 ix 2016; 3 males; col. K.-S. Jung.

**Remarks.** Oláh and Johanson (2008) mentioned that the genitalic morphology of their single male from North Korea is somewhat different from that of the original description. They pointed out that their single material may belong to a new species. However, we recognized this species based on the examination of three males collected from South Korea for the first time.

### 10. *Hydropsyche dolosa* Banks, 1939 날쨌줄날도래

*Hydropsyche dolosa* Banks, 1939, Bull Mus Comp Zool Harvard 85, 489, pl 9 f 93, 101, 105–106; Kumanski 1992, 65–66, N (PY), M, F.

**Remarks.** This species was synonymized with *Hydropsy-*

*che formosana* Ulmer, 1911 by Mey (1999b), but treated as a distinct species by Malicky and Chantaramongkol (2000) and Yang *et al.* (2016).

### 11. *Hydropsyche formosana* Ulmer, 1911 두줄날도래\*

*Hydropsyche formosana* Ulmer, 1911, D ent Z, 397–398, pl 4 f 4–6.

*Hydropsyche* KD: Kim 1974, 12–13, f 35, S (CB, GG, GW, JB), L; Yoon and Kim 1988, 464–465, f 13, S (CN, GG), L.

**Remarks.** The characters of *Hydropsyche* KD from Korea are identical to those of *H. formosana* described by Zhou (2007), and COI gene comparison by Park (unpublished data) supports this conclusion.

### 12. *Hydropsyche kozhantschikovi* Martynov, 1924

줄날도래

*Hydropsyche kozhantschikovi* Martynov, 1924a, Jb Martynov Mus 2, 63, 70, 75, 80, 87–88, f 1a–c; Oláh 1985, 137, N (HHN), M; Kobayashi 1989, 3, S (GW), M; Kumanski 1992, 66, N (HHB, HHN, NGW, PB, PY), M, F; Hwang and Yoon 1996, 8, f 1, 8a–b, S (CB, CN, GG, GW), M, F; Hur *et al.* 2000b, 58–59, f 1–5, S (GG), M, P, L; Hwang 2006, 59–60, f 131–135, S (CB, CN, GG, GW), M, F; Oláh and Johanson 2008, 128, N (HGB, HHN, PY), M; Oláh *et al.* 2018, 110, N (PB), S (GW), M.

*Hydropsyche kawamurai* Tsuda, 1940a, 27–28, 33, f 3–4, N (HGB), M, F; Tsuda 1942a, 230–231, N (HGB, RG), M, F. Synonymized by Oláh and Johanson (2008).

*Hydropsyche* sp. KA: Kim 1974, 11, f 30–31, S (CB, GB, GG, GW), L. Associated by Hur *et al.* 2000b.

*Hydropsyche* KUa: Yoon and Kim 1988, 465–466, f 14, S (GB, GW), L. Associated by Hur *et al.* 2000b.

*Hydropsyche* sp. KF: Kim 1974, 13–14, f 37, L.

*Hydropsyche* KUb: Yoon and Kim 1988, 466–467, f 15, S (CB, CN, GB, GG, GW, JN), L.

**Remarks.** Hur *et al.* (2000b) pointed out that larval head markings of *H. kozhantschikovi* are variable, and they recognized both *Hydropsyche* sp. KA and KUa as the larval stage of this species. Furthermore, they suggested a possibility that *Hydropsyche* KUb also belongs to this species. In our field studies, *Hydropsyche* sp. KA, sp. KF and *Hydropsyche* KUa, KUb were often found with intermediate forms at the same location. We believe that *Hydropsyche* sp. KF and KUb are also the larval stages of *Hydropsyche kozhantschikovi*.

### 13. *Hydropsyche newae* Kolenati, 1858 새롬줄날도래

*Hydropsyche newae* Kolenati, 1858, Wien ent Mschr 2, 278; Botosaneanu 1970, 296, N (HGB), M; Mey 1989 (as *H. nevae*), 302, N (RG), M, F; Kumanski 1992 (as

*H. nevae*, 66, N (PB), M; Oláh and Johanson 2008, 129, N (PB, RG), M.

#### 14. *Hydropsyche orientalis* Martynov, 1934

동양줄날도래

*Hydropsyche orientalis* Martynov, 1934, Tabl analyt Faune URSS 13, 276–277, 340, f 198a–c; Botosaneanu 1970, 296, pl 19, N (PB), M; Kobayashi 1989, 3, S (GN), M, F; Kumanski 1992, 66, N (NGW, PB), M; Hwang and Yoon 1996, 8, f 2, 8c–d, S (CB, CN, GB, GG, GW), M, F; Choe and Woo 1998, 74, S (JN), A; Hur *et al.* 2000a, 26–28, f 1–5, S (GG), M, F, P, L; Hwang 2006, 61–62, f 136–140, S (CB, CN, GB, GG, GW), M, F; Oláh and Johanson 2008, 129–130, N (HGB, NGW, PB), M; Oláh *et al.* 2018, 110, N (NGW, PB), M.

*Hydropsyche ulmeri* Tsuda, 1940a: Tsuda 1942a, 231, N (HGB), M, F; Lee and Kim 1993, 265, N (RG), L. Synonymized by Tanida (1982).

*Hydropsyche* KE: Kim 1974, 13, f 36, S (CB, CN), L. Associated by Hur *et al.* (2000a).

*Hydropsyche* KUe: Yoon and Kim 1988, 468–469, f 18, S (CB, GB, GG, GW, JN), L. Associated by Hur *et al.* (2000a).

#### 15. *Hydropsyche simulata* Mosely, 1942 가로줄날도래\*

*Hydropsyche simulata* Mosely, 1942, Tr Ent Soc London 92, 350–351, 361, f 22–25; Oláh and Johanson 2008, 142, N (PB, PY), M.

#### 16. *Hydropsyche valvata* Martynov, 1927 흰점줄날도래

*Hydropsyche valvata* Martynov, 1927, Annuaire Mus Leningrad 28, 192, pl 11 f 54–56; Botosaneanu 1970, 296, pl 18, N (HGB), M; Mey 1989, 302, N (HHN), M; Kumanski 1992, 66, N (PB), M; Malicky 1993, 14, N (PB), M; Lee and Kim 1993, 265, N (RG), L; Hwang and Yoon 1996, 8–9, f 3, f 8e–f, S (CB, GG, GW), M, F; Hur *et al.* 1999, 14–15, f 1–3, S (GG), M, F, L; Hwang 2006, 62–63, f 141–145, S (CB, GG, GW), M, F; Oláh and Johanson 2008, 144–145, N (PB), M; Oláh *et al.* 2018, 110, S (GW), M.

*Hydropsyche* KC: Kim 1974, 12, f 33–34, S (CN, GG, GW, JB), L. Associated by Hur *et al.* 1999.

*Hydropsyche* KUc: Yoon and Kim 1988, 467, f 16, S (GG, GW), L. Associated by Hur *et al.* 1999.

#### *Hydropsyche* KUD 줄날도래 KUD

*Hydropsyche* KUD: Yoon and Kim 1988, 468, f 17, S (CN, GG, GN, JN), L.

#### *Hydropsyche* sp.

*Hydropsyche setensis* Iwata, 1927a: Yamada 1938, 3–4, N (HGN, NGW, PB, PN), S (GB, GG, GN, JB, JN), P, L.

**Remarks.** Yamada (1938) identified larvae and pupae collected from Korea as *H. setensis* based on Iwata (1927a), but the larval description by Iwata (1927a) is not reliable due to limited resources available during that time (Tanida, 1987). In addition, no adult of *H. setensis* has been recorded from Korea.

#### *Hydropsyche* spp.

*Hydropsyche* spp.: Malicky 1993, 14, N (HHN, PB), F.

Genus *Potamyia* Banks, 1900 강줄날도래속

#### 17. *Potamyia chinensis* (Ulmer, 1915) 강줄날도래

*Hydropsyche chinensis* Ulmer, 1915, D ent Z, 47–48, f 14–15.

*Potamyia chinensis* (Ulmer, 1915): Kumanski 1992, 67, N (HHN, PB, PN), M, F; Hwang and Yoon 1996, 9–10, f 6, 8k–l, S (CB, GG, GW), M, F; Hwang 2006, 66–67, f 156–160, S (CB, GG, GW, SL), M, F; Oláh *et al.* 2018, 110, N (PB, PN, PY, RG), S (GW, JN), M, F.

#### 18. *Potamyia czekanovskii* (Martynov, 1910)

검은강줄날도래

*Hydropsyche czekanovskii* Martynov, 1910, Annuaire Mus St Petersburg 15: 393–396, f 31–34.

*Potamyia czekanovskii* (Martynov, 1910): Botosaneanu 1970, 297, pl 20 f 2, N (PY), F; Kumanski 1992, 67, f 52–54, N (PB, PY), M, F; Malicky 1993, 14, N (PB), M; Hwang and Yoon 1996, 10, f 7, S (GW), M; Oláh *et al.* 2018, 110, N (NGW), M.

**Remarks.** Although the figures of genitalia of Hwang and Yoon (1996) are those of a male *P. czekanovskii*, the wing figures, especially that of the hind wing, do not match the characters of the genus *Potamyia*.

#### *Potamyia* KUB 강줄날도래 KUB\*

*Hydropsyche* sp. KB: Kim 1974, 11–12, f 32, S (GW), L. *Cheumatopsyche* KUB: Yoon and Kim 1988, 472, f 21, S (CN, GG, GW, JB, JN), L.

**Remarks.** Kim (1974) described a larva as *Hydropsyche* sp. KB, which has unforked trochantin on each foreleg, and Yoon and Kim (1988) redescribed this larva as *Cheumatopsyche* KUB. However, the characters provided by Kim (1974) and Yoon and Kim (1988) suggest that this species belongs to the genus *Potamyia*.

Subfamily Macronematinae Ulmer, 1905

큰줄날도래아과\*

Genus *Aethaloptera* Brauer, 1875 흰줄날도래속

#### 19. *Aethaloptera evanescens* (McLachlan, 1880)

어리흰줄날도래

*Chloropsyche evanescens* McLachlan, 1880, Rev Syn Suppl 2, 69–70, pl 57 f 1–5.

*Aethaloptera rossica* Martynov, 1910: Kumanski 1992, 65, N (PY), M, F. Synonymized by Barnard (1980).

***Aethaloptera* KUa 흰줄날도래 KUa**

*Aethaloptera* KUa: Yoon and Kim 1988, 475, f 23, S (GW), L.

Genus *Macrostemum* Kolenati, 1859 큰줄날도래속

**20. *Macrostemum austrovicinorum* Mey, 1989**

남방큰줄날도래

*Macrostemum austrovicinorum* Mey, 1989, Acta Ent Bohemoslov 86, 302, f 14, N (PY), M, F.

**21. *Macrostemum radiatum* (McLachlan, 1872)**

큰줄날도래

*Macronema radiatum* McLachlan, 1872a, Ann Soc Ent Belg 15, 48, 67, pl 2 f 5; Doi 1932, 74, N (PN), A; Cho 1963, 173, S (JJ), A; Botosaneanu 1970, 296, N (PB), M; Kim 1974, 10–11, f 29, S (GB, GG, GW, JB), L; Yoon and Kim 1988, 473–474, f 22, S (CN, GG, GW), L.

*Macrostemum radiatum* (McLachlan, 1872): Mey 1989, 300–301, f 11–13, N (PB), M; Kumanski 1992, 65, N (PB, PN, PY), M, F; Malicky 1993, 14, N (PB), F; Choe and Woo 1998, 74, S (JN), M, F; Hwang 2006, 57–58, f 126–130, S (GB, GG, GN, GW, JB, JN), M, F; Oláh *et al.* 2018, 110, N (PB, PY, RG), M.

***Macrostemum* sp.**

*Macronema* sp.: Doi 1932, 74, N (PB), A.

**Family Philopotamidae Stephens, 1829**

입술날도래과

Subfamily Chimarrinae Rambur, 1842

어리입술날도래족\*

Genus *Chimarra* Stephens, 1829 어리입술날도래속\*

**22. *Chimarra tsudai* Ross, 1956** 앵도입술날도래

*Chimarra tsudai* Ross, 1956, Evol Class Mt Caddisflies, 71–72, f 112A–B, 150–151; Kumanski 1992, 55, N (NGW), M.

Subfamily Philopotaminae Stephens, 1829

입술날도래아과\*

Genus *Dolophilodes* Ulmer, 1909 넓은입술날도래속

**23. *Dolophilodes affinis***

**Levanidova and Arefina, 1996** 배돌기입술날도래

*Dolophilodes affinis* Levanidova and Arefina, 1996, in Arefina *et al.* (1996), Far eastern Ent 34, 2–4, f 1–5; Nozaki *et al.* 2019, 3–4, S (GN), M, F.

*Dolophilodes distincta* (Walker, 1852): Kobayashi 1989 (as *Sortosa*), 2, f 1, S (GN), M, F. Misidentification mentioned by Arefina *et al.* (1996) and Nozaki *et al.* (2019).

**24. *Dolophilodes mroczkowskii* Botosaneanu, 1970**

멋쟁이입술날도래

*Dolophilodes mroczkowskii* Botosaneanu, 1970, Anns zool Warsz 17, 292–293, pl 15, N (HGB, PB), M, F (?); Kumanski 1992, 55, N (PB), M; Hwang 2006, 49, f 78–82, S (GB, GW), M; Oláh *et al.* 2018, 103–104, N (PB), M.

***Dolophilodes* KUa 넓은입술날도래 KUa**

*Chimarra* sp. KA: Kim 1974 (as *Chimarrha*), 8–9, f 22, S (GW), L.

*Dolophilodes* KUa: Yoon and Kim 1988, 449–450, f 6, S (GN, GW), L; Yoon and Kim 1989a, 27–28, f 7–9, S (GN, GW), L.

**Remarks.** Yoon and Kim (1988) recognized that *Chimarra* sp. KA belongs to the genus *Dolophilodes*, and redescribed it as *Dolophilodes* KUa.

Genus *Kisaura* Ross, 1956 빗입술날도래속\*

**25. *Kisaura aurascens* (Martynov, 1934)**

각시입술날도래

*Dolophilodes aurascens* Martynov, 1934, Tabl analyt Faune URSS 13, 173–174, 332, f 115a–c.

*Kisaura aurascens* (Martynov, 1934): Hwang 2006, 46–48, f 97–101, S (CB, GB, GG, GN, GW, JN), M; Uy *et al.* 2019, 293–295, f 2, 4A–D, S (GG, JB), M, F.

*Dolophilodes hapirensis* Botosaneanu, 1970, 293–294, pl 16, N (PB), M, F; Kumanski 1992, 55, N (HHB, NGW), M, F; Oláh *et al.* 2018 (as *Kisaura*), 104, N (PB), M. Synonymized by Ivanov (1997) and Uy *et al.* (2019).

**26. *Kisaura coreana* Uy, Kuhara and Bae, 2019**

고려입술날도래\*

*Kisaura coreana* Uy, Kuhara and Bae, 2019, Zoosymposia 14, 291–293, f 1, S (JB), M, F.

**27. *Kisaura tsudai* (Botosaneanu, 1970)**

추다이입술날도래

*Dolophilodes tsudai* Botosaneanu, 1970, Anns zool Warsz 17, 294–295, f 17; Kumanski 1992, 55, N (HHB, HHN), M, F.

*Kisaura tsudai* (Botosaneanu, 1970): Hwang 2006, 48–49, f 102–105, S (GG), M.

**Remarks.** Uy *et al.* (2019) pointed out the necessity to reexamine the materials of Kumanski (1992) because

of the close similarity between *K. coreana* and *K. tsudai*. Although Uy *et al.* (2019) did not mention Hwang (2006), the reexamination of the record by Hwang (2006) is also required.

Genus *Wormaldia* McLachlan, 1865 입술날도래속

**28. *Wormaldia longicerca* Kumanski, 1992**

긴꼬리입술날도래

*Wormaldia longicerca* Kumanski, 1992, Ins Koreana 9, 56–57, f 4–7, N (HHN, NGW), M, F; Hwang 2006, 45–46, f 90–96, S (GB), M.

**29. *Wormaldia niiensis* Kobayashi, 1985** 입술날도래

*Wormaldia niiensis* Kobayashi, 1985, Bulletin Kanagawa prefect Mus nat Sci no 16, 9–10, f 6–8; Oláh *et al.* 2018, 104, N (PB), S (JJ), M.

*Wormaldia coreana* Kumanski, 1992, 56, f 1–3, N (NGW, PB), M, F; Hwang 2006, 45, f 83–89, S (GG, GW), M. Synonymized by Kuhara (2005).

***Wormaldia* KUa** 입술날도래 KUa

*Dolophilodes* sp. KA: Kim 1974, 9, f 23, S (GW), L.

*Wormaldia* KUa: Yoon and Kim 1988, 451, f 7, S (CN, GB, GG, GW, GN, JN), L; Yoon and Kim 1989a; 28, f 10–12, S (CN, GB, GG, GN, GW, JN), L.

**Remarks.** Yoon and Kim (1988) recognized that *Dolophilodes* sp. KA belongs to the genus *Wormaldia*, and redescribed it as *Wormaldia* KUa.

**Family Stenopsychidae Martynov, 1924** 각날도래과

Subfamily Stenopsychinae Martynov, 1924

각날도래아과\*

Genus *Stenopsyche* McLachlan, 1866 각날도래속

**30. *Stenopsyche bergeri* Martynov, 1926**

연날개수염치레각날도래

*Stenopsyche bergeri* Martynov, 1926, Eos 2, 287, 295–297, f 18–21; Botosaneanu 1970, 295, N (PN), M; Oláh 1985, 137, N (?), M; Yoon and Kim 1988, 447–448, f 5, S (GB, GG, GN, GW, JB, JJ, JN), L; Yoon and Kim 1989a, 27, f 4–6, S (GB, GG, GN, GW, JB, JJ, JN), L; Kobayashi 1989, 1–2, S (GW), M; Kumanski 1992, 58, f 22–23, N (NGW, PB), M, F; Hwang 2006, 51, f 106–110, S (GG, GW), M; Oláh *et al.* 2018, 103, N (HHN, NGW), M, F.

*Parastenopsyche bergeri* (Martynov, 1926): Kuwayama, 1930a, 117, N (HGN), M; Doi 1932, 75, N (HGN, PB), A; Tsuda 1942a, 230, N (HGB), M; Kim 1974, 9–10, f 25, S (GB, GW), L.

**31. *Stenopsyche coreana* (Kuwayama, 1930)**

고려수염치레각날도래

*Parastenopsyche coreana* Kuwayama, 1930a, Ins Matsum 4, 116, 117–118, f 4–5, N (HGN), M; Doi 1932 (as *Farastenopsyche*), 75, N (HGB), A; Kim 1974, 10, f 26–27, S (GW), M, P.

*Stenopsyche coreana* (Kuwayama, 1930): Botosaneanu 1970, 295, N (HGB, PB), M; Mey 1989, 300, N (NGW), M; Kumanski 1992, 58, f 20–21, N (NGW, PB), M, F; Malicky 1993, 14, N (PB), M, F; Hwang 2006, 51–52, f 111–115, S (GW), M; Oláh *et al.* 2018, 103, N (NGW), M.

*Stenopsyche bergeri* Martynov, 1926: Schmid 1965b, 136, pl 2 f 9, pl 3 f 3, Coree (Uttikongo), M. Misidentification mentioned by Schmid (1969).

**32. *Stenopsyche marmorata* Navás, 1920**

멋쟁이각날도래

*Stenopsyche marmorata* Navás, 1920: Revista Ac Cienc Madrid 18, 164, f 6a–b; Botosaneanu 1970, 295, N (HGB, PB), M, F; Kim 1974, 9, f 24, S (CB, GB, GG, GW, JB), L; Kobayashi 1989, 1, S (GN, GW), M, F; Mey 1989, 300, N (NGW, PB, RG), M, F; Kumanski 1992, 57, f 18–19, N (HGB, NGW, PB), M, F; Hwang 2006, 52–53, f 116–120, S (GG, GW, JJ), F; Oláh *et al.* 2018, 103, N (HGB, NGW, PB), M.

*Stenopsyche griseipennis* McLachlan, 1866: Martynov 1926, 288, Korea (Pung-Tung), M; Tsuda 1942a, 229–230, N (HGB, RG), M, F. Misidentification mentioned by Kimmins (1958) and Schmid (1969). Yoon and Kim 1988, 446–447, f 4, S (GB, GG, GN, GW, JJ, JN), L; Yoon and Kim 1989a, 26–27, f 1–3, S (GB, GG, GN, GW, JJ, JN), L; Lee and Kim 1993, 267, N (RG), L.

**Misidentification.**

**Remarks.** The records of *S. griseipennis* from East Asia were misidentifications of this species (Kimmins, 1958; Schmid, 1969), but Yoon and Kim (1988; 1989a) and Lee and Kim (1993) did not refer to Kimmins (1958) and Schmid (1969).

**33. *Stenopsyche variabilis* Kumanski, 1992**

한가람각날도래

*Stenopsyche variabilis* Kumanski, 1992, Ins Koreana 9, 57–58, f 8–15, N (PB), M, F; Oláh *et al.* 2018, 103, N (PB), M.

**Family Psychomyiidae Walker, 1852** 통날도래과

Subfamily Psychomyiinae Walker, 1852

통날도래아과\*

Genus *Metalype* Klapálek, 1898 갈고리통날도래속\*

**34. *Metalype uncatissima* (Botosaneanu, 1970)**

갈고리통날도래

*Psychomyia uncatissima* Botosaneanu, 1970, Anns zool Warsz 17, 301–302, pl 27, pl 28 f 1–2, N (HGB, PB),

- M, F; Kumanski 1992, 60, N (HGB, PB), M; Lee and Kim 1993, 266, N (RG), L.  
*Metalype uncatissima* (Botosaneanu, 1970): Hwang 2006, 76–77, f 190–193, S (GG, GW), M; Oláh *et al.* 2018, 106, N (HGB), M.
- Genus *Paduniella* Ulmer, 1913 애기통날도래속\*
- 35. *Paduniella amurensis* Martynov, 1934**  
 가람통날도래  
*Paduniella amurensis* Martynov, 1934, Tabl analyt Faune URSS 13, 206, 208–210, 334–335, f 148, 149a–c; Kumanski 1992, 59, N (PY), M, F; Hwang 2006, 81–82, f 214–218, S (GG), M.
- 36. *Paduniella martynovi* Kumanski, 1992**  
 마르티노프통날도래  
*Paduniella martynovi* Kumanski, 1992, Ins Koreana 9, 59, f 24–27, N (PY), M, F; Hwang 2006, 82–83, f 219–223, S (GG), M.
- 37. *Paduniella unmun* Inaba and Park, 2017**  
 운문통날도래  
*Paduniella unmun* Inaba and Park, 2017, in Park *et al.* (2017), Anim Syst Evol Divers 33(1), 3, f 3, S (GB), M.
- Genus *Psychomyia* Latreille, 1829 통날도래속
- 38. *Psychomyia coreana* (Tsuda, 1942) 고려통날도래**  
*Psychomyiella coreana* Tsuda, 1942a, Mem Coll Sci Kyoto B 17, 230, 275, f 3–4, N (HGB), M, F.
- 39. *Psychomyia cruciata* (Kumanski, 1992)**  
 십자통날도래  
*Psychomyiella cruciata* Kumanski, 1992, Ins Koreana 9, 61–62, f 31–34, N (PB), M; Hwang 2006, 79–80, f 204–208, S (GG, GW), M.
- 40. *Psychomyia forcipata* Martynov, 1934**  
 집게통날도래  
*Psychomyia forcipata* Martynov, 1934, Tabl analyt Faune URSS 13, 201–202, 334, f 141a–c; Botosaneanu 1970, 301, N (PB), M, F; Kobayashi 1989 (as *Psychomyiia*), 2, S (GW), M; Kumanski 1992, 60, N (PB, PY), M, F; Hwang 2006, 78–79, f 199–203, S (GG, GN), M; Oláh *et al.* 2018, 108, N (PB), M.
- 41. *Psychomyia minima* (Martynov, 1910)**  
 꼬마통날도래  
*Psychomyiella minima* Martynov, 1910, Annuaire Mus St Petersburg 15, 411–414, f 51–54; Kumanski 1992, 60, N (PB, PN, PY), M, F.  
*Psychomyia minima* (Martynov, 1910): Hwang 2006, 77–78, f 194–198, S (GW), M; Oláh *et al.* 2018, 108, N (PN, PY, RG), M.
- 42. *Psychomyia myohyangsanica* (Kumanski, 1992)**  
 묘향산통날도래  
*Psychomyiella myohyangsanica* Kumanski, 1992, Ins Koreana 9, 60–61, f 28–30, N (NGW, PB, PY), M; Hwang 2006, 80–81, f 209–213, S (GB, GG, GN, GW), M.  
*Psychomyia myohyangsanica* (Kumanski, 1992): Oláh *et al.* 2018, 108, N (PN), M.
- Psychomyia* KUa 통날도래 KUa**  
*Psychomyia* KUa: Yoon and Kim 1988, 452–453, f 8, S (GB), L; Yoon and Kim 1989a, 28, f 13–16, S (GB), L.
- Psychomyia* sp.**  
*Psychomyia* spec.: Mey 1989, 300, N (PB), F.
- Subfamily Tinodinae Li and Morse, 1997  
 가는통날도래아과\*  
 Genus *Tinodes* Curtis, 1834 가는통날도래속\*
- 43. *Tinodes furcatus* Li and Morse, 1997** 갈래통날도래  
*Tinodes furcatus* Li and Morse, 1997, Insecta Mundi 11(3–4), 278, f 7–9; Park *et al.* 2017, 4–5, f 4A, S (GN), M; Oláh *et al.* 2018, 109, S (JJ), M.
- 44. *Tinodes higashiyamanus* Tsuda, 1942**  
 히가시야마통날도래\*  
*Tinodes higashiyamanus* Tsuda, 1942b, Mem Coll Sci Kyoto B 17, 271–272, f 30; Oláh *et al.* 2018, 109, N (NGW), M.
- Family Polycentropodidae Ulmer, 1903** 깃날도래과  
 Subfamily Polycentropodinae, Ulmer, 1903  
 깃날도래아과\*  
 Genus *Nyctiophylax* Brauer, 1865 고리깃날도래속
- 45. *Nyctiophylax angarensis* Martynov, 1910**  
 밤깃날도래  
*Nyctiophylax angarensis* Martynov, 1910, Annuaire Mus St Petersburg 15, 404–408, f 39–43; Kumanski 1992, 64, f 42–43, N (PB), M, F.
- 46. *Nyctiophylax digitatus* Martynov, 1934**  
 손가락깃날도래  
*Nyctiophylax digitatus* Martynov, 1934, Tabl analyt Faune URSS 13, 241–242, f 174; Botosaneanu, 1970, 299, N (PB), M.
- 47. *Nyctiophylax hjangsanichonus* Botosaneanu, 1970**  
 고리깃날도래  
*Nyctiophylax hjangsanichonus* Botosaneanu, 1970, Annals zool Warsz 17, 299–300, pl 22 f 1–2, pl 23, N (PB), M; Kumanski 1992, 64, f 44–45, N (PB), M, F.



*Paranyctiophylax hjangsanchonus* (Botosaneanu, 1970): Hwang 2006, 72, f 176-179, S (CB, GG), M; Hwang and Chun, 2006, 96, f 5-6, 13-14, S (CB, GG), M.

***Nyctiophylax* sp.**

*Nyctiophylax* sp.: Kumanski 1992, 64, f 46-47, N (PB), F.

Genus *Plectrocnemia* Stephens, 1836 깃날도래속

**48. *Plectrocnemia baculifera* Botosaneanu, 1970**

깃날도래

*Plectrocnemia baculifera* Botosaneanu, 1970, Anns zool Warsz 17, 297-299, pl 11, N (PB), M; Kumanski 1992, 63-64, N (PB), M; Malicky 1993, 14, N (PB), M; Hwang 2006, 69-70, f 166-170, S (GG), M; Hwang and Chun 2006, 94-95, f 1-2, 9-10, S (GG), M.

**49. *Plectrocnemia kusnezovi* Martynov, 1934**

용추깃날도래

*Plectrocnemia kusnezovi* Martynov, 1934, Tabl analyt Faune URSS 13, 213, 218-221, 336, f 156a-c; Botosaneanu 1970, 297, N (HGN, PB), M; Kumanski 1992, 64, N (PB), M; Hwang 2006, 70, 71, f 171-175, S (GG), M; Hwang and Chun, 2006, 95, 96, f 3-4, 11-12, S (GG), M.

**50. *Plectrocnemia wui* (Ulmer, 1932) 참깃날도래**

*Polycentropus wui* Ulmer, 1932, Peking nat Hist Bull 7, 46-47, f 12-13.

*Plectrocnemia wui* (Ulmer, 1932): Kumanski 1992, 64, N (NGW), M; Oláh *et al.* 2018, 104, S (JJ), M.

***Plectrocnemia* KUa 깃날도래 KUa**

*Plectrocnemia* KUa: Yoon and Kim 1988, 455-456, f 9, S (CB, CN, GG, GN, GW, JB, JJ, SL), L; Yoon and Kim 1989a, 29, f 20-23, S (CB, CN, GG, GN, GW, JB, JJ, SL), L.

***Plectrocnemia* sp. PA**

*Polycentropus* sp. PA: Kim 1974, 10, f 28, S (GG, JJ), L.

***Plectrocnemia* sp.**

*Plectrocnemia* sp.: Kumanski 1992, 64, N (PN), F.

Genus *Polyplectropus* Ulmer, 1905 나도깃날도래속\*

**51. *Polyplectropus malickyi***

Nozaki, Katsuma and Hattori, 2010

말리키깃날도래

*Polyplectropus malickyi* Nozaki, Katsuma and Hattori, 2010, Denisia 29, 239-241, f 3a-g, 5a-c; Park *et al.* 2017, 2-3, f 2, S (GB, GN), M, F; Oláh *et al.* 2018, 105-106, f 4-6, N (NGW), M.

**52. *Polyplectropus nocturnus* Arefina, 1996**

그물깃날도래

*Polyplectropus nocturnus* Arefina, 1996, in Arefina *et al.* (1996), Aq Ins 18: 61-64, f 1-7; Hwang 2006, 73, f 180-184, S (GG), M; Hwang and Chun 2006, 96, f 7-8, 15-16, S (GG), M.

**Family Ecnomidae Ulmer, 1903 별날도래과**

Genus *Ecnomus* McLachlan, 1864 별날도래속

**53. *Ecnomus japonicus* Fischer, 1970 셋별날도래**

*Ecnomus serrata* Kobayashi, 1959, Bull nat Sci Mus 4, 347-348, f 3a-c. Preoccupied by *Ecnomus serrata* Ulmer, 1930, and renamed by Fischer (1970).

*Ecnomus japonicus* Fischer, 1970, Ent Ber, Amst 30, 242; Kuhara 2016, 566-568, f 4, S (GB), M, F.

*Ecnomus tsudai* Kumanski, 1992, Ins Koreana 9, 62-63, f 35-40, N (PB, PN, PY), M, F; Hwang 2006, 74-75, f 185-189, S (GG), M. Synonymized by Kuhara (2016).

**54. *Ecnomus tenellus* (Rambur, 1842) 별날도래**

*Philopotamus tenellus* Rambur, 1842, Hist nat Nevr, 503.

*Ecnomus tenellus* (Rambur, 1842): Botosaneanu, 1970, 302, N (PY), M; Yoon and Kim 1988, 457-458, f 10, S (JJ), L; Yoon and Kim 1989a, 30, f 17-19, S (JJ), L; Kumanski 1992, 62, N (HHN, PY), M, F; Oláh *et al.* 2018, 104, S (GG), M.

**55. *Ecnomus yamashironis* Tsuda, 1942 밝은별날도래**

*Ecnomus yamashironis* Tsuda, 1942b, Mem Coll Sci Kyoto B 17, 267-268, f 25-26; Botosaneanu 1970, 302-303, pl 28 f 3, N (PY), M; Kumanski 1992, 62, N (PY), M, F; Oláh *et al.* 2018, 104, N (PN), M.

***Ecnomus* sp.**

*Ecnomus* sp.: Malicky 1993, 14, N (PB), F.

***Ecnomus* sp.**

*Ecnomus* spec.: Mey 1989, 300, N (PY), F.

**Family Pseudoneureclipsidae Ulmer, 1951**

가슴띠날도래과\*

Genus *Pseudoneureclipsis* Ulmer, 1913

가슴띠날도래속\*

**56. *Pseudoneureclipsis botosaneanui* Morse, 2001**

한국가슴띠날도래\*

*Pseudoneureclipsis botosaneanui* Morse, 2001, in Li *et al.* (2001), Aquatic Ins 23(2), 116.

*Pseudoneureclipsis ussuriensis* Martynov, 1934: Botosaneanu, 1970, 300-301, pl 22 f 3-5, pl 24-26, N (PB), M, F. Misidentification mentioned by Li *et al.* (2001).

**57. *Pseudoneureclipsis proxima* Martynov, 1934**

부채띠가슴날도래\*

*Pseudoneureclipsis proxima* Martynov, 1934, Tabl analyt Faune URSS 13, 182-185, 333, f 124a-b; Kumanski 1992, 63, N (PB), M, F.

Suborder Integripalpia Martynov, 1924 무환수아목

**Family Hydroptilidae Stephens, 1836 애날도래과**

Subfamily Hydroptilinae Stephens, 1836

애날도래아과\*

Genus *Hydroptila* Dalman, 1819 애날도래속**58. *Hydroptila angulata* Mosely, 1922 뽕족애날도래**

*Hydroptila angulata* Mosely, 1922, Tr ent Soc London, 178-180, pl 2 f 4-6.

*Hydroptila emarginata* Martynov, 1927: Botosaneanu 1970, 289, pl 13, N (PY), M, F; Kumanski 1990, 46-48, N (PN, PY), M, F. Synonymized by Malicky (1997).

**59. *Hydroptila asymmetrica* Kumanski, 1990**

다른애날도래

*Hydroptila asymmetrica* Kumanski, 1990, Historia Naturalis Bulgarica 2, 50, f 56-63, N (NGW), M, F.

**60. *Hydroptila botosaneanui* Kumanski, 1990**

꼬마애날도래

*Hydroptila botosaneanui* Kumanski, 1990, Historia Naturalis Bulgarica 2, 48-49, f 51-55, N (NGW, PB), M, F.

**61. *Hydroptila coreana* Kumanski, 1990 한국애날도래**

*Hydroptila coreana* Kumanski, 1990, Historia Naturalis Bulgarica 2, 52-54, f 72-79, N (NGW, PB), M, F.

**62. *Hydroptila dampfi* Ulmer, 1929 늪애날도래**

*Hydroptila dampfi* Ulmer, 1929, Zool Anz 80: 264-266, f 10-12; Park *et al.* 2018, 102-103, f 2A-F, S (GN), M, F.

*Hydroptila* sp.: Kumanski 1990, 56-57, f 87-90, N (PN), F. Mentioned by Park *et al.* (2018).

**63. *Hydroptila extrema* Kumanski, 1990 막내애날도래**

*Hydroptila extrema* Kumanski, 1990, Historia Naturalis Bulgarica 2, 50-52, f 64-71, N (PB, PY), M, F.

**64. *Hydroptila giama* Oláh, 1989 어리애날도래**

*Hydroptila giama* Oláh, 1989, Acta zool Hung 35(3-4): 285.

*Hydroptila hubenovi* Kumanski, 1990, 54-55, f 80-86, N (NGW), M, F. Synonymized by Malicky (2013).

**65. *Hydroptila introspinata* Zhou and Sun, 2009**

팔가시애날도래

*Hydroptila introspinata* Zhou and Sun, 2009, in Zhou

*et al.* (2009), 906-908, 910-911, f 12-16; Park *et al.* 2018, 103, f 2G-L, S (GB), M.

**66. *Hydroptila moselyi* Ulmer, 1932 첫애날도래**

*Hydroptila moselyi* Ulmer, 1932, Peking nat Hist Bull 7, 42-43, f 5; Kumanski 1990, 48, f 48-50, N (PB, PY), M.

**67. *Hydroptila phenianica* Botosaneanu, 1970**

고은애날도래

*Hydroptila phenianica* Botosaneanu, 1970, Anns zool Warsz 17: 290-291, pl 12, N (PY), M, F; Kumanski 1990, 48, N (NGW, PN), M, F.

***Hydroptila* KUa 애날도래 KUa**

*Hydroptila* KUa: Yoon and Kim 1988, 498, f 41, S (GG, JB), L.

Genus *Oxyethira* Eaton, 1873 긴다리에날도래속**68. *Oxyethira campanula* Botosaneanu, 1970**

방울애날도래

*Oxyethira campanula* Botosaneanu, 1970, Anns zool Warsz 17, 291-292, pl 14, N (PB), M.

**69. *Oxyethira josifovi* Kumanski, 1990**

이슬방울애날도래

*Oxyethira josifovi* Kumanski, 1990, Historia Naturalis Bulgarica 2, 57-59, f 91-98, N (NGW), M, F; Oláh and Ito 2013, 29, f 5-8, N (NGW), M.

**Remarks.** This species was synonymized with *O. datra* Oláh 1989 by Malicky and Chantaramongkol (2007), but Oláh and Ito (2013) recognized these species as two distinct species.

**70. *Oxyethira miea* Oláh and Ito, 2013 엄지애날도래**

*Oxyethira miea* Oláh and Ito, 2013, Opuscula Zoologica Budapest 44(1), 42-43, f 53-56; Park *et al.* 2018, 107-108, f 4, S (GB), M, F.

***Oxyethira* sp.**

*Oxyethira* sp.: Kumanski 1990, 59, f 99-101, N (NGW), F.

Subfamily Orthotrichiinae Nielsen, 1948

네모애날도래아과\*

Genus *Orthotrichia* Eaton, 1873 네모애날도래속**71. *Orthotrichia coreana* Ito and Park, 2016**

한국네모애날도래

*Orthotrichia coreana* Ito and Park, 2016, Anim Sys Evol Divers 32(3), 230-233, f 1-2, S (GB), M, F.

**72. *Orthotrichia costalis* (Curtis, 1834) 뿔애날도래**

*Hydroptila costalis* Curtis, 1834, Phil Mag 4, 218.

*Orthotrichia costalis* (Curtis, 1834): Park *et al.* 2018, 103–104, f 3A–C, S (GB, GN), M, F.

**73. *Orthotrichia tragetti* Mosely, 1930** 민숭애날도래  
*Orthotrichia tragetti* Mosely, 1930, Tr ent Soc London 78, 237, 247–249, f 25–26; Park *et al.* 2018, 104–107, f 3D–F, S (GN), M, F.

Subfamily Stactobiinae Botosaneanu, 1956

여울애날도래아과\*

Genus *Stactobia* McLachlan, 1880 여울애날도래속

**74. *Stactobia nishimotoi***

**Botosaneanu and Nozaki, 1996** 두고리아애날도래  
*Stactobia nishimotoi* Botosaneanu and Nozaki, 1996, Bull Zool Mus Univ Amsterdam 15(8), 58–59, 61, f 15–18; Park *et al.* 2018, 108, f 5, S (GN), M.

**75. *Stactobia sujansanica* Kumanski, 1990**

수양산애날도래\*

*Stactobia sujansanica* Kumanski, 1990, Historia Naturalis Bulgarica 2, 46, f 39–47, N (HHN), M, F.

***Stactobia* sp.**

*Stactobia makartschenkoi* Botosaneanu and Levanidova, 1988, Bull zool Mus 11: 169, 171, f 1–9; Oh and Kong 2014, 158, f 2, S (GW), L. **Misidentification.**

**Remarks.** Oh and Kong (2014) recorded *S. makartschenkoi* based on a larval specimen. However, the larva deposited in Kyonggi University does not have the diagnostic characters of *S. makartschenkoi* provided by Ito (2017) (Park and Ito unpublished data).

**Hydroptilidae Gen. sp.**

Hydroptilidae indet.: Botosaneanu 1970, 292, N (HGN, PB), F.

**Family Glossosomatidae Wallengren, 1891**

광택날도래과

Subfamily Agapetinae Martynov, 1913

큰광택날도래아과\*

Genus *Agapetus* Curtis, 1834 큰광택날도래속

**76. *Agapetus jakutorum* Martynov, 1934** 큰광택날도래

*Agapetus jakutorum* Martynov, 1934, Tabl analyt Faune URSS 13, 97, 104, 329, f 63a–c.

*Synagapetus jakutorum* (Martynov, 1934): Kumanski 1990, 45, N (HHN), M.

**77. *Agapetus sibiricus* Martynov, 1918**

시베리아큰광택날도래

*Agapetus sibiricus* Martynov, 1918, Annuaire Mus Petrograd 22 (1917), 49–50, f 5–7; Hwang 2006, 42–43, f

72–77, S (CB, GG, GW), M; Oláh *et al.* 2018, 113, N (PB), M.

*Synagapetus sibiricus* (Martynov, 1918): Botosaneanu 1970, 289, pl 11, N (HGB, NGW, PB), M, F; Mey 1989, 300, N (HHN, NGW, PB), M, F; Kumanski 1990, 45, N (NGW, PB, PN, PY), M, F.

*Synagapetus japonicus* Tsuda, 1940c, Annot Zool Japan, 194, f 5–6; Kim 1974 (as *Synagepetus*), 8, f 21, S (GW), P, L. Synonymized by Kim (1974) and Nozaki and Tanida (2007).

***Agapetus* KUa** 큰광택날도래 KUa

*Agapetus* KUa: Yoon and Kim 1988, 495–496, f 40, S (GG, GN, GW), L; Yoon and Kim 1989b, 306, f 58–60, S (GG, GW), L.

Subfamily Glossosomatinae Wallengren, 1891

광택날도래아과\*

Genus *Glossosoma* Curtis, 1834 광택날도래속

**78. *Glossosoma altaicum* (Martynov, 1914)**

알타이광택날도래

*Mystrophora altaica* Martynov, 1914a, Rev russe Ent 14, 72–75, f 1–4.

*Synafophora altaicum* (Martynov, 1914): Botosaneanu 1970, 289, N (PB), M; Kumanski 1990, 43, f 25–33, N (NGW, PB), M, F.

*Glossosoma altaicum* (Martynov, 1914): Kobayashi 1989, 5, S (GW), M, F; Malicky 1993, 14, N (PB), M, F; Hwang 2006, 39–40, f 58–64, S (CB, GG, GW), M; Oláh *et al.* 2018, 115, N (PB), M, F.

**79. *Glossosoma ussuricaum* (Martynov, 1934)**

우수리광택날도래

*Mystrophora ussurica* Martynov, 1934, Tabl analyt Faune URSS 13: 76, 79–80, 326–327, f 43a–c.

*Mystrophora inops* Tsuda, 1940c: Kim 1974, 8, f 20, S (GB, GW), L; Lee and Kim 1993, 265, N (RG), L. Synonymized by Minakawa *et al.* (2004).

*Synafophora ussuricum* (Martynov, 1934): Kumanski 1990, 44–45, f 34–38, N (NGW, PB), M, F.

*Glossosoma ussuricum* (Martynov, 1934): Malicky 1993, 14, N (HHN, PB), F; Hwang 2006, 40–42, f 65–71, S (CB, GG, GN, GW), M; Oláh *et al.* 2018, 115, N (NGW), M.

***Glossosoma* KUa** 광택날도래 KUa

*Glossosoma* KUa: Yoon and Kim 1988, 494–495, f 39, S (CB, CN, GG, GN, GW, JB, JN), L; Yoon and Kim 1989b, 305–306, f 53–57, S (CB, GG, GW), L.

***Glossosoma* sp.**

*Glossosoma boltoni* Curtis, 1834: Yamada 1938, 2–3, N (HGN, NGW, PB, PN), S (GB, JN), P, L.

**Remarks.** Yamada (1938) reported the larvae and pupae as *G. boltoni* from Korea, probably based on Iwata (1927a), but the larval identification of the species in this genus was not reliable at that time. Nozaki *et al.* (1994) mentioned that the records of *G. boltoni* from Japan was based on misidentification.

***Glossosoma* sp.**

*Glossosoma* (s. lat.!) sp.: Botosaneanu 1970, 289, N (HGB), F.

Subfamily Protoptilinae Ross, 1956

옛광택날도래아과\*

Genus *Padunia* Martynov, 1910 세잎광택날도래속\*

**80. *Padunia fasciata* (Tsuda, 1942) 가람광택날도래**  
*Uenotrichia fasciata* Tsuda, 1942a, Mem Coll Sci Kyoto b 17: 228–229, 255, f 1–2, N (RG), M, F.

**Family Hydrobiosidae Ulmer, 1905 긴발톱물날도래과**

Subfamily Apsilochoreminae Neboiss, 1977

긴발톱물날도래아과\*

Genus *Apsilochorema* Ulmer, 1907 긴발톱물날도래속

**81. *Apsilochorema sutshanum* Martynov, 1934**

긴발톱물날도래

*Apsilochorema sutshanum* Martynov, 1934, Tabl analyt Faune URSS 13, 71, 72, 326, f 39, 40a–c; Hwang 2006, 37–38, f 52–57, S (JB, SL), M; Oláh *et al.* 2018, 113, N (NGW), M.

*Apsilochorema coreanum* Botosaneanu, 1970, 288–289, pl 10, N (PB), F; Kumanski 1990, 43, N (NGW), F. Synonymized by Mey (1999a).

*Apsilochorema* KUa: Yoon and Kim 1988, 491–492, f 38, S (CB, GB, GG, GN, GW, JJ, SL), L; Yoon and Kim 1989b, 305, f 48–52, S (CB, GB, GG, GW, SL), L.

**Remarks.** The larval descriptions and illustrations by Yoon and Kim (1988; 1989b) are identical to the characters provided by Lepneva (1964) and Hattori (2005a).

**Family Rhyacophilidae Stephens, 1836 물날도래과**

Genus *Rhyacophila* Pictet, 1834 물날도래속

**82. *Rhyacophila angulata* Martynov, 1910**

그물무늬물날도래

*Rhyacophila angulata* Martynov, 1910, Annuaire Mus St Petersburg 15, 414–417, f 55–56; Botosaneanu 1970, 283, pl 8 f 7, N (HGB, PB), M, F; Mey 1989, 296, N (HHN), M; Kumanski 1990, 40, N (NGW, PB), M, F; Lee and Kim 1993, 264, N (RG), L; Hwang 2006, 25–26, f 1–5, S (CB, GN, JB, JN), M; Oláh *et al.* 2018, 111, N (HGB, NGW, PB), M.

**83. *Rhyacophila articulata* Morton, 1900** 주름물날도래  
*Rhyacophila articulata* Morton, 1900, Tr ent Soc London, 5, pl 1 f 10–11; Kim 1974, 3–4, f 1, S (GW), L; Yoon and Kim 1988, 483–484, f 29, S (CB, GG, GN, GW), L; Yoon and Kim 1989b, 302, f 21–24, S (CB, GG, GN, GW), L; Lee and Kim 1993, 264, N (RG), L.

**Remarks.** This species was recorded based solely on larval materials from Korea, probably referring to the larval description by Tsuda and Akagi (1962). Hattori (2005b) pointed out that taxonomic problems remain in the *Acropedes* species group including this species. Further study of this Korean larva, especially the larval and adult association, is needed.

**84. *Rhyacophila bilobata* Ulmer, 1907** 두잎물날도래

*Rhyacophila bilobata* Ulmer, 1907, Cat Coll Selys 6 (1), 84–85, f 129–130; Yoon and Kim 1988, 486–487, f 33, S (JN), L; Yoon and Kim 1989b, 303, f 31–33, S (JN), L. *Rhyacophila niwae* Iwata, 1927b: Yamada 1938, 2, S (GB, GN), P, L; Kim 1974, 5, f 5, S (GB), L; Lee and Kim 1993, 264, N (RG), L.

**Remarks.** *Rhyacophila niwae* was synonymized with *R. bilobata* by Tanida (1985), but Hattori (2005b) recognized each species as a distinct species based on adults. Hattori (2005b) pointed out these two species are indistinguishable from each other by the larval morphology. In addition, adults of these two species have not been reported from Korea yet. We tentatively list all the records identified as *R. bilobata* or *R. niwae* from Korea as *R. bilobata*. It is necessary to associate Korean larvae with their adults.

**85. *Rhyacophila brevicephala* Iwata, 1927**

넓은머리물날도래

*Rhyacophila brevicephala* Iwata, 1927a, Zool Mag 39, 212, 214, 217, f 1, 37, 38; Kim 1974, 4–5, f 4, S (GG, GW), L; Yoon and Kim 1988, 484–485, f 30, S (CN, GG, GN, GW); Yoon and Kim 1989b, 303, f 18–20, S (CN, GG, GW), L.

**Remarks.** This species, originally described from Japan, has been recorded based on only larval materials, but the adults have not been found from Korea.

**86. *Rhyacophila clemens* Tsuda, 1940**

클레멘스물날도래

*Rhyacophila clemens* Tsuda, 1940b, Annot zool Jap 19, 124–125, 135, f 8; Yoon and Kim 1988, 485, f 31, S (CN, GG, GN, GW), L; Yoon and Kim 1989b, 303, f 25–27, S (CB, CN, GB, GG, GN, GW), L.

**Remarks.** This species, originally described from Japan,

has been recorded based on larval materials, but adults of this species have not been reported from Korea.

**87. *Rhyacophila confissa* Botosaneanu, 1970**

덕유산물날도래

*Rhyacophila confissa* Botosaneanu, 1970, Annlz zool Warsz 17: 285–287, pl 6, pl 9 f 5–8, N (HGB), M, F; Ko and Park 1988, 9, f 16–18, S (GW, JB), M, F; Hwang 2006, 26–27, f 6–10, S (GG, GW), M, F; Oláh *et al.* 2018, 111, N (PB), M, F.

**88. *Rhyacophila coreana* Tsuda, 1940** 참물날도래

*Rhyacophila coreana* Tsuda, 1940b, Annot zool Jap 19, 122–123, 135, f 5, N (HGB), M, F; Tsuda 1942a, 227, N (HGB), M, F; Botosaneanu 1970, 279, pl 1, N (HGN), M; Oláh 1985, 137, N (NGW), M; Ko and Park 1988, 10, f 27–29, S (GW), M; Mey 1989, 296, N (HHN), M; Kumanski 1990, 38, f 1–4, N (HHB, PY), M, F; Oláh *et al.* 2018, 111, N (NGW), M.

**89. *Rhyacophila impar* Martynov, 1914** 거친물날도래

*Rhyacophila impar* Martynov, 1914a, Rev Russe Ent 14, 77–79, f 7–9; Botosaneanu 1970, 288, pl 8 f 8, N (HGB, HGN), M, F; Yoon and Kim 1988, 480, f 25, S (GG, GW), L; Yoon and Kim 1989b, 301, f 5–7, S (GG, GW), L; Oláh *et al.* 2018, 111, N (PB), M, F.

*Rhyacophila* sp.: Kumanski 1990, 41–43, f 21–24, N (PB), F. Mentioned by Arefina (2001).

**90. *Rhyacophila kawamurae* Tsuda, 1940**

카와무라물날도래

*Rhyacophila kawamurae* Tsuda, 1940b, Annot zool Jap 19, 130–131, 135, f 17, N (HGB), M; Tsuda 1942a, 228, N (HGB), M; Ko and Park 1988, 10, f 30–32, S (CN, GW, JB), M, F; Hwang 2006, 27–28, f 11–14, S (GG, GW, JN), M.

**Remarks.** Malicky (2014) synonymized this species with *R. manuleata*, but Kuranishi (2016) recognized each species as a distinct species.

**91. *Rhyacophila kumgangsanicum* Kumanski, 1990**

금강산물날도래

*Rhyacophila kumgangsanicum* Kumanski, 1990, Historia Naturalis Bulgarica 2, 41, f 14–20, N (NGW), M; Hwang 2006, 28–29, f 15–19, S (GG, GW), M; Oláh *et al.* 2018, 111, S (GW), M.

**92. *Rhyacophila kuramana* Tsuda, 1942** 계곡물날도래

*Rhyacophila kuramana* Tsuda, 1942b, Mem Coll Sci Kyoto B 17, 247–248, f 5–6; Yoon and Kim 1988, 486, f 32, S (GB, SL), L; Yoon and Kim 1989b, 303, f 28–30, S (GB, SL), L.

**Remarks.** This species, originally described from Japan, has been recorded based solely on larval materials, but the adults have not been found from Korea.

**93. *Rhyacophila lata* Martynov, 1918** 올챙이물날도래

*Rhyacophila lata* Martynov, 1918, Annuaire Mus Petrograd 22, 46–48, f 1–4; Botosaneanu 1970, 285, pl 8 f 3–4, N (NGW, PB), M, F; Ko and Park 1988, 8–9, f 9–12, S (GW), M, F; Mey 1989, 296, N (HHN), M, F; Kumanski 1990, 39, N (HGB, HHB, HHN, NGW, PB, PN, RG), M, F; Malicky 1993, 14, N (PB), M; Lee and Kim 1993, 264, N (RG), A; Hwang 2006, 29–31, f 20–24, S (CB, CN, GB, GG, GN, GW, JB, JN), M; Oláh *et al.* 2018, 111–112, N (PB), M, F.

*Rhyacophila nigrocephala* Iwata, 1927a: Kim 1974, 4, f 3, S (GB, GG, GW), L; Yoon and Kim 1988, 488, f 35, S (CB, CN, GB, GG, GN, GW, JN, JJ, SL), L; Yoon and Kim 1989b, 304, f 37–39, S (GG, SL), L; Lee and Kim 1993, 264, N (RG), L. **Misidentification.**

*Rhyacophila* sp. KA: Kim 1974, 6, f 10–11, S (GG, GW), P (M), L.

**Remarks.** All Korean records as *R. nigrocephala*, originally described from Japan, must have been based on the identification referring to Japanese literature (Tsuda and Akagi, 1962; Tanida, 1985). However, the larval characters also agree with those of *R. lata*, described from continental Russia (Lepneva, 1964). DNA barcoding data of larvae of Korean ‘*nigrocephala*’ and adults of *R. lata* suggested that the Korean larvae belong to *R. lata*. The male genitalia of *Rhyacophila* sp. KA, illustrated by Kim (1974) clearly shows that this species also belongs to *R. lata*.

**94. *Rhyacophila manuleata* Martynov, 1934**

사랑무늬물날도래

*Rhyacophila manuleata* Martynov, 1934, Tabl analyt Faune URSS 13, 38, 69–70, 324–325, f 37a–c; Botosaneanu 1970, 285, pl 8 f 5–6, N (HGB, HGN, NGW), M, F; Ko and Park 1988, 8, f 5–8, S (GW, JB), M, F; Kobayashi 1989, 3–4, S (GN, GW), M; Mey 1989, 296, N (HHN), M, F; Lee and Kim 1993, 264, N (RG), L; Oláh *et al.* 2018, 112, N (HGB), M.

**95. *Rhyacophila maritima* Levanidova, 1977**

잔털물날도래\*

*Rhyacophila maritima* Levanidova, 1977, Trudy biol-pochvenn Inst, Vladivostok 45(148), 64; Mey 1989, 296, f 1–2, N (RG), M; Hwang 2006, 31–32, f 25–29, S (GG, GW), M; Oláh *et al.* 2018, 112, S (GW), M.

**96. *Rhyacophila mjohjangsanica* Botosaneanu, 1970**

묘향산물날도래

*Rhyacophila mjohjangsanica* Botosaneanu, 1970, Annlz zool Warsz 17, 283–285, pl 5, pl 9 f 1–4, N (HGN), M,

F; Oláh *et al.* 2018, 112, N (PB), M.

**97. *Rhyacophila mroczkowskii* Botosaneanu, 1970**

톱가지물날도래

*Rhyacophila mroczkowskii* Botosaneanu, 1970, Annlz zool Warsz 17, 279–280, pl 2, pl 9 f 9–10, N (HGB, HGN, PB), M, F; Ko and Park 1988, 9, f 13–15, S (GW), M; Kumanski 1990, 39, N (HHN, NGW, PB), M, F; Malicky 1993, 14, N (PB), M; Hwang 2006, 32, f 30–34, S (GB), M.

**98. *Rhyacophila narvae* Navás, 1926** 무늬물날도래

*Rhyacophila narvae* Navás, 1926, Ent Mitt 15, 57, pl 1 f 7; Botosaneanu 1970, 280, pl 8 f 1–2, N (HGB), M, F; Yoon and Kim 1988, 482–483, f 28, S (GB, GN, GW), L; Yoon and Kim 1989b, 302, f 15–17, S (GN, GW), L; Kobayashi 1989, 4, S (GN), M, F; Kumanski 1990, 39, N (HHB, PB), M; Lee and Kim 1993, 264, N (RG), L; Oláh *et al.* 2018, 112, N (NGW, PB), M, F.

*Rhyacophila cf. tonneri* Mey, 1989: Kumanski 1990, 39, f 5–9, N (HGB, NGW), F.

*Rhyacophila* sp. KB: Kim 1974, 6, f 14 (as f 12), S (GG, JB), L.

**Remarks.** Kumanski (1990) recorded two females as *R. cf. tonneri* from Korea, and pointed out that they were identical to the female of *R. narvae* recorded in Botosaneanu (1970). Arefina (2001) described the female of *R. narvae* using Russian materials, and recognized that Botosaneanu (1970)'s female belongs to *R. narvae*. The larva described as *Rhyacophila* sp. KB by Kim (1974) is identical to the larva described as *R. narvae* by Yoon and Kim (1988; 1989b).

**99. *Rhyacophila retracta* Martynov, 1914**

용수물날도래

*Rhyacophila retracta* Martynov, 1914a, Rev Russe Ent 14, 75–77, f 5–6; Botosaneanu, 1970, 285, pl 8 f 9, H (HGN, PB), M, F; Emoto 1979, 561, f 2A–B, f 3, f 5A, 5E, 5I, S (GB), M, F; Ko and Park 1988, 9–10, f 24–26, S (GW, JB), M, F; Yoon and Kim 1988, 480–481, f 26, S (GB, GG, GN, GW, JB, SL), L; Yoon and Kim 1989b, 301, S (GB, GG, GN, GW, JB, SL), L; Kumanski 1990, 41, N (NGW), M, F; Lee and Kim 1993, 264, N (RG), L; Choe and Woo 1998, 73, S (JN), M; Hwang 2006, 33, f 35–39, S (CB, GG, GW, JB, JN), M, F; Oláh *et al.* 2018, 112, N (HGB, PB, PY), M; Nozaki *et al.* 2019, 2, f 2A–C, S (GN), M.

*Rhyacophila uchidai* Kobayashi, 1989, 4, f 2, S (GN), M. Synonymized by Nozaki *et al.* (2019).

*Rhyacophila* sp. RC: Kim 1974, 5, f 6–8, S (GB), M, P, L.

**Remarks.** The larva described as *Rhyacophila* sp. RC by Kim (1974) is identical to the larva described as *R.*

*retracta* by Yoon and Kim (1988; 1989b).

**100. *Rhyacophila riedeliana* Botosaneanu, 1970**

꼬마물날도래

*Rhyacophila riedeliana* Botosaneanu, 1970, Annlz zool Warsz 17, 280–281, pl 3, N (HGN), M; Kumanski 1990, 39, f 10–13, N (NGW, PB), M, F; Hwang 2006, 34, f 40–42, S (GW), M; Oláh *et al.* 2018, 112, N (HGB), M.

**101. *Rhyacophila shikotsuensis* Iwata, 1927**

민무늬물날도래

*Rhyacophila shikotsuensis* Iwata, 1927a, Zool Mag 39, 212, 214, 216, f 33–34; Yoon and Kim 1988, 487–488, f 34, S (GB, GG, GN), L; Yoon and Kim 1989b, 303–304, f 34–36, S (GG, GN, JN), L.

*Rhyacophila* sp. RE: Kim 1974, 6, f 9, S (GB, GG, GW), L. Associated by Tanida (1985).

**Remarks.** This species, originally described from Japan, has been recorded based on only larval materials, but the adults have not been found from Korea.

**102. *Rhyacophila sibirica* McLachlan, 1879**

시베리아물날도래

*Rhyacophila sibirica* McLachlan, 1879, Rev Syn, 465–466, pl 49 f 1–4; Yoon and Kim 1988, 481–482, f 27, S (GB, GG, GN, GW, JB, SL), L; Yoon and Kim 1989b, 302, f 12–14, S (GB, GG, GN, GW, JB, SL), L.

**Remarks.** This species, originally described from Siberia, Russia, has been widely recorded from Korea, but the adults of this species have yet to be recorded from Korea.

**103. *Rhyacophila singularis* Botosaneanu, 1970**

검은줄물날도래

*Rhyacophila singularis* Botosaneanu, 1970, Annlz zool Warsz 17, 281–283, pl 4, N (HGB), M; Ko and Park 1988, 9, f 19–23, S (JB), M; Hwang 2006, 34–35, f 43–47, S (CB, GW), M, F.

**104. *Rhyacophila soldani* Mey, 1989**

알록가슴물날도래\*

*Rhyacophila soldani* Mey, 1989, Acta Ent Bohemoslov 86, 296–298, f 3–4, N (RG), M; Oláh *et al.* 2018, 112, S (GW), M.

**105. *Rhyacophila szeptyckii* Malicky, 1993**

평안물날도래\*

*Rhyacophila szeptyckii* Malicky, 1993, Braueria 20, 14, figs, N (PB), M, F.

**106. *Rhyacophila tonneri* Mey, 1989** 맑은물날도래

*Rhyacophila tonneri* Mey, 1989, Acta Ent Bohem 86,

298–300, f 5–10, N (RG), M, F.

**107. *Rhyacophila vicina* Botosaneanu, 1970**

집계물날도래

*Rhyacophila vicina* Botosaneanu, 1970, Annls zool Warsz 17, 287–288, pl 7, N (HGB, PB), M, F; Kumanski 1990, 39, N (HHB, NGW), M, F; Hwang 2006, 35–36, f 48–51, S (CB, GG, GW), M; Oláh *et al.* 2018, 112–113, N (HGB, NGW, PB), M; Nozaki *et al.* 2019, 2–3, f 2D–F, S (GN), M, F.

*Rhyacophila jirisana* Kobayashi, 1989, 4, f 3, S (GN), M, F. Synonymized by Nozaki *et al.* (2019).

**108. *Rhyacophila yamanakensis* Iwata, 1927**

곤봉물날도래

*Rhyacophila yamanakensis* Iwata, 1927a, Zool Mag 39, 212, 214, 217, f 28–30; Kim 1974, 4, f 2, S (GG, GW), L; Yoon and Kim 1988, 479, f 24, S (GG, JB), L; Yoon and Kim 1989b, 301, f 1–4, S (GG, JB), L.

**Remarks.** This species, originally described from Japan, has been recorded based only on larval materials, but the adults have not been found from Korea.

***Rhyacophila* KC**

*Rhyacophila* KC: Kim 1974, 6–7, f 13, S (GW), L.

***Rhyacophila* KE**

*Rhyacophila* KE: Kim 1974, 7, f 15, S (GW), L.

***Rhyacophila* KF**

*Rhyacophila* KF: Kim 1974, 7, f 16, S (GG), L.

***Rhyacophila* KG**

*Rhyacophila* KG: Kim 1974, 7–8, f 17–19, S (GB), M, P, L.

***Rhyacophila* KUa 물날도래 KUa**

*Rhyacophila* KUa: Yoon and Kim 1988, 489–490, f 36, S (CN, GB, GG, GN, GW, JB, JN), L; Yoon and Kim 1989b, 304, f 43–47, S (CN, GG, GN, GW, JN), L.

*Rhyacophila* KD: Kim 1974, 7, f 12 (as f 14), S (GW), L.

**Remarks.** The characters of *Rhyacophila* KD provided by Kim (1974) clearly match those of *Rhyacophila* KUa.

***Rhyacophila* KUb 물날도래 KUb**

*Rhyacophila* KUb: Yoon and Kim 1988, 490, f 37, S (GB, GG, GW), L; Yoon and Kim 1989b, 304, f 40–42, S (GB, GG, GW), L.

***Rhyacophila* sp.**

*Rhyacophila hokkaidensis* Iwata, 1927a: Ko and Park 1988, 8, f 1–4, S (GW), M, F. Misidentification mentioned by Kuranishi (1999).

***Rhyacophila* sp.**

*Rhyacophila* sp.: Doi 1932, 75, N (NGW), F.

***Rhyacophila* sp.**

*Rhyacophila* sp.: Yamada 1938, 2, N (PB), S (GG, GN), P, L.

***Rhyacophila* sp.**

*Rhyacophila* sp.: Lee and Kim 1993, 264, N (RG), L.

**Family Phryganopsychidae Wiggins, 1959**

**등근날개날도래과**

Genus *Phryganopsyche* Wiggins, 1959

**등근날개날도래속**

**109. *Phryganopsyche latipennis* (Banks, 1906)**

등근날개날도래

*Phryganea latipennis* Banks, 1906, Proc ent Soc Wash 7, 107.

*Phryganopsis latipennis* (Banks, 1906): Doi 1932, 73, N (NGW), A.

*Phryganopsyche latipennis* (Banks, 1906): Oláh 1985, 137, N (NGW, PN), M, F; Yoon and Kim 1988, 506–508, f 44, S (CN, GG, JJ), L; Kumanski 1991b, 17, N (NGW, PB), M, F; Park 1999, 36–37, f 95–97, S (CB, GG, GN, GW, JB, JJ, JN), M, F, L; Hwang 2006, 87–88, f 232–236, S (CB, GG, GW, JB, SL), M, F; Oláh *et al.* 2018, 116, S (GW, JJ), M, F.

**Family Phryganeidae Leach, 1815 날도래과**

Subfamily Phryganeinae Leach, 1815 날도래아과\*

Genus *Agrypnia* Curtis, 1835 단발날도래속

**110. *Agrypnia czerskyi* (Martynov, 1924) 참단발날도래**

*Prophryganea czerskyi* Martynov, 1924b, CR Ac Sci Russie A, 78.

*Dasystegia czerskyi* (Martynov, 1924): Kuwayama 1973, 36, S (CB), A.

*Agrypnia czerskyi* (Martynov, 1924): Kumanski 1991b, 17, N (NGW, RG), M, F; Wiggins 1998, 103–105, f 77–78, Seishu (Chungdu), M, F.

**111. *Agrypnia incurvata* Wiggins, 1998**

굽은단발날도래\*

*Agrypnia incurvata* Wiggins, 1998, Caddis Fam Phryganeidae, 105–107, f 79–80, Korea (Chafunsoek), M.

**Remarks.** Wiggins (1998) reported this species from “Korea: Chafunsoek”, but we were unable to determine the exact locality.

**112. *Agrypnia picta* Kolenati, 1848 맵시단발날도래**

*Agrypnia picta* Kolenati, 1848, Gen Spec Trich 1, 23, 33, 79; Botosaneanu 1970, 303, N (NGW), M; Kumanski

1991b, 17, N (HHB, NGW), M, F; Wiggins 1998, 96–97, f 66–67, S (GG), M.

**113. *Agrypnia sordida* (McLachlan, 1871)**

소요산날도래

*Phryganea sordida* McLachlan, 1871, J Linn Soc London Zool 11, 103, 106.

*Prophryganea sordida* (McLachlan, 1871): Doi 1933, 95, S (GB, GG), A; Kamijo 1933, 48, S (GB), A.

*Dasytegia sordida* (McLachlan, 1871): Kuwayama 1973, 36, S (SL), A.

*Agrypnia sordida* (McLachlan, 1871): Wiggins 1998, 88–91, f 55–57, Chafunseok, M, F.

**114. *Agrypnia ulmeri* (Martynov, 1909) 흰등날도래**

*Phryganea ulmeri* Martynov, 1909, Annuaire Mus St Petersb 14, 236–241, 243, 257–258, f 9–12 in part.

*Phryganea ulmerina* Navás, 1920: Kuwayama 1922, 959, N (HGN), A.

*Prophryganea ulmeri* (Martynov, 1909): Doi 1932 (as *Prophrygades*), 73, S (SL), A; Kamijo 1933, 48, S (GB), A.

**Remarks.** Wiggins (1998) mentioned that Korean records of this species are doubtful because *A. acristata* Wiggins, 1998 was widely misidentified as *A. ulmeri*. However, Zhou *et al.* (2016) pointed out a taxonomic problem among *A. czerskyi*, *A. ulmeri* and *A. acristata*, and their relationship is not clear. We list this species for the Korean fauna until the problem is resolved.

***Agrypnia* sp.**

*Agrypnia pagetana* Curtis, 1835, Brit Ent, pl 540; Yoon and Kim 1988, 501–503, f 42, S (JJ), L.

**Remarks.** Yoon and Kim (1988) described a Korean larva as *A. pagetana*. Their description clearly shows that the larva belongs to the genus *Agrypnia*, but it cannot be identified to species. Although adults of five *Agrypnia* species have been recorded from Korea, no adults of *A. pagetana* have been found in Korea.

Genus *Eubasilissa* Martynov, 1930 공주날도래속\*

**115. *Eubasilissa regina* (McLachlan, 1871) 공주날도래**

*Holostomis regina* McLachlan, 1871, J Linn Soc London Zool 11, 103–104.

*Eubasilissa regina* (McLachlan, 1871): Lee and Kim 1993, 265, N (RG), L; Wiggins 1998, 227–228, f 228–230, “Korea (no date)”, M, F.

**Remarks.** Wiggins (1998) examined a specimen labelled only as “Korea (no date)”.

**116. *Eubasilissa signata* Wiggins, 1998** 셋별공주날도래  
*Eubasilissa signata* Wiggins, 1998, Caddis Fam Phryganeidae, 237–238, f 243–244, “Korea”, F.

**Remarks.** Wiggins (1998) examined a specimen labelled only as “Korea” without any more information. Kuranishi and Hsu (2019) mentioned a possibility that the single female described by Wiggins (1998) is not from Korea.

Genus *Oligotricha* Rambur, 1842 매끈날도래속\*

**117. *Oligotricha lapponica* (Hagen, 1864) 매끈날도래**  
*Neuronia lapponica* Hagen, 1864, Verh zool bot Ges 14, 852.

*Oligotricha lapponica* (Hagen, 1864): Kuwayama 1973, 37, S (GW), A; Wiggins 1998, 114–115, f 85–89, S (GW), F.

*Oligotricha* sp.: Kwon *et al.* 2013, 708–709, figs, S (GW), L.

**Remarks.** We reexamined specimens of *Oligotricha* sp. reported by Kwon *et al.* (2013), and identified it as *O. lapponica*.

Genus *Phryganea* Linnaeus, 1758 끝검은날도래속\*

**118. *Phryganea japonica* McLachlan, 1866**

끝검은날도래

*Phryganea japonica* McLachlan, 1866, Tr ent Soc London (3) 5, 248–249; Kuwayama 1922, 960, Korea (as Chosen), A; Doi 1932, 73, S (GG), A.

**Material examined.** South Korea: GW, Cheolwon-gun, 38°08'08.78"N 127°28'20.21"E, alt. 556 m; 29 vi 2017; col. H.S. Kwon.

**Remarks.** Wiggins (1998) doubted records of this species from Korea by Kuwayama (1922). However, we found one male specimen of *P. japonica* from Korea.

**119. *Phryganea sinensis* McLachlan, 1862 중국날도래**

*Phryganea sinensis* McLachlan, 1862, Tr ent Soc London (3) 1, 302–303; Kuwayama 1922, 960, N (PY), A; Doi (1932), 73, N (HHN), A; Wiggins 1998, 151, f 141–142, distribution; Hwang 2006, 84–85, f 224–227, S (CN, GG), M, F.

*Colpomera sinensis* (McLachlan, 1862): Kuwayama 1973, 42, N (PY), A.

***Phryganea* sp. KB**

*Neuronia* sp. KB: Kim 1974, 19, f 52, S (GB), L.

**Remarks.** Kim (1974) described a larva as *Neuronia* sp. KB, and the morphological characters such as markings



on the head and pronotum and setation of the mesonotum shows that the larva belongs to the genus *Phryganea*.

Genus *Semblis* Fabricius, 1775 골뚝날도래속

**120. *Semblis atrata* (Gmelin, 1789)**

희시무루표범날도래

*Phryganea atrata* Gmelin, 1789, Linn Syst Nat ed 13, 2634.

*Holostomis atrata* (Gmelin, 1789): Doi 1933, 95, N (HGB), A.

*Holostomis chinganica* Martynov, 1907: Kuwayama 1973, 40, N (HGB), A.

*Semblis atrata* (Gmelin, 1789): Oláh *et al.* 2018, 115–116, N (HGB), M.

**121. *Semblis phalaenoides* (Linnaeus, 1758)**

골뚝날도래

*Phryganea phalaenoides* Linnaeus, 1758, Syst Nat ed 10, 547.

*Neuronia phalaenoides* (Linnaeus, 1758): Kuwayama 1922 (as *N. phalanoides*), 957, S (GG), A.

*Holostomis phalaenoides* (Linnaeus, 1758): Doi 1932, 73, N (NGW, PN), S (GG), A; Lee and Kim 1993, 265, N (RG), L.

*Holostomis coreana* Kuwayama, 1967, 1–2, pl 1 f 1, pl 2 f 1–2, N (HGB), S (GG, GW), M, F; Kuwayama 1973, 39, N (HGB), S (GG, GW, SL), A. Synonymized by Mey (1989).

*Semblis phalaenoides* (Linnaeus, 1758): Yoon and Kim 1988, 503–505, f 43, S (GG, GN, GW), L; Mey 1989, 302–303, N (PB), M, F; Kumanski 1991b, 17, N (PB), M, F; Wiggins 1998, 195–198, f 193–198, S (GG, GW, Kanko (Chosen), Kongosan), M, F; Park 1999, 35, f 87–88, S (GG, GN, GW), M, F, L; Hwang 2006, 85–87, f 228–231, S (CB, GG, GW), M, F.

*Neuronia* sp. KA: Kim 1974, 18, f 50, S (JJ), L.

**Remarks.** Yoon and Kim (1988) pointed out the characters of *Neuronia* sp. KA by Kim (1974) were identical to those of *S. phalaenoides*, although the body size of *Neuronia* sp. KA is smaller than that of *S. phalaenoides*. We consider the difference may be due to the different larval stages.

**Family Brachycentridae Ulmer, 1903**

등근얼굴날도래과

Genus *Brachycentrus* Curtis, 1834

긴다리얼굴날도래속\*

**122. *Brachycentrus japonicus* (Iwata, 1927)**

긴다리얼굴날도래\*

*Brachycentriella japonica* Iwata, 1927a, Zool Mag 39, 259.

*Brachycentrus bilobatus* (Martynov, 1935): Botosaneanu 1970, 303, N (HGB), M, F. Synonymized by Nozaki (2005).

***Brachycentrus* sp.**

*Brachycentrus* sp.: Lee and Kim 1993, 266, N (RG), L.

Genus *Micrasema* McLachlan, 1876 등근얼굴날도래속

**123. *Micrasema gelidum* McLachlan, 1876**

찬얼굴날도래

*Micrasema gelidum* McLachlan, 1876, Trans Ento Soc London, 263–264; Botosaneanu 1970, 303, pl 29, N (HGB), M; Lee and Kim 1993 (as *M. geliolum*), 266, N (RG), L.

**124. *Micrasema hanasense* Tsuda, 1942**

등근얼굴날도래

*Micrasema hanasense* Tsuda, 1942b, Mem Coll Sci Kyoto B 17, 327–328, f 70–71; Hwang 2006, 89–90, f 237–243, S (CB), M; Hur 2009, 64–67, S (GW, JB), M, F, L.

*Micrasema* KUa: Yoon and Kim 1988, 509–510, f 45, S (GB, GW), L. Associated by Hur (2009).

***Micrasema* sp.**

*Micrasema* sp. (? *gelidum* McLachlan, 1876): Kumanski 1991b, 17–18, N (HHN), F.

***Micrasema* sp.**

*Micrasema* sp.: Lee and Kim 1993, 266, N (RG), L.

**Family Lepidostomatidae Ulmer, 1903**

네모집날도래과

Subfamily Lepidostomatinae Ulmer, 1903

네모집날도래아과\*

Genus *Lepidostoma* Rambur, 1842 네모집날도래속

**125. *Lepidostoma albardanum* (Ulmer, 1906)**

네모집날도래

*Maniconeura albardana* Ulmer, 1906, Not Leyden Mus 28, 26–28, f 32–34.

*Dinarthrodes kurentzovi* Martynov, 1935: Botosaneanu 1970, 307, N (PB), M; Oláh 1985, 137, N (PB), M; Kobayashi 1989, 5–6, S (GN, GW), M. Synonymized by Kumanski and Weaver (1992).

*Dinarthrodes albardanus* (Ulmer, 1906): Kumanski and Weaver 1992, 154–156, f 1–4, N (NGW, PB), M, F.

*Goerodes albardanus* (Ulmer, 1906): Choe and Woo 1998, 74–75, S (JN), M, F; Park and Bae 1998a, 365–366, f 11, S (CB, JB), M; Park 1999, 16–17, f 20, S (CB, JB), M; Hwang 2006, 118–120, f 334–339, S (CB, GG, GW, JB, JN), M.

*Lepidostoma albardanum* (Ulmer, 1906): Oláh *et al.*

2018, 116, N(NGW), S(GW), M.

**126. *Lepidostoma coreanum***

(Kumanski and Weaver, 1992) 털머리날도래

*Indocrunoecia coreana* Kumanski and Weaver, 1992, Aq Ins 14, 163–165, f 19–22, N(HHN, NGW, PB), M, F.

*Dinarthrum coreanum* (Kumanski and Weaver, 1992): Park and Bae 1998a, 366, f 12–13, S (JB), M; Park 1999, 16, f 17–18, S (JB), M.

*Lepidostoma coreanum* (Kumanski and Weaver, 1992): Hwang 2006, 120–121, f 340–345, S (CB, GG, GW, JB), M.

**127. *Lepidostoma elongatum* (Martynov, 1935)**

흰점네모집날도래

*Dinarthrodes elongatus* Martynov, 1935, Trav Inst zool Leningrad 2, 208, 379–384, f 186–191; Kobayashi 1989 (as *D. elongata*), 5, S (GN), M; Kumanski and Weaver 1992, 157–159, f 5–6, N(HHN, NGW, PB), M, F.

*Goerodes elongatus* (Martynov, 1935): Park and Bae 1999b, 304, f 1, S (GG), F, L; Park 1999, 18–19, f 19, 21–23, S (CB, GG, GW, JB), M, F, L.

*Lepidostoma elongatum* (Martynov, 1935): Hwang 2006, 121–123, f 346–351, S (CB, GB, GG, GN, GW, JN), M; Oláh *et al.* 2018, 116, N(NGW, PB), S(GW), M, F.

**128. *Lepidostoma hirtum* (Fabricius, 1775)**

거친네모집날도래

*Phryganea hirta* Fabricius, 1775, Syst Ent, 308.

*Ayabeopsyche nipponica* Tsuda, 1942b: Botosaneanu 1970, 307, N (PB), M. Synonymized by Kumanski and Weaver (1992).

*Lepidostoma hirtum* (Fabricius, 1775): Mey 1989, 304, N (PB), M; Kumanski and Weaver 1992, 165–166, f 23, N (PB), M, F; Oláh *et al.* 2018, 116, N(NGW, PB), M.

**129. *Lepidostoma itoae* (Kumanski and Weaver, 1992)**

한네모집날도래

*Dinarthrodes itoae* Kumanski and Weaver, 1992, Aq Ins 14, 161–163, f 15–18, N(HHN, NGW, PN, PY), M, F.

*Lepidostoma itoae* (Kumanski and Weaver, 1992): Hwang 2006, 123–124, f 352–357, S (CB, GG), M.

**130. *Lepidostoma myohyangsanicum***

(Kumanski and Weaver, 1992)

묘향산네모집날도래

*Dinarthrodes myohyangsanicus* Kumanski and Weaver, 1992, Aq Ins 14, 159–160, f 7–11, N (PB), M, F.

*Lepidostoma ebenacanthum* (Ito, 1992): Oh *et al.* 2013 (as *L. ebenacanthus*), 210–211, f 1, S (GW), M, F, L; Oh and Kong 2014, 157. **Misidentification.**

**Remarks.** We reexamined males and females used in Oh *et al.* (2013) and Oh and Kong (2014), and recognized them as a misidentification of *L. myohyangsanicum*.

**131. *Lepidostoma orientale* (Tsuda, 1942)**

동양네모집날도래

*Crunoeciella orientalis* Tsuda, 1942b, Mem Coll Sci Kyoto B 17, 329–331, f 72–74.

*Goerodes orientalis* (Tsuda, 1942): Mey 1989, 304, N (HHN), M; Kumanski and Weaver 1992, 166, f 24, N (NGW, PN), M, F.

*Lepidostoma orientale* (Tsuda, 1942): Hwang 2006, 125–126, f 364–369, S (CB, GB, GG, GN, GW), M; Oláh *et al.* 2018, 116, N(NGW), M.

**132. *Lepidostoma sinuatum* (Martynov, 1935)**

굽은네모집날도래

*Crunobiodes sinuata* Martynov, 1935, Trav Inst zool Leningrad 2, 208, 376–379, f 182, 185.

*Agoerodes spinosus* Oláh 1985, 139–140, f 2, N(NGW), M. Synonymized by Kumanski and Weaver (1992).

*Crunobiodes koriaensis* Kobayashi, 1989, 6, f 4, S (GN), M. Synonymized by Ito (2001) and Nozaki *et al.* (2019).

*Dinarthrodes sinuatus* (Martynov, 1935): Kumanski and Weaver 1992, 160–161, f 12–14, N(HHN, NGW, PN), M, F.

*Goerodes sinuatus* (Martynov, 1935): Park and Bae 1999b, 304, f 2–5, S (GG), M, L; Park 1999, 19, f 24–27, S (GG), M, L; Ito 2001, 8–9.

*Lepidostoma sinuatum* (Martynov, 1935): Hwang 2006, 124–125, f 358–363, S (GG, GN, GW), M; Oláh *et al.* 2018, 116, N(NGW), M; Nozaki *et al.* 2019, 4, S (GN), M.

***Lepidostoma* KUa** 네모집날도래 KUa

*Goerodes* KUa: Yoon and Kim 1988, 532–534, f 55, S (JN), L.

***Lepidostoma* KUb** 네모집날도래 KUb

*Dinarthrodes* sp. KA: Kim 1974, 23, f 63, S (GG), L.

*Goerodes* KUb: Yoon and Kim 1988, 534, f 56, S (CB, CN, GB, GG, GN, GW, JJ, JN, SL), L.

**Remarks.** A larva described as *Dinarthrodes* sp. KA by Kim (1974) is identical to *Lepidostoma* KUb.

***Lepidostoma* KA**

*Neoseverinia* sp. KA: Kim 1974, 23, f 62, S (GG), L.

**Remarks.** The genus *Neoseverinia* was synonymized with the genus *Lepidostoma* by Weaver (2002).

**Lepidostoma sp.**

*Lepidostoma japonicum* (Tsuda, 1936): Yamada 1938 (as *Atmyiella japonica*), 4–5, N (HGB, PB, PN), S (GB, GG, JB), P, L.

**Remarks.** Yamada (1938) identified some Korean larvae and pupae as *L. japonicum* (as *Atmyiella japonica*), originally described from Japan, but the species identification was not reliable at that time. Since then, many species related to *L. japonicum* have been found in Korea and Japan, but the adults of *L. japonicum* have not been collected in Korea.

**Lepidostomatidae gen. sp.**

Lepidostomatidae g. sp.: Malicky 1993, 14, N (PB), F.

**Family Goeridae Ulmer, 1903 가시날도래과**

Subfamily Goerinae Ulmer, 1903 가시날도래아과\*

Genus *Goera* Stephens, 1829 가시날도래속

**133. *Goera curvispina* Martynov, 1935** 방동가시날도래  
*Goera curvispina* Martynov, 1935, Trav Inst zool Leningrad 2, 208, 367–370, f 169–171; Choe *et al.* 1999, 46, f 10d–f, S (CN), M.

**134. *Goera horni* Navás, 1926** 알록가시날도래  
*Goera horni* Navás, 1926, Ent Mitt 15, 58, pl 1 f 9a–b; Gall *et al.* 2007, 106–108, f 2, N (PB), M; Oláh *et al.* 2018, 117, N (PB), M.

*Goera interrogationis* Botosaneanu, 1970, 305–307, pl 31, N (PB), M; Oláh 1985, 137, N (NGW), M; Lee and Kim 1993, 266, N (RG), A; Park and Bae 1998a, 362–364, f 1–2, S (CB, GG, JB, JN), M, F; Park and Bae 1999a, 366–367, f 2, S (GG), F, L; Park 1999, 10–11, f 2–4, 6, S (CB, GG, GW, JB, JN), M, F, L. Synonymized by Gall *et al.* (2007).

**135. *Goera jaewoni* Park and Bae, 1999** 재원날도래  
*Goera jaewoni* Park and Bae, 1999a, Korean J Biol Sci 3, 365–366, f 1, S (GW); Park 1999, 13–14, f 11–13, S (GW), M; Hwang 2006, 110, f 311–313, S (GW), M.

**136. *Goera japonica* Banks, 1906** 일본가시날도래  
*Goera japonica* Banks, 1906, P ent Soc Wash 7, 108–109, pl 3 f 9; Yoon and Kim 1988, in part, 530–531, f 54, S (JJ), L; Park 1999, 11–12, in part, S (JJ), L; Choe *et al.* 1999, 108–111, in part, S (JJ), M, F; Gall *et al.* 2007, 108–111, f 3–4, S (JJ), M, F; Oláh *et al.* 2018, 116–117, S (JJ), M, F.

**Remarks.** Gall *et al.* (2007) mentioned that *G. japonica* is not a continental species, and previous records of *G. japonica* should be replaced by *G. horni* or *G. squamifera*. They recorded this species only from Jeju-do Is-

land, the southernmost part of Korea. Therefore, we treat the records of *G. japonica* from the Korean Peninsula except Jeju-do Island as an unidentified species. Furthermore, since the larvae of *G. horni* and *G. squamifera* are not distinguishable from each other at present, we also list larval records from Korea as an unidentified species.

**137. *Goera parvula* Martynov, 1935** 그물가시날도래  
*Goera parvula* Martynov, 1935, Trav Inst zool Leningrad 2, 208, 365–367, f 166–168; Botosaneanu 1970, 305, N (HGB), M; Kumanski 1991b, 25, N (NGW, PB), M, F; Lee and Kim 1993, 266, N (RG), L; Park and Bae 1998a, 364, f 3–4, S (GG, JN), M; Park and Bae 1999a, 367, f 3, S (GG, GW), M, L; Park 1999, 12–13, f 7–10, S (GG, GW), M, F, L; Hwang 2006, 108–110, f 304–310, S (GG, GN, GW, JN), M; Oláh *et al.* 2018, 117, N (HGB, PY), M.

**138. *Goera squamifera* Martynov, 1909**  
비늘가시날도래\*

*Goera squamifera* Martynov, 1909, Annuaire Mus St Petersburg 14: 250–253, f 20–22; Mey 1989 (as *G.? squamifera*), 303–304, N (HHN), M; Gall *et al.* 2007, 104–106, f 1, S (GW), M; Oláh *et al.* 2018, 117, N (HHB, NGW), M.

*Goera japonica* Banks, 1906: Kumanski 1991b, 25, in part, f, 15–17, N (HHB, HHN, NGW, PB, PN, PY), M, F. Misidentification mentioned by Gall *et al.* (2007). Malicky 1993, 14, N (HHN), M. **Misidentification.**

**Remarks.** Reexamination of the specimens recorded as *G. japonica* from Korea (Malicky, 1993) showed that it was a misidentification of *G. squamifera* (H. Malicky, pers. comm. on June 29, 2018).

**139. *Goera tungusensis* Martynov, 1909**  
북방가시날도래

*Goera tungusensis* Martynov, 1909, Annuaire Mus St Petersburg 14, 246–253, f 16–19; Mey 1989, 304, N (RG), M; Oláh *et al.* 2018, 117, N (PB), M.

**140. *Goera yamamotoi* (Tsuda, 1942)** 잔가시날도래  
*Lithax yamamotoi* Tsuda, 1942a, 235–237, f 11–12, N (RG), M.

**Remarks.** Malicky (2013) mentioned a possibility that this species is synonymous with *G. tungusensis*.

***Goera* spp.**

*Goera japonica* Banks, 1906: Tsuda 1942a, 235, N (HGB), M, F; Kim 1974, 22–23, f 61, S (GB, GW, JN), L; Yoon and Kim 1988, in part, 530–531, f 54, S (CN, GB, GG, GN), L; Lee and Kim 1993, 266, N (RG), L; Choe and Woo 1998, 74, S (JN), M, F; Park 1999, in

part, 11–12, S (GG, GW), F, L; Choe *et al.* 1999, in part, 43–46, f 10a–c, 11j, S (CN, GB, GG, GN, JN), M, F; Hwang 2006, 106–108, f 299–303, S (CB, CN, GB, GG, GN, GW, JN), M. See remarks of *G. japonica*.

*Goera pilosa* (Fabricius, 1775): Yamada 1938, 4, S (GB), P, L. Misidentification mentioned by Tsuda and Akagi (1955).

**Remarks.** Yamada (1938) recorded a European species, *G. pilosa*, based on larval and pupal specimens. Tsuda and Akagi (1955) pointed out that the larval records as *G. pilosa* were misidentifications of *G. japonica*. We treat the records by Yamada (1938) as *Goera* sp. because the identification as *G. japonica*, especially based on the immature stage at that time, was not reliable in Korea (see remarks of *G. japonica*). Gall *et al.* (2007) suggested the possibility that the drawings as *G. japonica* by Choe *et al.* (1999) mostly corresponds to *G. squamifera*. However, the records by Choe *et al.* (1999) included many specimens from various areas, and some specimens may belong to *G. horni*.

#### *Goera* sp.

*Goera* sp.: Lee and Kim 1993, 266, N (RG), L.

#### Family Uenoidae Iwata, 1927 가시우묵날도래과

Subfamily Thremmatinae Martynov, 1935

가시우묵날도래아과\*

Genus *Neophylax* McLachlan, 1871 가시우묵날도래속

#### 141. *Neophylax goguriensis* Oláh and Park, 2018

고구려가시우묵날도래\*

*Neophylax goguriensis* Oláh and Park, 2018, in Oláh *et al.* (2018), Opusc Zool Budapest 49(2), 119–121, f 22–30, N (PB), M, F.

#### 142. *Neophylax relictus* (Martynov, 1935)

봄가시우묵날도래\*

*Amukia relictus* Martynov, 1935, Trav Inst zool Leningrad 2, 207, 306–310, f 116–122.

*Neophylax relictus* (Martynov, 1935): Oláh *et al.* 2018, 123, N (RG), M.

#### 143. *Neophylax sillensis* Park and Oláh, 2018

신라가시우묵날도래\*

*Neophylax sillensis* Park and Oláh, 2018, in Oláh *et al.* (2018), Opusc Zool Budapest 49(2), 121–122, f 31–49, S (GB, GG, GN, GW, JN), M, F.

#### 144. *Neophylax ussuriensis* (Martynov, 1914)

가시우묵날도래

*Halesinus ussuriensis* Martynov, 1914b, Annuaire Mus Petrograd 19, 276–278, f 89–91.

*Neophylax ussuriensis* (Martynov, 1914): Schmid 1965a

(as *N. ussuricus*), 29, N (HGB), M, F; Yoon and Kim 1988, 527–529, f 53, S (GB, GG, GN, GW), L; Kumanski 1991b, 19, N (NGW, RG), M, F; Park and Bae 1998a, 365, f 10, S (JB), M; Park 1999, 29–30, f 74, S (GG, GN, GW, JB), M, L; Hwang 2006, 111–112, f 314–318, S (GG, GN, GW, JB), M; Oláh *et al.* 2018, 122–123, f 50–56, N (RG), M.

*Neophylax* sp. KA: Kim 1974, 21, f 57–58, S (GG), L.

**Remarks.** The characters of *Neophylax* sp. KA provided by Kim (1974) are identical to those of *N. ussuriensis*.

#### Family Apataniidae Wallengren, 1886

애우묵날도래과

Subfamily Apataniinae Wallengren, 1886

애우묵날도래아과\*

Genus *Apatania* Kolenati, 1848 애우묵날도래속

#### 145. *Apatania aberrans* (Martynov, 1933)

넓적애우묵날도래\*

*Apatelia aberrans* Martynov, 1933, Annot zool Jap 14, 153–156, f 26–32.

*Apatania aberrans* (Martynov, 1933): Hwang 2006, 113–114, f 319–323, S (GB, GW), M; Oláh *et al.* 2018, 117, N (NGW), S (JJ), M, F.

#### 146. *Apatania maritima* Ivanov and Levanidova, 1993

큰애우묵날도래

*Apatania maritima* Ivanov and Levanidova, 1993, Braueria 20, 15, f 1–8; Park 1999, 25, f 59–60, S (GW), F; Park and Bae 2000, 16, f 1:1–2, S (GW), F; Hwang 2006, 115–116, f 329–333, S (GG, GW), M; Hur 2009, 67–70, S (JN), M, L; Oláh *et al.* 2018, 117–118, N (PY), S (GW), M, F.

#### 147. *Apatania sinensis* (Martynov, 1914) 애우묵날도래

*Apatelia sinensis* Martynov, 1914c, Annuaire Mus Petrograd 19, 21, 22, 25, 49, 50, 86–87, 336, f 1–3.

*Apatania sinensis* (Martynov, 1914): Kumanski 1991b, 19, N (PB, PY), M, F; Park and Bae 1998a, 364, f 5–6, S (JB), M, F; Park 1999, 25, f 61–62, S (GW, JB), M, F; Hwang 2006, 114–115, f 324–328, S (GG, GN, GW), M, F; Oláh *et al.* 2018, 118, N (HHN, NGW, PB, PY), S (GW), M, F.

#### 148. *Apatania yenchingensis* Ulmer, 1932

남방애우묵날도래\*

*Apatania yenchingensis* Ulmer, 1932, Peking nat Hist Bull 7, 67–68, f 41–43; Oláh *et al.* 2018, 118, S (JJ), M.

*Apatania* KUa 애우묵날도래 KUa

*Apatania* KUa: Yoon and Kim 1988, 524–525, f 51, S (GB, GW, JJ), L.

**Apatania KUB** 애우묵날도래 KUB

*Apatania* sp. KA: Kim 1974, 19, f 53, S (GB, GG, JJ), P, L.  
*Apatania* KUB: Yoon and Kim 1988, 525–527, f 52, S (CB), L.

*Apatania maritima* Ivanov and Levanidova, 1993: Hur 2009, 67–70, S (JN), L; Kwon *et al.* 2013, 740–741, S (GG, GW), L.

**Remarks.** Based on DNA analysis, Hur (2009) recognized that the larva described as *Apatania* KUB, is the same species as *A. maritima*, and Kwon *et al.* (2013) followed the result. However, Oh (2013) reported that the larvae of *A. aberrans* also have the same characters as *Apatania* KUB. These results suggest that *Apatania* KUB possibly includes two or more species. The larva described as *Apatania* sp. KA by Kim (1974) also has the same characters as *Apatania* KUB.

**Apatania sp.**

*Apatania* sp.: Lee and Kim 1993, 265, N (RG), L.

**Apatania sp.**

*Apatania* sp. (? *mirabilis* Martynov, 1909): Kumanski 1991b, 19, N (RG), F.

**Remarks.** Kumanski (1991b) mentioned this female resembles to that of *Apatidelia mirabilis* (Martynov, 1909).

**Apataniidae gen. sp. KB**

*Apatania* sp. KB: Kim 1974, 19–20, f 54, S (GB), L.

**Remarks.** The larva, described as *Apatania* sp. KB by Kim (1974), apparently belongs to the family Apataniidae, but three pairs of sclerotized setal areas on its metathorax suggest that this larva does not belong to the genus *Apatania*. The larval morphology provided by Kim (1974) mostly matches that of the genus *Manophylax* Wiggins, but further study is needed to solve its generic and specific status.

**Family Limnephilidae Kolenati, 1848** 우묵날도래과

Subfamily Dicosmoecinae Schmid, 1955

큰우묵날도래아과\*

Genus *Dicosmoecus* McLachlan, 1875

큰우묵날도래속

**149. Dicosmoecus coreanus Oláh and Park, 2018**

고려큰우묵날도래\*

*Dicosmoecus coreanus* Oláh and Park, 2018, in Oláh *et al.* (2018), Opusc Zool Budapest 49(2), 124–125, f 57–64, N (PB), S (GW), M, F.

**150. Dicosmoecus jozankeanus (Matsumura, 1931)**

누리우묵날도래

*Stenophylax jozankeanus* Matsumura, 1931, 6000 Ill ins

Japan, 1126; Doi 1933, 95, N (NGW), A.

**151. Dicosmoecus palatus (McLachlan, 1872)**

가람우묵날도래

*Stenophylax palatus* McLachlan, 1872a, Ann Soc ent Belg 15, 63–64, pl 1 f 14, 14a.

*Dicosmoecus palatus* (McLachlan, 1872): Kumanski 1991b, 18, N (RG), M, F.

**Dicosmoecus sp.**

*Dicosmoecus obscuripennis* Banks, 1938: Oh and Kong 2014, 157–158, f 1, S (GW), L. **Misidentification.**

**Remarks.** We reexamined the larval specimen recorded as *D. obscuripennis* by Oh and Kong (2014), but could not find the specific characters of *D. obscuripennis* provided by Wiggins and Richardson (1982).

Genus *Ecclisomyia* Banks, 1907 깃우묵날도래속

**152. Ecclisomyia kamtshatica (Martynov, 1914)**

캄차카우묵날도래

*Praecosmoecus kamtshaticus* Martynov, 1914d, Rev Russe Ent 13, 478–479, f 1.

*Ecclisomyia kamtshatica* (Martynov, 1914): Mey 1989, 303, N (RG), M, F; Kumanski 1991b, 18, N (HGB), F; Park and Bae 1998a, 364, f 7–8, S (GW), F; Park 1999, 26, f 63–67, S (GG, GW), M, F, L; Choe *et al.* 1999, 28–29, f 1, S (GW), M, F; Park and Bae 2000, 16, f 1 (3), S (GG), M, L; Hwang 2006, 93–94, f 244–249, S (GG, GW), M, F; Oláh *et al.* 2018, 127, N (NGW), F.

Genus *Nothopsyche* Banks, 1906 갈색우묵날도래속

**153. Nothopsyche bilobata Park and Bae, 2000**

두잎우묵날도래

*Nothopsyche bilobata* Park and Bae, 2000, Korean J Syst Zool 16(1), 18–19, f 3(1–3), S (GN), M; Park 1999, 30–31, f 78–80, S (GN, GW), M; Oláh *et al.* 2018, 127–128, f 73–80, N (HGB, PB), M, F.

**154. Nothopsyche nigripes Martynov, 1914**

붉은가슴갈색우묵날도래

*Nothopsyche nigripes* Martynov, 1914b, Annuaire Mus Petrograd 19, 272–275, f 86–87; Hwang 2006, 94–95, f 250–255, S (GW), M; Nozaki *et al.* 2006, 50–52, f 1, S (GG), M.

**155. Nothopsyche pallipes Banks, 1906**

큰갈색우묵날도래

*Nothopsyche pallipes* Banks, 1906, P ent Soc Wash 7, 107–108, pl 3 f 1, 10; Lee and Kim 1993, 265–266, N (RG), L; Hwang 2006, 95–96, f 256–260, S (GW, JB), M.

**Remarks.** Lee and Kim (1993) recorded this species based on the larval stage, but Nozaki (2002) pointed out it is impossible to distinguish the larvae of related species.

**156. *Nothopsyche ruficollis* (Ulmer, 1905)**

반디우묵날도래\*

*Chilostigma ruficolle* Ulmer, 1905, Stettin ent Zeit 66, 14–15, pl 1 f 12–13.

*Nothopsyche ruficollis* (Ulmer, 1905): Oláh *et al.* 2018, 128–129, S (JJ), M, F.

**157. *Nothopsyche speciosa* Kobayashi, 1959**

맵시우묵날도래

*Nothopsyche speciosa* Kobayashi, 1959, Bull nat Sci Mus 4, 351–353, f 5a–d; Kumanski 1991b, 18, N (NGW), M.

***Nothopsyche* sp. A**

*Nothopsyche* sp. A: Park 1999, 31, f 75–77, S (JB), F; Park and Bae 2000, 19, f 3 (4–6), S (JB), F.

***Nothopsyche* KUa 갈색우묵날도래 KUa**

*Platyphylax* sp. KA: Kim 1974, 20–21, f 56, S (GB, GG, JB), L

*Nothopsyche* KUa: Yoon and Kim 1988, 520–521, f 49, S (CB, GG, GN, GW), L.

**Remarks.** The characters of *Platyphylax* sp. KA provided by Kim (1974) are identical to those of *Nothopsyche* KUa.

***Nothopsyche* KUb 갈색우묵날도래 KUb**

*Nothopsyche* KUb: Yoon and Kim 1988, 522–523, f 50, S (CB), L.

**Remarks.** Nozaki *et al.* (2006) mentioned that there is a possibility that *Nothopsyche* KUb might be *N. nigripes*.

Subfamily Limnephilinae Kolenati, 1848

우묵날도래아과\*

Genus *Asynarchus* McLachlan, 1880

검은날개우묵날도래속

**158. *Asynarchus amurensis* (Ulmer, 1905)**

아무르검은날개우묵날도래

*Limnophilus amurensis* Ulmer, 1905, Stettin ent Zeit 66, 8–9, pl 1 f 4–5.

*Asynarchus amurensis* (Ulmer, 1905): Botosaneanu 1970, 305, N (HGN), M; Kumanski 1991b, 21, N (NGW, RG), M; Malicky 1993, 14, N (PB), F; Choe *et al.* 1999, 36–37, f 6a–c, 11c, S (GW), F; Hwang 2006, 100, f 276–278, S (GW), M; Oláh *et al.* 2019, 17, f 34, N (PB), M.

*Asynarchus* KUa: Yoon and Kim 1988, 515–517, f 47, S (GW), L.

**Remarks.** The larva described as *Asynarchus* KUa by Yoon and Kim (1988) agrees well with the description of *A. amurensis* by Lepneva (1966).

Genus *Brachypsyche* Schmid, 1952

가로줄우묵날도래속\*

**159. *Brachypsyche schmidi* Choe,**

**Kumanski and Woo, 1999** 슈미드우묵날도래

*Brachypsyche schmidi* Choe, Kumanski and Woo, 1999, Korean J Syst Zool 15(1), 42–43, f 9a–e, S (GW), M; Oláh *et al.* 2018, 129, S (GG), M; Oláh *et al.* 2019, 42, f 122, S (GG), M.

Genus *Hydatophylax* Wallengren, 1891

띠무늬우묵날도래속

**160. *Hydatophylax formosus* Schmid, 1965**

우리큰우묵날도래

*Hydatophylax formosus* Schmid, 1965a, Ent Tidskr 86, 32, f 7–10, N (HGB), M, F; Choe *et al.* 1999, 41, f 7h–i, 8g–h, S (GB, GG, GN, GW), M, F; Hwang 2006, 103–104, f 285–288, S (GW), M, F; Oláh *et al.* 2018, 131–132, N (NGW, PY), S (GW), M, F.

**161. *Hydatophylax grammicus* (McLachlan, 1880)**

무늬날개우묵날도래

*Stenophylax grammicus* McLachlan, 1880, Rev Syn Suppl 2, 83, pl 59 f 1–4.

*Astenophylax grammicus* (McLachlan, 1880): Doi, 1932, 73, N (NGW), A; Lee and Kim 1993, 265, N (RG), L.

*Hydatophylax grammicus* (McLachlan, 1880): Kumanski 1991b, 21, N (HGB), F; Mey 1989, 303, N (PB), M; Kumanski 1991b, 21, N (HGB), F; Park 1999, 27, f 68–69, S (GW), M, F; Choe *et al.* 1999, 37, f 8a–b, 11g; S (GW), F; Hwang 2006, 104–105, f 295–298, S (GW), M; Oláh *et al.* 2018, 132–133, N (PB), M.

**162. *Hydatophylax magnus* (Martynov, 1914)**

큰우묵날도래

*Stenophylax magnus* Martynov, 1914b, Annuaire Mus Petrograd 19, 240–244, 246, 252, f 49–54.

*Hydatophylax magnus* (Martynov, 1914): Kumanski 1991b, 21, f 7, 10–11, N (HHN, PB), M, F; Park and Bae 1998a, 364–365, f 9, S (GB, GG), M; Park 1999, 27–28, f 70, S (GB, GG), M; Choe *et al.* 1999, 39–41, f 7d–g, 8e–f, 11i, S (CB, CN, GB, GG, GW, JN, JJ, SL), M, F; Hwang 2006, 101–102, f 279–284, S (CB, GG, GW, JB, JN, SL), M, F; Oláh *et al.* 2018, 133, N (HHB, PB), S (CB, GN, JB, JN), M, F.

**163. *Hydatophylax nigrovittatus* (McLachlan, 1872)**

띠무늬우묵날도래

*Platyphylax nigrovittatus* McLachlan, 1872a, Ann Soc

ent Belg 15, 64-65, pl 2 f 1-1d.

*Hydatophylax nigrovittatus* (McLachlan, 1872): Botosaneanu 1970, 305, N (HGB), M, F; Yoon and Kim 1988, 517-519, f 48, S (CB, GB, GG, GN, GW, JB, JN, SL), L; Kobayashi 1989, 6, S (GW), M; Kumanski 1991b, 21, N (HGB, PB), M, F; Park 1999, 28, f 71, S (GG, GW), M; Choe *et al.* 1999, 37-39, f 7a-c, 8b-c, 11h, S (CB, GG, GW, JN), M, F; Hwang 2006, 102-103, f 289-294, S (CB, GG, GW, JB, JN, SL), M, F; Oláh *et al.* 2018, 133, N (PB), S (GB), M, F.

**Remarks.** All larval materials belonging to the genus *Hydatophylax* have been identified as *H. nigrovittatus* in South Korea even though several adult species have been widely recorded from South Korea. Further study on larvae of the genus *Hydatophylax* is required.

**164. *Hydatophylax sakharovi* Kumanski, 1991**

줄무늬우묵날도래

*Hydatophylax sakharovi* Kumanski, 1991b, Ins Kor 8, 21-24, f 4-6, 8-9, N (NGW), M, F.

**165. *Hydatophylax soldatovi* (Martynov, 1914)**

대륙우묵날도래\*

*Astenophylax soldatovi* Martynov, 1914b, Annuaire Mus Petrograd 19, 247-249, f 55-57.

*Hydatophylax soldatovi* (Martynov, 1914): Oláh *et al.* 2018, 133, N (RG), M.

***Hydatophylax* sp. KA**

*Astenophylax* sp. KA: Kim 1974, 21-22, f 59, S (GW), L.

**Remarks.** The genus *Astenophylax* Ulmer was synonymized with the genus *Hydatophylax* Wallengren by Schmid (1950).

Genus *Limnephilus* Leach, 1815 모시우묵날도래속

**166. *Limnephilus correptus* McLachlan, 1880**

모시우묵날도래

*Limnephilus correptus* McLachlan, 1880, Rev Syn Suppl 2, 18, pl 53 f 1-2; Doi 1932, 74, S (SL), A.

*Limnephilus correptus* McLachlan, 1880: Choe *et al.* 1999, 30, f 2a-b, S (GG), M.

**167. *Limnephilus fuscovittatus* Matsumura, 1904**

검정모시우묵날도래

*Limnephilus fuscovittatus* Matsumura, 1904, 1000 Ins Jap 1, 171, pl 12 f 13; Lee and Kim 1993, 265, N (RG), L.

*Limnephilus fuscovittatus* Matsumura, 1904: Kumanski 1991b, 19-20, N (PY), M; Choe *et al.* 1999, 30-33, f 2e-f, 3c-j, 11b, S (GG), M; Oláh *et al.* 2018, 129-130, N (HHB, NGW, PB, PY, RG), M, F; Oláh *et al.*

2019, 26, f 67, N (HHB, NGW, PB, PY, RG), M.

**168. *Limnephilus orientalis* Martynov, 1935**

동양모시우묵날도래

*Limnephilus orientalis* Martynov, 1935, Trav Inst zool Leningrad 2, 348.

*Limnephilus orientalis* Martynov, 1935: Choe *et al.* 1999, 30, f 2c-d, f 3a-b, S (JB, JN), M; Hwang 2006, 213, f 266-270, S (JB), F; Oláh *et al.* 2018, 130, S (GN), F.

**169. *Limnephilus quadratus* Martynov, 1914**

등근네모우묵날도래\*

*Limnephilus quadratus* Martynov, 1914b, Annuaire Mus Petrograd 19, 202-205, f 22-24

*Limnephilus quadratus* Martynov, 1914: Oláh *et al.* 2018, 130, N (RG), M; Oláh *et al.* 2019, 29, f 81-82, N (RG), M.

**170. *Limnephilus sericeus* (Say, 1824) 비단우묵날도래**

*Phryganea sericea* Say, 1824, Narrative Exp Long 2, 309

*Limnephilus sericeus* (Say, 1824): Kumanski 1991b, 19, N (RG), M, F.

**171. *Limnephilus sibiricus* Martynov, 1929**

북방우묵날도래

*Limnephilus sibiricus* Martynov, 1929, Konowia 8, 305-308, f 13-16; Kumanski 1991b, 19, N (PN, PY), M, F.

***Limnephilus* sp.**

*Limnephilus* sp. (gr. *rhombicus*): Kumanski 1991b, 20, f 1-3, N (RG), F.

***Limnephilus* KUa**

*Limnephilus* KUa: Yoon and Kim 1988, 513-515, f 46, S (JJ), L.

Genus *Nemotaulius* Banks, 1906 띠우묵날도래속

**172. *Nemotaulius brevilinea* (McLachlan, 1871)**

줄우묵날도래

*Grammotaulius brevilinea* McLachlan, 1871, J Linn Soc London Zool 11, 107-108, pl 2 f 1.

*Nemotaulius brevilinea* (McLachlan, 1871): Doi 1932, 73-74, S (GG, SL), A; Cho 1963, 173, S (JJ), A; Kumanski 1991b, 20, N (NGW), M, F; Choe *et al.* 1999, 33, f 4a-b, 5a-b, 11d, S (GG, GW), M, F; Oláh *et al.* 2018, 130, N (NGW), M.

**173. *Nemotaulius coreanus* Oláh, 1985 고려우묵날도래**

*Nemotaulius coreanus* Oláh, 1985, Folia Ent Hungarica Rov Koezl 46, 137-139, f 1, N (RG), M; Oláh *et al.* 2018, 130-131, f 84-88, N (RG), S (GB, GN, GW,

JB), M, F; Oláh *et al.* 2019, 38, f 114, N (RG), M.  
*Glyphotaelius admorsus* (McLachlan, 1866): Doi 1932, 73, S (GG), A; Kim 1974, 20, f 55, S (GG), L.  
*Nemotaulius admorsus* (McLachlan, 1866): Kumanski 1991b, 20–21, N (NGW, PY), M, F; Lee and Kim 1993, 265, N (RG), A; Choe *et al.* 33–35, f 4b–c, 5b–c, 11e, S (GG, GW, JB, JN, SL), M, F; Hwang 2006, 99–100, f 271–275, S (CN, GB, GW), M, F. Misidentification.

**Remarks.** Oláh *et al.* (2018) and Oláh *et al.* (2019) pointed out all the records as *N. admorsus* from the Korean Peninsula and Ussuri area of Russia are misidentifications of this species.

**174. *Nemotaulius mutatus* (McLachlan, 1872)**

어리우묵날도래

*Glyphotaelius mutatus* McLachlan, 1872a, Ann Soc ent Belg 15, 60–61, pl 1 f 12–12b.

*Nemotaulius mutatus* (McLachlan, 1872): Botosaneanu 1970, 305, N (NGW), F; Kumanski 1991b, 21, N (NGW), M; Choe *et al.* 1999, 35, f 4e–f, 5e–f, 11f, S (GG, GW), M, F.

***Nemotaulius* sp. A**

*Nemotaulius* sp. A: Park 1999, 29, f 72, S (GG), L; Park and Bae 2000, 17, f 2(1), S (GG), L.

***Nemotaulius* sp. B**

*Nemotaulius* sp. B: Park 1999, 29, f 73, S (GN, JB), L; Park and Bae 2000, 17–18, f 2(2), S (GN, JB), L.

Subfamily Pseudostenophylacinae Schmid, 1955

장수우묵날도래아과\*

Genus *Pseudostenophylax* Martynov, 1909

장수우묵날도래속\*

**175. *Pseudostenophylax amurensis* (McLachlan, 1880)**

아무르장수우묵날도래\*

*Stenophylax amurensis* McLachlan, 1880, Rev Syn Suppl 2, 82–83, pl 59 f 1–2.

*Pseudostenophylax amurensis* (McLachlan, 1880): Hwang 2006, 97, f 261–265, S (GW), M, F; Oláh *et al.* 2018, 129, N (HGB), M.

**176. *Pseudostenophylax riedeli* Botosaneanu, 1970**

찬물장수우묵날도래\*

*Pseudostenophylax riedeli* Botosaneanu, 1970, Annl zool Warsz 17: 304–305, pl 30, N (HGB), M; Oláh *et al.* 2018, 129, N (NGW), M.

***Pseudostenophylax* sp. KA**

*Stenophylax* sp. KA: Kim 1974, 22, f 60, S (GG), L.

**Remarks.** The larval characters described by Kim (1974)

match those of the genus *Pseudostenophylax*.

**Family Calamoceratidae Ulmer, 1905 채다리날도래과**

Subfamily Anisocentropodinae Lestage, 1936

어깨채다리날도래아과\*

Genus *Anisocentropus* McLachlan, 1863

어깨채다리날도래속\*

**177. *Anisocentropus kawamurai* (Iwata, 1927)**

어깨채다리날도래\*

*Kizakia kawamurai* Iwata, 1927a, Zool Mag 39, 242.

*Anisocentropus minutus* Martynov, 1930: Hwang 2006, 134–135, f 390–394, S (GW), M; Kwon *et al.* 2013, 754–755, f S (CB, GW), L. Synonymized by Ito *et al.* (2012).

Subfamily Calamoceratinae Ulmer, 1905

채다리날도래아과\*

Genus *Ganonema* McLachlan, 1866 채다리날도래속

**178. *Ganonema extensum* Martynov, 1935**

채다리날도래

*Ganonema extensum* Martynov, 1935, Trav Inst Zool Leningrad 2, 207, 208–214, f 1–7; Park and Bae 1998a; 366–368, f 15, S (JB), M; Park 1999, 9, f 1, S (JB), M; Hwang 2006, 135, f 395–399, S (JB), M, F.

**179. *Ganonema uchidai* Iwata, 1930**

원통채다리날도래\*

*Ganonema uchidai* Iwata, 1930, Zool Mag 42, 61–62, 64–65, f 285–288.

*Asotocerus nigripennis* Kuwayama, 1930b, 53–56, f 1–3, S (GG), M, F; Doi 1932, 74, S (GG), A. Synonymized by Nozaki and Tanida (2010).

***Ganonema* KUa**

*Ganonema* KUa: Yoon and Kim 1988, 544–545, f 61, S (GB), L.

**Family Molannidae Wallengren, 1891 날개날도래과**

Genus *Molanna* Curtis, 1834 날개날도래속

**180. *Molanna moesta* Banks, 1906 날개날도래**

*Molanna moesta* Banks, 1906, P ent Soc Wash 7, 110, pl 3 f 5–6; Doi, 1933, 95, Korea; Botosaneanu 1970, 316, N (HGB, PB, PN), M, F; Yoon and Kim 1988, 540–542, f 59, S (GN, GW), L; Kumanski 1991b, 28, N (NGW, PN, PY), M, F; Park 1999, 32, S (GG, GN, GW, JB, JN), L; Hwang 2006, 129–130, f 375–379, S (CB, GG, GN, GW), M, F; Oláh *et al.* 2018, 136, N (NGW, PY), S (JJ), M.

*Molanna falcata* Ulmer, 1908: Doi 1932, 74, N (HGN), A; Kim 1974, 15, f 40, S (GG), L. Synonymized by Wiggins (1968).



**181. *Molanna submarginalis* McLachlan, 1872**

언저리날개날도래

*Molanna submarginalis* McLachlan, 1872b, CR Soc Nat-  
ural Moscou 10: 116; Kumanski 1991b, 28, N (RG), F;  
Oláh *et al.* 2018, 136, N (RG), M.

*Molanna coreana* Tsuda, 1942a, 231-233, f 5-7, N  
(HGB), M, F. Synonymized by Wiggins (1968).

***Molanna* sp.**

*Molanna* sp.: Kumanski 1991b, 28, N (HHN), F.

**Family Leptoceridae Leach, 1815 나비날도래과**

Subfamily Leptocerinae Leach, 1815

나비날도래아과\*

Genus *Athripsodes* Billberg, 1820

긴머리나비날도래속\*

**182. *Athripsodes ceracleoides* Kumanski, 1991**

어리나비날도래

*Athripsodes ceracleoides* Kumanski, 1991a, Hist natr  
Bulg 3: 56-58, f 15-21, N (PY), M, F; Oláh *et al.* 2018,  
133, N (PY), M.

***Athripsodes* sp. KA**

*Tripectides* sp. KA: Kim 1974 (as *Tripectides*), 15, f 41, S.

**Remarks.** The characters described as *Tripectides* sp.  
KA by Kim (1974) belong to the genus *Athripsodes*.

Genus *Ceraclea* Stephens, 1829 나비날도래속

**183. *Ceraclea albimacula* (Rambur, 1842)**

가시나비날도래

*Mystacida albimacula* Rambur, 1842, Hist nat Nevr, 509.  
*Athripsodes biwaensis* Tsuda and Kuwayama, 1950: Bot-  
osaneanu 1970, 308, N (PY), M. Synonymized by Yang  
and Morse (1988).

*Ceraclea alboguttata* (Hagen, 1860): Kumanski 1991a,  
58, N (PB, PY), M, F. Synonymized by Malicky (2005).

*Ceraclea morsei* Kumanski, 1991a, 58-60, f 22-29, N  
(PB, PY), M, F; Park 1999, 21, f 35-37, S (GG), M;  
Park *et al.* 1999, 157, f 8-10, S (GG), M; Hwang 2006,  
144, f 425-429, S (CB, GG), M; Lee *et al.* 2013, 86, f  
18-21, S (CN, GW), M; Oláh *et al.* 2018, 134, N (PY),  
M. Synonymized by Malicky (2013).

*Ceraclea albimacula* (Rambur, 1842): Lee *et al.* 2013,  
85-86, f 14-17, S (GG), M; Oláh *et al.* 2018, 133-134,  
N (PY, RG), M.

**184. *Ceraclea annulicornis* (Stephens, 1836)**

반지나비날도래

*Leptocerus annulicornis* Stephens, 1836, Ill Brit Ent 6,  
199.

*Athripsodes annulicornis* (Stephens, 1836): Botosaneanu

1970, 308, N (HGB), M.

**185. *Ceraclea armata* Kumanski, 1991**

창나비날도래  
*Ceraclea armata* Kumanski, 1991a, Hist Nat Bulg 3, 63-  
66, f 36-43, N (PB), M, F; Park 1999, 20, f 28-29, S  
(GW), M; Park *et al.* 1999, 156, f 1-2, S (GW), M;  
Hwang 2006, 138-139, f 400-404, S (GG, GW), M;  
Lee *et al.* 2013, 82, f 1, S (GG, GW), M.

**186. *Ceraclea coreana* Kumanski, 1991**

한국나비날도래

*Ceraclea coreana* Kumanski, 1991a, Hist Nat Bulg 3, 68,  
f 53-56, N (PB), M; Lee *et al.* 2013, 82-83, f 2-4, S  
(GG), M.

**187. *Ceraclea excisa* (Morton, 1904)**

끝나비날도래  
*Leptocerus excisus* Morton, 1904, Meddel Soc F Fl Fenn  
30, 67-69, 215, f 1-5.

*Ceraclea excisa* (Morton, 1904): Kumanski 1991a, 63, N  
(PY), F.

**188. *Ceraclea gigantea* Kumanski, 1991**

장수나비날도래

*Ceraclea gigantea* Kumanski, 1991, Hist Nat Bulg 3,  
60-62, f 30-32, N (PB), F; Hwang 2006, 143-144, f  
420-424, S (CB, GG), M, F.

**189. *Ceraclea hastata* (Botosaneanu, 1970)**

뿔족나비날도래

*Athripsodes hastatus* Botosaneanu, 1970, Anns zool  
Warsz 17, 308-310, pl 32, N (PB), M.

*Ceraclea hastata* (Botosaneanu, 1970): Kumanski 1991a,  
66, N (PB), M.

**190. *Ceraclea lobulata* (Martynov, 1935)**

앞사귀나비날도래

*Leptocerus lobulatus* Martynov, 1935, Trav Inst Zool  
Leningrad 2, 207, 223-225, f 16-18.

*Ceraclea lobulata* (Martynov, 1935): Mey 1989, 304, N  
(PY), M, F; Kumanski 1991a, 62, N (PB, PN, PY), M,  
F; Park 1999, 20-21, f 30-33, S (GG, GN), M; Park  
*et al.* 1999, 156, f 3-7, S (GG, GN), M; Hwang 2006,  
139-141, f 405-409, S (CB, GG, GN, GW), M; Jung  
and Bae, 2006, 149-151, f 1, S (GG, SL), M, L; Lee  
*et al.* 2013, 83-84, f 5-6, S (CB, GB, GG, JN, SL), M;  
Oláh *et al.* 2018, 134, N (RG), M.

**191. *Ceraclea mitis* (Tsuda, 1942)**

연꽃나비날도래  
*Leptocerus mitis* Tsuda, 1942b, Mem Coll Sci Kyoto B  
17, 291-292, f 42.

*Ceraclea mitis* (Tsuda, 1942): Kumanski 1991a, 66-68, f  
44-52, N (PB), M, F; Lee *et al.* 2013, 84, f 7-9, S (GG),  
M; Oláh *et al.* 2018, 134, N (PB), M, F.

**192. *Ceraclea shuotsuensis* (Tsuda, 1942)**

길주나비날도래

*Leptocerus shuotsuensis* Tsuda, 1942a, Mem Coll Sci Kyoto B 17, 233–234, 289, f 8, N (HGB), M; Kobayashi 1989, 8, S (GW), M.

*Ceraclea shuotsuensis* (Tsuda, 1942): Kumanski 1991a, 63, N (PB), M, F; Park 1999, 21–22, f 38–39, S (CB), M; Hwang 2006, 141–142, f 410–414, S (CB, GG, GW, JB), M; Lee *et al.* 2013, 84–85, f 10–11, S (CB, GG, GW, JB), M; Oláh *et al.* 2018, 134, N (PB, RG), M.

*Leptocerus* sp. KD: Kim 1974, 16–17, f 45–46, S (GG), M, L.

**Remarks.** Kim (1974) provided descriptions and illustrations of *Leptocerus* sp. KD's larva and male genitalia. The genitalic morphology clearly shows that *Leptocerus* sp. KD (Kim, 1974) is *C. shuotsuensis*.

**193. *Ceraclea sibirica* (Ulmer, 1906)**

시베리아나비날도래

*Leptocerus sibiricus* Ulmer, 1906, Not Leyden Mus 28, 36–38, f 42–43; Tsuda 1942a, 233, N (RG), M, F.

*Athripsodes sibiricus* (Ulmer, 1906): Botosaneanu 1970, 308, N (PB), M.

*Ceraclea sibirica* (Ulmer, 1906): Kumanski 1991a, 62–63, f 33–35, N (PB), M, F; Park 1999, 22, f 40–46, S (GN), M; Park *et al.* 1999, 157, f 11–17, S (GN), M, F; Hwang 2006, 142–143, f 415–419, S (GN, GW), M; Lee *et al.* 2013, 85, f 12–13, S (CN, GW), M; Oláh *et al.* 2018, 134, N (PB), M.

***Ceraclea* KUa 나비날도래 KUa**

*Ceraclea* KUa: Yoon and Kim 1988, 547–548, f 62, S (GG, GW), L.

***Ceraclea* KUb 나비날도래 KUb**

*Ceraclea* KUb: Yoon and Kim 1988, 548–549, f 63, S (GG, GW), L.

***Ceraclea* KUc 나비날도래 KUc**

*Ceraclea* KUc: Yoon and Kim 1988, 549–550, f 64, S (GG), L.

***Ceraclea* sp. KB**

*Leptocerus* sp. KB: Kim 1974, 16, f 43, S (GG), L.

**Remarks.** Most characters, especially a pair of dark markings on mesonotum provided by Kim (1974), suggest that this species belongs to the genus *Ceraclea*.

***Ceraclea* sp. KE**

*Leptocerus* sp. KE: Kim 1974, 17, f 47, S (GG), L.

**Remarks.** Most characters, especially a pair of dark

markings on mesonotum provided by Kim (1974), suggest that this species belongs to the genus *Ceraclea*.

Genus *Leptocerus* Leach, 1815 참나비날도래속\*

**194. *Leptocerus valvatus* (Martynov, 1935)**

참나비날도래

*Setodes valvata* Martynov, 1935, Trav Inst zool Leningrad 2, 207, 264–268, f 72–77.

*Leptocerus valvatus* (Martynov, 1935): Kumanski 1991a, 53, N (NGW), F.

Genus *Mystacides* Berthold, 1827 청나비날도래속

**195. *Mystacides azureus* (Linnaeus, 1761)**

청나비날도래

*Phryganea azurea* Linnaeus, 1761, Fauna Svec ed 2, 380.

*Mystacides azurea* (Linnaeus, 1761): Park 1999, 22–23, f 47–49, S (GN), F; Park *et al.* 1999, 157–159, f 18–20, S (GN), F.

**196. *Mystacides dentatus* Martynov, 1924**

청동나비날도래

*Mystacides dentata* Martynov, 1924a, Jb Martjanov Mus 2, 65, 70, 75, 82, 89–92, f 3a–b; Mey 1989, 304, N (HHN), M, F; Kumanski 1991a, 70, N (NGW, PB, PY), M, F; Park 1999, 23–24, f 50–56, S (GN, GW), M; Park *et al.* 1999, 159, f 21–27, S (GN, GW), M; Oláh *et al.* 2018, 135, N (PB), M, F.

*Mystacides dentatus* Martynov, 1924: Hwang 2006, 148–149, f 443–447, S (CB, CN, GG, GN, GW, JB), M.

***Mystacides* sp. KA**

*Mystacides* sp. KA: Kim 1974, 18, f 49, f 51, S (JN), F, P.

***Mystacides* KUa 청나비날도래 KUa**

*Mystacides* sp. MA: Kim 1974, 17–18, f 48, S (GG), L.

*Mystacides* KUa: Yoon and Kim 1988, 550–551, f 65, S (JJ), L.

***Mystacides* sp.**

*Mystacides* sp.: Doi 1932, 74, S (GG, GW), A.

***Mystacides* sp.**

*Mystacides* sp.: Botosaneanu 1970, 310, N (PB), F.

***Mystacides* sp.**

*Mystacides* sp.: Malicky 1993, 14, N (PB), F.

Genus *Oecetis* McLachlan, 1877 무늬나비날도래속

**197. *Oecetis antennata* (Martynov, 1935)**

*Oecetodella antennata* Martynov, 1935, Trav Inst zool Leningrad 2, 207, 257–261, f 59–63.

*Oecetis antennata* (Martynov, 1935): Lee *et al.* 2012, 272–273, f 1, S (GW), M, F.

**198. *Oecetis caucula* Yang and Morse, 2000**  
첨나비날도래

*Oecetis caucula* Yang and Morse, 2000, Mem Amer Ent Inst 64, 8, 130–131, 146, f 142, 227; Lee *et al.* 2012, 273–275, f 2, S (CB, GG), M.

**199. *Oecetis dilata* Yang and Morse, 2000**  
연무늬나비날도래

*Oecetis dilata* Yang and Morse, 2000, Mem Amer Ent Inst 64, 8, 123–124, 145, 148, f 135, 223; Lee *et al.* 2012, 274–275, f 3, S (GW), M, F; Oláh *et al.* 2018, 134, N (NGW), M.

**200. *Oecetis kumanskii* Yang and Morse, 2000**  
길쭉나비날도래

*Oecetis testacea orientalis* Kumanski, 1991a, Hist Nat Bulg 3, 52–53, f 1–2, f 5, N (NGW, PB), M, F.

*Oecetis testacea kumanskii* Yang and Morse, 2000, 135: Hwang 2006, 146–147, f 433–437, S (CN, GG, GW), M, F; Lee *et al.* 2012, 277–278, f 6, S (GW), M, F.

*Oecetis kumanskii* Yang and Morse, 2000: Oláh *et al.* 2018, 134–135, N (PB, PY), M, F.

**Remarks.** Yang and Morse (2000) renamed the subspecies *O. t. orientalis* recorded by Kumanski (1991a) as *O. t. kumanskii* because the former name was a homonym. Oláh *et al.* (2018) recognized it as a species level taxon.

**201. *Oecetis nigropunctata* Ulmer, 1908**  
얼룩무늬나비날도래

*Oecetis nigropunctata* Ulmer, 1908, D ent Z, 345–346, f 4–7; Kumanski 1991a, 50–51, N (HHB, HHN, NGW, PB, PY, RG), M, F; Lee *et al.* 2012, 275–276, f 4, S (GG), M, F; Oláh *et al.* 2018, 135, N (HHN, PB), M.

**202. *Oecetis notata* (Rambur, 1842) 무늬나비날도래**  
*Mystacida notata* Rambur, 1842, Hist nat Nevr, 514–515.  
*Oecetis notata* (Rambur, 1842): Lee *et al.* 2012, 276–277, f 5, S (GW), M, F.

**203. *Oecetis tripunctata* (Fabricius, 1793)**  
세점무늬나비날도래

*Phryganea tripunctata* Fabricius, 1793, Ent Syst 2, 81.  
*Oecetis tripunctata* (Fabricius, 1793): Kumanski 1991a, 51–52, N (PB), M, F.

**204. *Oecetis yukii* Tsuda, 1942** 고운나비날도래  
*Oecetis yukii* Tsuda, 1942b, Mem Coll Sci Kyoto B 17, 297–298, f 48–49; Kumanski 1991a, 52, N (PB), F; Hwang 2006, 147, f 438–442, S (GG), M; Lee *et al.* 2012, 278–279, f 7, S (GG), M.

***Oecetis* sp.**

*Oecetis* sp.: Malicky 1993, 14, N (PB), F.

Genus *Setodes* Rambur, 1842 금모래나비날도래속\*

**205. *Setodes argentatus* Matsumura, 1907**  
은나비날도래

*Setodes argentata* Matsumura, 1907, Syst Ento I, 194.  
*Setodes uenoi* Tsuda 1942a, 234–235, f 9–10, N (RG), M, F. Synonymized by Schmid (1987).

*Setodes argentatus* Matsumura, 1907: Kumanski 1991a, 53, f 10–12, N (PB, PY), M, F.

**206. *Setodes crossotus* Martynov, 1935** 엇나비날도래  
*Setodes crossotus* Martynov, 1935, Trav Inst Zool Lenin-grad 2, 207, 281–283, f 102–104; Kumanski 1991a, 56, f 7–9, N (PB), M, F.

**207. *Setodes furcatulus* Martynov, 1935**  
갈래나비날도래

*Setodes furcatulus* Martynov, 1935, Tr Inst zool Lenin-grad 2, 207, 271–274, f 83–87; Kumanski 1991a, 56, N (NGW, PB, PY), M, F.

**208. *Setodes pulcher* Martynov, 1910**  
예쁜이나비날도래\*

*Setodes pulcher* Martynov, 1910, Annuaire Mus St Petersb 15, 380–382, f 23–26; Botosaneanu 1970, 312, pl 35 f 1, N (PB), M; Mey 1989, 305, N (PB), M; Kumanski 1991a, 53, N (NGW, PB), M, F; Malicky 1993, 14, N (PB), M; Oláh *et al.* 2018, 135, N (PB), M, F.

**209. *Setodes ujiensis* (Akagi, 1960)** 맨드리나비날도래  
*Trichosetodes ujiensis* Akagi, 1960, Kontyu 28: 88–89, f 3–4.

*Setodes ujiensis* (Akagi, 1960): Kumanski 1991a, 53–54, f 13–14, N (PY), M, F.

***Setodes* sp.**

*Setodes* sp.: Botosaneanu 1970, 312, pl 35 f 2–3, N (NGW, PB), F.

Genus *Triaenodes* McLachlan, 1865 연나비날도래

**210. *Triaenodes pellectus* Ulmer, 1908**  
요정연나비날도래

*Triaenodes pellectus* Ulmer, 1908, D ent Z, 344–345, f 1–3.

*Triaenodes gracillimus* (Martynov, 1935): Kumanski 1991a, 68, N (NGW), M. Synonymized by Uenishi (1993).

**211. *Triaenodes unanimitis* McLachlan, 1877**  
연나비날도래

*Triaenodes unanimitis* McLachlan, 1877, Rev Syn, 324–325, pl 35 f 1–4; Kumanski 1991a, 70, f 57–59, N (NGW, PB, PN, PY), M, F; Park 1999, 24, f 57–58, S (GG, GN), F; Park *et al.* 1999, 159–161, f 28–29, S (GG, GN), F; Hwang 2006, 145, f 430–432, S (GG, GN), F.

Genus *Trichosetodes* Ulmer, 1915 솜털나비날도래속\*

**212. *Trichosetodes japonicus* Tsuda, 1942**

솜털나비날도래\*

*Trichosetodes japonicus* Tsuda, 1942b, Mem Coll Sci Kyoto B 17, 302–303, f 56–57.

*Trichosetodes polonorum* Botosaneanu, 1970, 310–312, pl 33–34, N (PB), M. Synonymized by Uenishi (1993).

***Trichosetodes* sp. KA**

*Leptocerus* sp. KA: Kim 1974, 16, f 42, S (GB), L.

**Remarks.** The characters of *Leptocerus* sp. KA provided by Kim (1974) match those of the genus *Trichosetodes*.

**Leptoceridae gen. sp. KC**

*Leptocerus* sp. KC: Kim 1974, 16, f 44, S (GG), P.

**Remarks.** Kim (1974) described this pupal species as a species belonging to the genus *Leptocerus*, but the identification based on only pupae is not reliable even at present.

**Leptoceridae gen. spp.**

Leptoceridae gg. spp.: Malicky 1993, 14, N (PB), F.

**Family Odontoceridae Wallengren, 1891**

바수염날도래과

Subfamily Odontocerinae Wallengren, 1891

바수염날도래아과\*

Genus *Psilotreta* Banks, 1899 바수염날도래속

**213. *Psilotreta falcula* Botosaneanu, 1970**

맷바수염날도래

*Psilotreta falcula* Botosaneanu, 1970, Anns zool Warsz 17: 314–316, pl 37, pl 39 f 3, N (HGB, HBN, PB), M, F; Kumanski 1991b, 28, N (NGW), M, F; Lee and Kim 1993, 266, N (RG), L; Park and Bae 1999b, 304–305, f 6–11, S (CB, GG, GW, JB, JN), M, F; Park 1999, 33, f 81–86, S (CB, GG, GW, JB, JN), M, F; Hwang 2006, 132–133, S (GB, GN, GW, JN, SL), M; Oláh and Johanson 2010, 101, N (NGW), M, F; Oláh *et al.* 2018, 135, N (NGW, PB), M, F; Nozaki *et al.* 2019, 4, S (GN), M, F.

*Psilotreta pyonga* Oláh, 1985, 140–141, f 3, N (PB), M. Synonymized by Oláh and Johanson (2010).

*Ganonema odaenum* Kobayashi, 1989, 8, in part, S (GN), M, F. Misidentification mentioned by Nozaki *et al.*

(2019).

**Remarks.** Nozaki *et al.* (2019) found that some specimens that were used for the description of *G. odaenum* by Kobayashi (1989) were *P. falcula*.

**214. *Psilotreta kerka* Oláh, 2018** 둥근바수염날도래\*

*Psilotreta kerka* Oláh, 2018, in Oláh *et al.* (2018), 135–136, f 89–91, N (HGB), M.

**215. *Psilotreta locumtenens* Botosaneanu, 1970**

수염치레날도래

*Psilotreta locumtenens* Botosaneanu, 1970, Anns zool Warsz 17, 313–314, pl 38, pl 39 f 2, N (PB), M, F; Mey 1989, 304, N (PB), M, F; Kumanski 1991b, 28, N (PB), M, F; Park and Bae 1999b, 305–306, f 12–17, S (GG, GW, JB), M, F, L; Park 1999, 33–34, f 89–94, S (GG, GW, JB), M, F, L; Hwang 2006, 131–132, f 380–384, S (CN, GG, GW), M, F; Oláh *et al.* 2018, 136, N (NGW, PY), M; Nozaki *et al.* 2019, 4, S (GW), M, F.

*Ganonema odaenum* Kobayashi, 1989, 7–8, in part, f 5, S (GW), M, F. Synonymized by Oláh and Johanson (2010) and Nozaki *et al.* (2019).

***Psilotreta* sp.**

*Psilotreta* sp.: Kumanski 1991b, 28, N (NGW), F.

***Psilotreta* sp.**

*Psilotreta kisoensis* Iwata, 1928, Zool Mag 40, 117, 124–125, f 211–212; Tsuda 1942a, 231, N (HGB, RG), S (GG), M, L; Kim 1974, 14, f 39, S (GW), L. Misidentification mentioned by Botosaneanu (1970) and Parker and Wiggins (1987). Yoon and Kim 1988, 538–539, f 58, S (CN, GB, GG, GN, GW, JB, JN), L; Lee and Kim 1993, 266, N (RG), L.

**Remarks.** Botosaneanu (1970) and Parker and Wiggins (1987) mentioned that the records of *P. kisoensis* from Korea were based on misidentifications and they included at least two species, *P. falcula* and *P. locumtenens*. However, Yoon and Kim (1988) and Lee and Kim (1993) continued to use the name, *P. kisoensis*. Park and Bae (1999b) reported that their *P. locumtenens* larvae correspond with the larval descriptions of *P. kisoensis*, but Oh (2013) reported the larvae of *P. locumtenens* and *P. falcula* are indistinguishable from each other. Further study on the larval stage of Korean *Psilotreta* species is required.

**Family Helicopsychoidea Ulmer, 1906 달팽이날도래과**

Genus *Helicopsyche* Siebold, 1856 달팽이날도래속

**216. *Helicopsyche coreana* Mey, 1991**

한국달팽이날도래\*

*Helicopsyche coreana* Mey, 1991, Dtsch ent Z NF 38, 360–361, f 10–12, N (PB), M, F.

**217. *Helicopsyche yamadai* Iwata, 1927** 달팽이날도래  
*Helicopsyche yamadai* Iwata, 1927a, Zool Mag 39, 263–264, f 185–190; Kim 1974, 24, f 65, S (GG, JN), L; Yoon and Kim 1988, 543, f 60, S (JB), L.

**Remarks.** This Japanese species has been recorded based solely on the larval stage from Korea. However, the body size and habitat of the Korean larvae described by Kim (1974) and Yoon and Kim (1988) is quite different from those of *H. yamadai* in Japan (Iwata, 1927a). Further study is needed on Korean *Helicopsyche* larvae.

#### Family Sericostomatidae Stephens, 1836

##### 털날도래과

Genus *Gumaga* Tsuda, 1938 털날도래속

#### 218. *Gumaga orientalis* (Martynov, 1935)

##### 동양털날도래

*Oecismus* (?) *orientalis* Martynov, 1935, Trav Inst zool Leningrad 2, 208, 363–364, f 165.

*Gumaga okinawaensis* Tsuda, 1938: Kumanski 1991b, 25–27, f 18–23, N (NGW, PB), M, F; Malicky 1993, 14, N (PB), F; Lee and Kim 1993, 266, N (RG), L.

*Notidobia chaoi* Hwang, 1957: Botosaneanu 1970, 313, N (PB), M, F; Mey 1989, 304, N (HHN, PB), M, F. Synonymized by Malicky (1995).

*Gumaga orientalis* (Martynov, 1935): Mey 1991, 360, N (PB), F; Park and Bae 1998a, 366, f 14, S (CB, GW), M; Hwang 2006, 127–128, f 370–374, S (CB, GG, GW), M, F; Oláh *et al.* 2018, 136, N (PB), M.

*Gumaga* sp. KA: Kim 1974, 23–24, f 64, S (JN), L.

*Gumaga* KUa: Yoon and Kim 1988, 535–536, f 57, S (GW), L.

**Remarks.** *Gumaga orientalis* is the only species in the genus *Gumaga* known from Far East Russia, China and Japanese main islands. The characters of *Gumaga* sp. KA and *Gumaga* KUa provided by Kim (1974) and Yoon and Kim (1988), respectively, are identical to those of *G. orientalis*.

#### ACKNOWLEDGEMENTS

We give special thanks to Dr. Takao Nozaki (Japan) for the thorough reading of our manuscript as well as providing valuable advice and literature for this study. We offer sincere thanks to Drs. Tomiko Ito (Hokkaido Aquatic Biology, Japan) and Hans Malicky (Austria) for the identification of some problematic Korean species. We are also thankful to Dr. Kwang-soo Jung (Aquatic Ecology Insti-

tute of Korea, South Korea), Mr. Hee Sang Kwon (Dae-kyo, South Korea) and Ms. Mi Sook Kang (SOKN, South Korea) for providing some specimens used in this study. This work was supported by a grant from the National Institute of Biological Resources (NIBR), funded by the Ministry of Environment (MOE) of the Republic of Korea (NIBR201601203, NIBR201910102).

#### REFERENCES

- Ahn, N.H., M.J. Jeon, H.Y. Seo, K.G. Kim, S.J. Park and S.H. Han. 2013. National list of species of Korea (Insect: Insects of North Korea). NIBR, Incheon (in Korean).
- Akagi, I. 1960. Two new species of Leptoceridae (Trichoptera). Kontyu 28:86–89.
- Arefina, T.I. 2001. An outline of females of the genus *Rhyacophila* (Trichoptera: Rhyacophilidae) from Eastern Asia. In Y.J. Bae (ed.), The 21st Century and Aquatic Entomology in East Asia, Proceeding of the 1st Symposium of AE-SEA. Korean Society Aquatic Entomology, Jeong Haeng Sa, Seoul. pp. 21–44.
- Arefina, T.I., V.D. Ivanov and I.M. Levanidova. 1996. Six new species and three new records of caddisflies (Trichoptera) from the far east of Russia, with remarks on the *Hyalopsyche sachalinica* Martynov. Far Eastern Entomologist 34:1–12.
- Banks, N. 1906. New Trichoptera from Japan. Proceedings of the Entomological Society of Washington 7:106–113.
- Banks, N. 1938. New native Neuropteroid insects. Psyche 45:72–78.
- Banks, N. 1939. New genera and species of neuropteroid insects. Bulletin of the Museum of Comparative Zoology, Harvard 85(7):439–504.
- Barnard, P.C. 1980. A revision of the Old World Polymorphansini (Trichoptera: Hydropsychidae). Bulletin of the British Museum (Natural History), Entomology 41:59–106.
- Botosaneanu, L. 1970. Trichoptères de la République Démocratique-populaire de la Corée. Annales Zoologici, Warszawa 27:275–359 (in French).
- Botosaneanu, L. and I.M. Levanidova. 1988. Trichoptera Hydroptilidae from Soviet Union Far-eastern territories. Bulletin Zoologisch Museum, Amsterdam 11(21):169–176.
- Botosaneanu, L. and T. Nozaki. 1996 Contribution to the knowledge of the genus *Stactobia* McLachlan, 1880 from Japan (Trichoptera, Hydroptilidae). Bulletin Zoologisch Museum, Amsterdam 15(8):53–63.
- Cho, P.S. 1955. The fauna of Dagelet Island, Ulnung-do. Sungkyunkwan University Press 2:179–266 (in Korean and Chinese).
- Cho, P.S. 1963. Insect Fauna of Jejudo Island. The humanities and sciences, Natural science 6:159–242 (in Korean and Chinese).
- Cho, P.S. 2003. A systematic list of the Trichoptera of Korea.

- In J.I. Kim (ed.), Unpublished manuscripts of Dr. Cho, Pok Sung, Jeong Haeng Sa, Seoul, pp. 11-27 (in Korean and Chinese).
- Choe, H.J. and K.S. Woo. 1998. Trichoptera (Insecta) from Piagol, Mt. Chiri. Research Bulletin of Seoul National University Forests 34:72-76 (in Korean).
- Choe, H.J., K. Kumanski and K.S. Woo. 1999. Taxonomic notes on Limnephilidae and Goeridae (Trichoptera: Limnephiloidea) of Korea. Korean Journal of Systematic Zoology 15:27-49.
- Choi, J.S. and W. Ko. 2006. Chapter 45. Trichoptera. In: J.S. Choi and W. Ko (eds.), Species and distribution in Chagnbai Mountain, Animals, Northeast Normal University Press, Jilin, pp. 203-206 (in Korean and Chinese).
- Curtis, J. 1834. Descriptions of some non-descript British species of may-flies of anglers. The London and Edinburgh Philosophical Magazine and Journal of Science 4:120-125.
- Curtis, J. 1835. Insects, in James Clark Ross' appendix to John Ross' narrative of a second voyage in search of a North-west passage Vol. 2. London: A.W. Webster.
- Doi, H. 1932. Konchu Zakki (2). Journal of Chosen natural science 14:64-78 (in Japanese).
- Doi, H. 1933. Konchu Zakki (3). Journal of Chosen natural science 15:85-96 (in Japanese).
- Emoto, J. 1979. A revision of the *retracta*-Group of the genus *Rhyacophila* Pictet (Trichoptera: Rhyacophilidae). Kontyû 4:556-569.
- Esaki, T., H. Hori and K. Yasumatsu. 1938. Insectorum Japonicorum. Illustratio Iconographica. The Sansendo, Tokyo (in Japanese).
- Fabricius, J.C. 1775. Systema Entomologiae. Flensburg, Leipzig.
- Fabricius, J.C. 1793. Entomologica systematica emendata et aucta, secundum classes, ordines, genera, species, adjectis synonymis, locis, observationibus, descriptionibus. Hafniae, Proft 2:1-519.
- Fischer, F.C.J. 1970. Änderung einer praokkupierten Name in der Ordnung Trichoptera. Entomologische berichten 30:242-243.
- Gall, W.K., T. Arefina-Armitage and B.J. Armitage. 2007. Resolution of the taxonomic status of problematic goerid caddisflies (Trichoptera: Goeridae) from the eastern Palearctic Region. In: J. Bueno-Soria, R. Barba-Álvarez and B.J. Armitage (eds.), Proceedings of the 12th International Symposium on Trichoptera, The Caddis Press, Ohio, pp. 103-112.
- Gmelin, J.F. 1789. Systema Naturae, C. Linnaeus, 13th ed., GE. Beer, Leipzig.
- Hagen, H.A. 1860. Synopsis of the British Phryganeidae. Entomologist's Annual. pp. 66-85.
- Hagen, H.A. 1864. Phryganidarum synopsis synonymica. Verhandlungen der Kaiserlich-Königlichen Zoologischen-Botanischen Gesellschaft in Wien 14:799-890.
- Hattori, H. 2005a. Hydrobiosidae. In: T. Kawai and K. Tanida (eds.), Aquatic Insects of Japan: Manual with Keys and Illustrations. Tokai University Press, Kanagawa. pp. 438-439 (in Japanese).
- Hattori, T. 2005b. Rhyacophilidae. In: Kawai, T. and K. Tanida (eds.), Aquatic Insects of Japan: Manual with Keys and Illustrations. Tokai University Press, Kanagawa. pp. 414-437 (in Japanese).
- Hayashi, Y. 1998. Identification of the three *Cheumatopsyche* species (Insecta: Trichoptera) in Japan by enzyme polymorphism. The Japanese Journal of Limnology 59:175-183 (in Japanese with English abstract).
- Holzenthal, R.W., R.J. Blahnik, A.L. Prather and K.M. Kjer. 2007. Order Trichoptera Kirby, 1813 (Insecta), caddisflies. Zootaxa 1668:639-698.
- Hur, J.M. 2009. Insecta. In: Biological Resources Research Department (ed.), Inventory and Management of Endemic Species of Korea, NIBR, Incheon. pp. 63-70 (in Korean).
- Hur, J.M., J.H. Hwang and Y.J. Bae. 1999. Association of larval and adult stages of *Hydropsyche valvata* Martynov (Hydropsychidae, Trichoptera). Entomological Research Bulletin 25:13-15.
- Hur, J.M., D.H. Won, T.H. Ro and Y.J. Bae. 2000a. Descriptions of immature and adult stages of *Hydropsyche orientalis* Martynov (Trichoptera, Hydropsychidae) with ecological notes. Korean Journal of Applied Entomology 39:25-29.
- Hur, J.M., J.H. Hwang, T.H. Ro and Y.J. Bae. 2000b. Association of immature and adult stages of *Hydropsyche kozhantschikovi* Martynov (Trichoptera: Hydropsychidae). Korean Journal of Entomology 30:57-61.
- Hwang, C. 1957. Descriptions of Chinese caddis flies. Acta Entomologica Sinica 7:373-404 (in Chinese with English abstract).
- Hwang, J.H. 2006. Taxonomic study of Korean Trichoptera. PhD Thesis, Korea University, South Korea, 1-251 (in Korean and English).
- Hwang, J.H. 2010. Trichoptera. In: M.K. Paek and Y.K. Cho (eds.), Checklist of Korean Insects, Nature and Ecology, Seoul. pp. 247-249 (in Korean).
- Hwang, J.H. 2012. Trichoptera. In: S.P. Lee (ed.), National list of species of Korea, Insect (Aquatic insect), NIBR, Incheon. pp. 61-93 (in Korean).
- Hwang, J.H. and D.-J. Chun. 2006. New records of polycen-tropodid caddisflies from Korea (Insecta: Trichoptera). Entomological Research 36:94-97.
- Hwang, J.H. and I.B. Yoon. 1996. A taxonomic study of sub-family Hydropsychinae from Korea (Trichoptera: Hydropsychidae). Entomological Research Bulletin 22:7-15.
- Ito, T. 1992. Lepidostomatid caddisflies (Trichoptera) from the Ryukyu Islands of southern Japan, with descriptions of two new species. Japanese Journal of Entomology 60:333-342.
- Ito, T. 2001. Description of the type species of the genus *Goerodes* and generic assignment of three East Asian species (Trichoptera, Lepidostomatidae). Limnology 2:1-9.
- Ito, T. 2017. The genus *Stactobia* McLachlan (Trichoptera,

- Hydroptilidae) in Japan. *Zootaxa* 4350:201-233.
- Ito, T. and S.-J. Park. 2016. A New Species of the Genus *Orthotrichia* (Trichoptera, Hydroptilidae) from Korea. *Animal Systematics, Evolution and Diversity* 32(3):230-233.
- Ito, T., Y. Hayashi and N. Shimura. 2012. The genus *Anisocentropus* McLachlan (Trichoptera, Calamoceratidae) in Japan. *Zootaxa* 3157:1-17.
- Ivanov, V.D. 1997. Family Philopotamidae. In: Lehr, P.A. (ed), Key to the insects of Russian Far East. V. Trichoptera and Lepidoptera. Pt. 1, Dal' nauka, Vladivostok. pp. 46-51 (in Russian).
- Ivanov, V.D. and I.M. Levanidova. 1993. A new species of Apataniidae from the Russian Far East. *Braueria* 20:15-16.
- Iwata, M. 1927a. Trichopterous larvae from Japan. *Zoological Magazine* 39:209-272 (in Japanese).
- Iwata, M. 1927b. Trichopterous larvae from Japan. (II). *Zoological Magazine* 39:389-394 (in Japanese).
- Iwata, M. 1928. Trichopterous larvae from Japan (III). *Zoological Magazine* 40:115-130 (in Japanese with English resume).
- Iwata, M. 1930. Trichopterous larvae from Japan. (V). *Zoological Magazine* 42:59-66 (in Japanese).
- Ju, D.L. 1969. Systematic list of Insects, Academy of Science, Pyeongyang (in Korean).
- Jung, S.W. and Y.J. Bae. 2006. Description of the larva of *Ceraclea lobulata* (Martynov) (Insecta: Trichoptera: Lepidoceridae). *Korean Journal of Systematic Zoology* 22:149-151.
- Jung, S.W., D.H. Lee, S.A. Ham, J.M. Hur, J.M. Hwang and Y.J. Bae. 2011. Revised checklist of the Korean aquatic insects. *Entomological Research Bulletin* 27: 37-52 (in Korean).
- Kamijo, N. 1933. On a collection of Insects from North Keisho-do, Korea [III]. *Journal of Chosen natural science* 15: 46-63 (in Japanese).
- Kim, J.W. 1974. Larvae of Korean Trichoptera. *Korean Journal of Zoology* 17:198-199 (in Korean).
- Kimmins, D.E. 1958. The identity of *Stenopsyche griseipennis* McLachlan (Trichoptera, Family Stenopsychidae). *Bulletin of the British Museum: Natural History, Entomology* (London) 6:253-260.
- Klapálek, F. 1892. Trichopterologický vyzkum Cech v. r. 1891. *Rozpravy Ceske Akademie Císaire Frantiska Josefa*, Praha 5:1-22.
- Ko, M.K. and K.T. Park. 1988. A systematic study of Rhyacophilidae (Trichoptera) in Korea. *Korean Journal of Entomology* 18:7-16.
- Kobayashi, M. 1959. Caddisfly Fauna of the Vicinity of Yoshii-Machi, Fukuoka Prefecture, with description of five new species. *Bulletin of the National Science Museum (Tokyo)* 44:343-354.
- Kobayashi, M. 1985. On the Trichoptera from the Island of Tsushima, with seven new species (Insecta). *Bulletin of the Kanagawa Prefectural Museum (Natural Science)* 16:7-22.
- Kobayashi, M. 1989. A taxonomic study on the Trichoptera of South Korea, with description of four new species (Insecta). *Bulletin of the Kanagawa Prefectural Museum Natural Science* 18:1-9.
- Kolenati, F.A. 1848. Genera et species Trichopterorum. Pars Prior. *Acta Regiae Bohemoslovenicae Societatis Scientiarum, Prague* 6:1-108.
- Kolenati, F.A. 1858. Synopsis prodroma der Gattung *Hydropsyche*. *Wiener Entomologische Monatsschrift* 2:277-279.
- Kolenati, F.A. 1859. Genera et Species Trichopterorum, Pars Altera. *Nouveaux Mémoires de la Société Impériale des Naturalistes de Moscou* 11:141-296.
- Kuhara, N. 2005. A review of *Wormaldia* McLachlan (Trichoptera: Philopotamidae) in Japan, with redescriptions of eight species. In: K. Tanida and A. Rossiter (eds.), *Proceedings of the 11th International Symposium on Trichoptera*, Tokai University Press, Kanagawa. pp. 229-244.
- Kuhara, N. 2016. Revision of Japanese species of the genus *Ecnomus* McLachlan (Trichoptera: Ecnomidae), with descriptions of two new species. *Zootaxa* 4114:561-571.
- Kumanski, K. 1990. Studies on the fauna of Trichoptera (Insecta) of Korea. I. Superfamily Rhyacophiloidea. *Historia naturalis bulgarica* 2:36-59.
- Kumanski, K. 1991a. Studies on the fauna of Trichoptera (Insecta) of Korea II. Family Leptoceridae. *Historia naturalis bulgarica* 3:49-71.
- Kumanski, K. 1991b. Studies on Trichoptera (Insecta) of Korea (North). V. Superfamily on Limnephiloidea, except Lepidostomatidae and Leptoceridae. *Insecta Koreana* 8: 15-29.
- Kumanski, K. 1992. Studies on Trichoptera of Korea (North) III. Superfamily Hydropsychoidea. *Insecta Koreana* 9:52-77.
- Kumanski, K. and J.S. III Weaver. 1992. Studies on the fauna of Trichoptera (Insecta) of Korea IV. The family Lepidostomatidae. *Aquatic Insects* 14:153-168.
- Kuranishi, R.B. 1999. A checklist of the Rhyacophilidae (Trichoptera) in Japan. In: H. Malicky and P. Chantaramongkol (eds.), *Proceedings of the 9th International Symposium on Trichoptera*, Faculty of Chiang Mai University, Chiang Mai. pp. 185-192.
- Kuranishi, R.B. 2016. Rhyacophilidae. In: Editorial committee of Catalogue of the Insects of Japan (ed.), *Catalogue of the Insects of Japan, Volume 5. Neuropterida, Mecoptera, Siphonaptera, Trichoptera and Strepsipterum*, Entomological Society of Japan, Fukuoka. pp. 62-68 (in Japanese).
- Kuranishi, R. and L.P. Hsu. 2019. Discovery of *Eubasilissa signata* Wiggins, 1998 (Trichoptera, Phryganeidae) from Taiwan. *Zoosymposia* 14:103-107.
- Kuwayama, S. 1922. A synonymic list of the Phryganeidae of Japan. *Dobutsugaku Zasshi* 34:956-962 (in Japanese).
- Kuwayama, S. 1930a. The Stenopsychidae of Nippon. *Insecta Matsumurana* 4:109-120.
- Kuwayama, S. 1930b. A new and two unrecorded species of

- Trichoptera from Japan. *Insecta Matsumurana* 5(1-2):53-57.
- Kuwayama, S. 1949. Trichoptera. In: S. Uchida *et al.* (eds.), *Illustrated Pocket Book of Japanese Insects*, Hokuryukan, Tokyo. pp. 306-309 (in Japanese).
- Kuwayama, S. 1967. The genus *Holostomis* in Japan and adjacent territories (Trichoptera: Phryganeidae). *Insecta Matsumurana*, suppl. 2:1-6.
- Kuwayama, S. 1973. An enumeration of the family Phryganeidae from Japan and its adjacent territories (Trichoptera). *Kontyû* 41:35-43.
- Kwon, S.J., Y.C. Jun and J.H. Park. 2013. Benthic Macroinvertebrates, Checklist of organisms in Korea 7. Nature and Ecology, Seoul.
- Lee, S.J., J.M. Hur and Y.J. Bae. 2013. Review of the genus *Ceraclea* Stephens (Trichoptera: Leptoceridae) in Korea. *Biology of Inland Water* suppl.: 2, Proceedings of 1st Symposium of BSA. In: K. Tanida and T. Nozaki (eds.), *Scientific Research Society of Inland Water Biology*, Kohan Insatsu, Kanagawa. pp. 81-91.
- Lee, S.J., J.H. Hwang and Y.J. Bae. 2012. The caddisfly genus *Oecetis* McLachlan (Trichoptera: Leptoceridae) in Korea. *Entomological Research* 42:271-280.
- Lee, G.P. and Kim, G.A. (eds.) 1993. *Biota of Baekdusan Mt., Animals, Science and Technology Press, Pyeongyang*. pp. 262-267.
- Lepneva, S.G. 1964. *Fauna SSSR, Rucheiniki*, vol. 2(1). Lichinki i kukolki podotryada kol'chatoshchupikovykh. *Zoologicheskii Institut Akademii Nauka SSSR*, ns. 88 [in Russian] (Translated into English as: *Fauna of the U.S.S.R.; Trichoptera*, vol. 2(1). *Larvae and Pupae of Annulipalpia*. Israel Program for Scientific Translations, 1970).
- Lepneva, S.G. 1966. *Fauna SSSR, Rucheiniki*, vol. 2(2). Lichinki i kukolki podotryada tse'lnoshchupikovykh. *Zoologicheskii Institut Akademii Nauka SSSR*, ns. 95 [in Russian]. (Translated into English as: *fauna of the U.S.S.R.; Trichoptera*, vol. 2(2). *Larvae and Pupae of Integripalpia*. Israel Program for Scientific Translations, 1971).
- Levanidova, I.M. 1977. New species of the genus *Rhyacophila* (Trichoptera, Rhyacophilidae) from southern Primoriye. In: V.Y. Levanidova (ed.), *Freshwater fauna of the reserve 'Kedrovaya Pad'*, Proc. Inst. Biol. Pedol., Far East Centre, Akad Nauk SSSR Vladivostok. 45(148):64-71.
- Li, Y.J. and J.C. Morse. 1997. Phylogeny and classification of Psychomyiidae (Trichoptera) genera. In: R.W. Holzenthal and O.S. Jr. Flint (eds.), *Proceedings of the 8th International Symposium on Trichoptera*, Ohio Biological Survey, Ohio. pp. 271-276.
- Li, Y.J., J.C. Morse and H. Tachet. 2001. Pseudoneureclipsinae in Dipseudopsidae (Trichoptera: Hydropsychoidea), with descriptions of two new species of *Pseudoneureclipsis* from East Asia. *Aquatic Insects* 23:107-117.
- Linnaeus, C. 1758. *Systema Naturae*, ed. 10, Volume 1: *Regnum Animalia*. Holmiae, Stockholm: Laurentii Salvii.
- Linnaeus, C. 1761. *Fauna Svecia*, ed. 2. Laurentii Salvii, Stockholm.
- Malicky, H. 1993. Some caddisflies from Korea. *Braueria* 20:14.
- Malicky, H. 1995. Neue Köcherfliegen (Trichoptera, Insecta) aus Vietnam. *Linzer biologische Beiträge* 27:851-885.
- Malicky, H. 1997. Die mediterranen, vorderasiatischen und europäischen Arten der *Hydroptila* sparsa-Gruppe (Trichoptera, Hydroptilidae). *Entomologische Berichte Luzern* 38:137-153.
- Malicky, H. 2005. Beiträge zur Kenntnis asiatischer *Oecetis* (Trichoptera, Leptoceridae). *Linzer biologische Beiträge* 37:605-669.
- Malicky, H. 2013. Synonyms and possible synonyms of Asiatic Trichoptera. *Braueria* 40:41-54.
- Malicky, H. 2014. Köcherfliegen (Trichoptera) von Taiwan, mit Neubeschreibungen. *Linzer biologische Beiträge* 46:1607-1646.
- Malicky, H. and P. Chantaramongkol. 2000. Ein Beitrag zur Kenntnis asiatischer *Hydropsyche* - Arten (Trichoptera, Hydropsychidae) (gleichzeitig Arbeit Nr. 29 über thailändische Köcherfliegen). *Linzer biologische Beiträge* 32:791-860 (in German with English abstract).
- Malicky, H. and P. Chantaramongkol. 2007. Beiträge zur Kenntnis asiatischer Hydroptilidae (Trichoptera). *Linzer Biologische Beiträge* 39:1009-1099.
- Martynov, A.V. 1907. Trichoptera aus der Manchuerei. *Zoologischer Anzeiger* 32:16-19.
- Martynov, A.V. 1909. Les Trichopteres de la Sibirie et des régions adjacentes. I-e partie. Les fam. des Phryganeidae et des Sericostomatidae (sousfam. des Goerinae et des Lepidostomatinae). *Annuaire du Musee zoologique de l'Academie imperiale de St. Pétersbourg* 14:223-255.
- Martynov, A.V. 1910. Les Trichoptères de la Sibérie et des régions adjacentes. II-e partie. *Annuaire du Musee zoologique de l'Academie imperiale de St. Pétersbourg* 15: 351-429.
- Martynov, A.V. 1914a. Notes on the Trichoptera collected by the Prof. P. SUSHKIN's Expedition to the Altai during 1912. *Revue Russe d'Entomologie* 14:72-84.
- Martynov, A.V. 1914b. Trichopteres de la Sibirie et des regions adjacentes IV. Sousfam. Limnophilinae (fam. Limnophilidae). *Annuaire Musée Zoologique de Académie Impériale des Sciences de Petrograd* 19:173-285.
- Martynov, A.V. 1914c. Die Trichopteren Sibiriens und der angrenzenden Gebiete. III. Teil. subf. Apataniinae (Fam. Limnophilidae). *Annuaire Musée Zoologique de Académie Impériale des Sciences de Petrograd* 19:1-87.
- Martynov, A.V. 1914d. Trichoptera of the Kamtschatka expedition. *Revue Russe d'Entomologie* 13:476-481.
- Martynov, A.V. 1918. Sur une nouvelle espèce de la tribu des Apataniini, et quelques autres formes provenant du Pays de Minoussinsk. *Annuaire du Musée Zoologique de l'Académie des Sciences de Russie* 22: 45-63 (in Russian).
- Martynov, A.V. 1924a. Notice sur les Trichopteres de la district Minoussinsk. *Jahrbuch des Martjanov'schen*



- Staatsmuseums in Minussinsk (Siberien, Jenissey Gouv.) 2(3):62-98.
- Martynov, A.V. 1924b. Sur la classification et l'évolution de la fam. Phryganeidae (Trichoptera). Comptes Rendus de l'Académie des Sciences de Russie 77:80 (in Russian).
- Martynov, A.V. 1926. On the family Stenopsychidae Mart., with a revision of the genus *Stenopsyche* McLachl. (Trichopt.). Eos-Revista Española de Entomología 2:281-308.
- Martynov, A.V. 1927. Contributions to the aquatic entomofauna of Turkestan. I. Trichoptera, Annulipalpia. Annuaire de Musée Zoologique de l'Académie Impériale des Sciences de St. Pétersbourg 28:162-193.
- Martynov, A.V. 1929. On a collection of Trichoptera from the river Bija and from the vicinities of the lake Teletzkoje. Konowia 8:293-311.
- Martynov, A.V. 1930. On the trichopterous fauna of China and eastern Tibet. Proceedings of the Zoological Society 5:65-112.
- Martynov, A.V. 1933. On an interesting collection of Trichoptera from Japan. Annotationes Zoologicae Japonenses 14: 134-156.
- Martynov, A.V. 1934. Tableaux Analytiques de la Faune de l'URSS, 13: Rucheyniki, Trichoptera, Annulipalpia, I. Institut Zoologique de l'Académie des Sciences, Leningrad.
- Martynov, A.V. 1935. Trichoptera of the Amur region, Part 1. Travaux de l'Institut Zoologique Académie des Sciences de l'URSS Leningrad 2:205-395 (in Russian).
- Matsumura, S. 1904. 1000 insects of Japan 1. Keiseisha, Tokyo (in Japanese).
- Matsumura, S. 1907. Systematic Entomology, I. Keiseisha, Tokyo (in Japanese).
- Matsumura, S. 1931. 6000 illustrated Insects of Japan Empire. Tokoshoin, Tokyo (in Japanese).
- McLachlan, R. 1862. Characters of new species of exotic Trichoptera; also of one new species inhabiting Britain. Transactions of the Entomological Society of London 3(1):301-311.
- McLachlan, R. 1866. Description of new or little-known genera and species of exotic Trichoptera; with observations on certain species described by F. Walker. Transactions of the Entomological Society of London 3(5):247-278.
- McLachlan, R. 1871. On new forms, etc., of extra-European Trichopterous insects. Journal of the Linnaean Society of London, Zoology 11:98-141.
- McLachlan, R. 1872a. Matériaux pour une faune névroptérologique de l'Asie septentrionale. Second partie, non-odonates. Annales de la Société Entomologique de Belgique 15:47-77.
- McLachlan, R. 1872b. Notes on the Neuroptera of Siberia and European Russia. Compte Rendu de la Société Impériale des Amis des Sciences Naturelles, Moscow 10 (in Russian).
- McLachlan, R. 1876. Descriptions of new or little-known genera and species of exotic Trichoptera; with observations on certain species described by Mr. F. Walker. Transactions of Entomological Society of London 3:247-278.
- McLachlan, R. 1877. A monographic revision and synopsis of the Trichoptera of the European fauna, Part 6. Napier Printers, London.
- McLachlan, R. 1879. A monographic revision and synopsis of the Trichoptera of the European fauna, Part 8. London: John van Voorst.
- McLachlan, R. 1880. A monographic revision and synopsis of the Trichoptera of the European fauna, Part 9. London: John van Voorst.
- Mey, W. 1989. Taxonomische und faunistische Notizen zu einigen Köcherfliegen (Trichoptera) aus Korea. Acta Entomologica Bohemoslovacia 86:295-305 (in German).
- Mey, W. 1991. Faunistische Daten über Köcherfliegen der Ostpaläarktis und Beschreibung neuer Arten (Insecta, Trichoptera). Deutsche Entomologische Zeitschrift für Natur Forschung 38:349-363 (in German).
- Mey, W. 1999a. Notes on the taxonomy and phylogeny of *Apsilochorema* Ulmer, 1907 (Trichoptera, Hydrobiosidae). Deutsche Entomologische Zeitschrift 46:169-183.
- Mey, W. 1999b. The *Hydropsyche formosana* group in the Oriental Region: taxonomy, distribution and phylogeny (Insecta, Trichoptera: Hydropsychidae). In: H. Malicky and P. Chantaramongkol (eds.), Proceedings of the 9th International Symposium on Trichoptera, Faculty of Science, Chiang Mai University, Chiang Mai. pp. 227-236.
- Minakawa, N., T.I. Arefina, T. Ito, T. Nozaki, N. Kuhara, H. Nishimoto, M. Uenishi, V.A. Teslenko, D.J. Bennett, R.I. Gara, K.L. Kurowski, P.B.H. Oberg, T.I. Ritchie and L.J. Weis. 2004. Caddisflies (Trichoptera) of the Kuril Archipelago. In: H. Takahashi and M. Ohara (eds.), Biodiversity and Biogeography of the Kuril Islands and Sakhalin, Vol. 1 Hokkaido University Museum, Sapporo. pp. 49-80.
- Morse, J.C., P.B. Frandsen, W. Graf and J.A. Thomas. 2019. Diversity and Ecosystem Services of Trichoptera. Insects 10:125.
- Morton, K.J. 1900. Description of new species of oriental *Rhyacophila*. Transactions of the Entomological Society of London 1900:1-7.
- Morton, K.J. 1904. A new species of Trichoptera from Western Finland, *Leptocerus excisus*. Meddelanden af Societatis pro Fauna et Flora Fennica 30:67-69.
- Mosely, M.E. 1922. Two new British species of *Hydroptila*. Transactions of the Entomological Society of London, 1922 178-180.
- Mosely, M.E. 1930. New European Trichoptera and Plecoptera. Transactions of the Entomological Society of London 78:237-253.
- Mosely, M.E. 1942. Chinese Trichoptera: a collection made by Mr. M.S. Yang in Foochow. The Transactions of the Entomological Society of London 92: 343-362.
- Navás, L. 1920. Neurópteros (Ins.) del Japón. Revista de la Real Academia de Ciencias Exactas, Físicas y Naturales de Madrid 18:157-164.
- Navás, L. 1926. Trichoptera, Megaloptera und Neuroptera aus

- dem Deutschen Entomologischen Institut (Berlin-Dahlem). II Serie. Entomologische Mitteilungen 15:57-63.
- Nozaki, T. 2002. Revision of the genus *Nothopsyche* Banks (Trichoptera: Limnephilidae) in Japan. Entomological Science 5:103-124.
- Nozaki, T. 2005. Brachycentridae. In: T. Kawai and K. Tanida (eds.), Aquatic insects of Japan: manual with keys and illustrations, Tokai University Press, Hadano. pp. 498-502 (in Japanese).
- Nozaki, T. 2016. Trichoptera. In: H. Maruyama and S. Hanada (eds.), A field guide to Japanese aquatic insects: Adults of mayflies, stoneflies and caddisflies, Zenkoku Noson Kyoi-ku Kyokai, Tokyo. pp. 294-410 (in Japanese).
- Nozaki, T. and K. Tanida. 2007. Caddisfly fauna of a huge spring-fed stream, the Kakida River, in central Japan. In: J. Bueno-Soria, R. Barba-Álvarez and B.J. Armitage (eds.), Proceedings of the 12th International Symposium on Trichoptera, The Caddis Press, Ohio. pp. 243-255.
- Nozaki, T. and K. Tanida. 2010. Synonymic notes on three Japanese caddisfly species (Trichoptera: Calamoceratidae, Odontoceridae). Biology of Inland Waters 25:97-99.
- Nozaki, T., T. Ito and K. Tanida. 1994. Checklists of Trichoptera in Japan 2. Glossosomatidae, Beraeidae, Odontoceridae and Molannidae. The Japanese Journal of Limnology 55:297-305.
- Nozaki, T., N. Katsuma and T. Hattori. 2010. Redescription of *Polyplectropus protensus* Ulmer, 1908 and description of two new *Polyplectropus* species from Japan (Trichoptera, Polycentropodidae). Denisia 29:235-242.
- Nozaki, T., S.-J. Park and D. Kong. 2019. Reexamination of five caddisfly species (Trichoptera, Insecta) recorded from South Korea by Kobayashi (1989). Animal Systematics, Evolution and Diversity 35(1):1-5.
- Nozaki, T., T.S. Vshivkova and T. Ito. 2006. Larva, pupa and adults of *Nothopsyche nigripes* Martynov, 1914 (Trichoptera, Limnephilidae), with biological notes. In: S. Uchida and T. Kishimoto (eds.), Proceedings of the 2nd Symposium of AESEA (Biology of Inland Waters, Suppl. 1), Scientific Research Society of Inland Water Biology, Gifu. pp. 49-55.
- Oh, M.W. 2013. Taxonomic study of Integripalpia (Insecta: Trichoptera). MS Thesis, Kyonggi University, South Korea. pp. 1-94.
- Oh, M.W. and D. Kong. 2014. Three species of the Lepidostomatidae, Limnephilidae, and Hydroptilidae (Trichoptera) recorded by the Korean indigenous species survey of the National Institute of Biological Resources (2011-2013). Entomological Research Bulletin 30(2):157-158.
- Oh, M.W., J.Y. Kim and D. Kong. 2013. New record of *Lepidostoma ebenacanthus* (Trichoptera: Lepidostomatidae) from Korea. Entomological Research Bulletin 29(2): 210-211.
- Oláh, J. 1985. Three new Trichoptera from Korea. Folia Entomologica Hungarica 46:137-142.
- Oláh, J. 1989. Thirty-five new hydroptilid species from Vietnam (Trichoptera, Hydroptilidae). Acta Zoologica Hungarica 35:255-293.
- Oláh, J. and T. Ito. 2013. Synopsis of the *Oxyethira flavicornis* species group with new Japanese *Oxyethira* species (Trichoptera, Hydroptilidae). Opuscula Zoologica 44:23-46.
- Oláh, J. and K.A. Johanson. 2008. Generic review of Hydropsychinae, with description of *Schmidopsyche*, new genus, 3 new genus clusters, 8 new species groups, 4 new species clades, 12 new species clusters and 62 new species from the Oriental and Afrotropical regions (Trichoptera: Hydropsychidae). Zootaxa 1802:1-248.
- Oláh, J. and K.A. Johanson. 2010. Description of 33 new species of Calamoceratidae, Molannidae, Odontoceridae and Philorheithridae (Trichoptera), with detailed presentation of their cephalic setal warts and grooves. Zootaxa 2457:1-128.
- Oláh, J., K.A. Johanson and P.C. Barnard. 2008. Revision of the Oriental and Afrotropical species of *Cheumatopsyche* Wallengren (Hydropsychidae, Trichoptera). Zootaxa 1738:1-171.
- Oláh, J., K.A. Johanson, W. Li and S.-J. Park. 2018. On the Trichoptera of Korea with Eastern Palearctic relatives. Opuscula Zoologica Budapest 49:99-139.
- Oláh, J., T. Andersen, S. Beshkov, A. Bilalli, G. Coppa, H. Ibrahimi, K.A. Johanson, T. Kovács, W. Mey, M. Musliu, J. Jr. Oláh and Ruiz-Garcia. 2019. Lineage sorting by parameres in Limnephilinae subfamily (Trichoptera): with description of a new tribe, new genera and new species. Opuscula Zoologica Budapest 50:3-98.
- Park, S.-J. 1999. Systematics of the Limnephiloidea (Insecta: Trichoptera) in Korea. MS Thesis, Seoul Women's University, South Korea. pp. 1-76.
- Park, S.-J. and Y.J. Bae. 1998a. New records of the Limnephiloidea (Insecta: Trichoptera) from Korea. Korean Journal of Systematic Zoology 14:361-370.
- Park, S.-J. and Y.J. Bae. 1998b. Checklist of the Limnephiloidea (Insecta: Trichoptera) of Korea. Entomological Research Bulletin 24:33-42.
- Park, S.-J. and Y.J. Bae. 1999a. Description of *Goera jaewoni* n. sp., and reports of larval stages of *G. interrogacionis* and *G. parvula* (Trichoptera: Goeridae) from Korea. Korean Journal of Biological Science 3:365-367.
- Park, S.-J. and Y.J. Bae. 1999b. New records of the Lepidostomatidae and Odontoceridae (Insecta: Trichoptera) from Korea. Korean Journal of Limnology 32:303-307.
- Park, S.-J. and Y.J. Bae. 2000. A new species and two new records of the Limnephilidae (Insecta, Trichoptera) in Korea. Korean Journal of Systematic Zoology 16:15-21.
- Park, S.-J., Y.J. Bae and L.F. Yang. 1999. New records of the Leptoceridae (Trichoptera) from Korea. Insecta Koreana 16:155-162.
- Park, S.-J., J.H. Hwang and J.M. Hur. 2019. Trichoptera. In Lee, S.P. (ed.), National Species List of Korea, III. Insects (Hexapoda), NIBR, Incheon. pp. 495-593.
- Park, S.-J., S. Inaba, T. Nozaki and D. Kong. 2017. One

- new species and four new records of caddisflies (Insecta: Trichoptera) from the Korean Peninsula. *Animal Systematics, Evolution and Diversity* 33(1):1-7.
- Park, S.-J., T. Ito, T. Nozaki and D. Kong. 2018. Six new records of Hydroptilidae (Trichoptera) from Korea. *Animal Systematics, Evolution and Diversity* 34(2):101-109.
- Parker, C.R. and G.B. Wiggins. 1987. Revision of the Caddisfly Genus *Psilotreta* (Trichoptera: Odontoceridae). *Royal Ontario Museum Life Sciences Contributions* 144:1-55.
- Rambur, P.J. 1842. *Histoire Naturelle des Insectes. Nèvroptères*, Paris.
- Ross, H.H. 1956. *Evolution and classification of the mountain caddisflies*. The University of Illinois Press, Urbana.
- Ruiter, D.E., E.E. Boyle and X. Zhou. 2013. DNA barcoding facilitates associations and diagnoses for Trichoptera larvae of the Churchill (Manitoba, Canada) area. *BMC Ecology* 13:5.
- Say, T. 1824. Narrative of an Expedition to the source of St. Peter's river, & c., under the command of Stephen H. Long, Major U. S. T. E., Philadelphia 2:268-378.
- Schmid, F. 1950. Le genre *Hydatophylax* Wall. (Trichopt. Limnophilidae). *Mitteilungen der Schweizerischen Entomologischen Gesellschaft, Switzerland* 23:265-296.
- Schmid, F. 1965a. Quelques Trichoptères Asiatiques II. *Entomologisk Tidsrift* 86:28-35.
- Schmid, F. 1965b. Quelques trichoptères de Chine II. *Bonner Zoologische Beiträge* 16:127-154.
- Schmid, F. 1969. La famille des Sténopsychides (Trichoptera). *The Canadian Entomologist* 101:187-224.
- Schmid, F. 1987. Considerations diverses sur quelques genres leptocerins (Trichoptera, Leptoceridae). *Bulletin de l'Institut royal des Sciences naturelles de Belgique Entomologie Supplement* 57:1-147.
- Stephens, J.F. 1836. *The nomenclature of British insects*. Baldwin and Cradock, London.
- Takeuchi, K. 1955. Coloured Illustrations of the Insects of Japan, Orthoptera, Odonata, Hemiptera, Neuroptera, Lepidoptera, Hymenoptera and Diptera. Hoikusha, Osaka (in Japanese).
- Tanida, K. 1982. Trichoptera captured by light traps in the Hakusan region. A list of Aquatic insects of streams in the Hakusan region, IV. *Annual Report of Hakusan Nature Conservation Center* 8:15-29.
- Tanida, K. 1985. Trichoptera. In: T. Kawai (ed.), *An Illustrated Book of Aquatic Insects of Japan*, Tokai University Press, Tokyo. pp. 167-215 (in Japanese).
- Tanida, K. 1987. A revision of Japanese species of the genus *Hydropsyche* (Trichoptera, Hydropsychidae) III. *Kontyû* 59-70.
- Tanida, K. 2018. Hydropsychidae. In: T. Kawai and K. Tanida (eds.), *Aquatic Insects of Japan: Manual with Keys and Illustrations*, the 2nd edition. Tokai University Press, Kanagawa. pp. 567-583 (in Japanese).
- Thomas, J.A., P.B. Frandsen, E. Prendini, X. Zhou and R.W. Holzenthal. 2020. A multigene phylogeny and timeline for Trichoptera (Insecta). *Systematic Entomology* 45(3):670-686.
- Tsuda, M. 1936. Untersuchungen über die Japanischen Wasserrinsekten II. Lepidostomatinae (Trichoptera). *Annotationes Zoologicae Japonenses* 15:400-409.
- Tsuda, M. 1938. Zur Kenntnis der Trichopteren von Liukiu auf Grund des Materials der 1935 Liukiu-Expedition. *Biogeographica* 3:100-104.
- Tsuda, M. 1940a. Zur Kenntnis der Japanischen Hydropsychiden (Trichoptera). *Annotationes Zoologicae Japonenses* 19:23-34.
- Tsuda, M. 1940b. Zur Kenntnis der Japanischen Rhyacophilinen (Rhyacophilidae, Trichoptera). *Annotationes Zoologicae Japonenses* 19:119-135.
- Tsuda, M. 1940c. Zur Kenntnis der Japanischen Glossosomatinen (Rhyacophilidae, Trichoptera). *Annotationes Zoologicae Japonenses* 19:191-194.
- Tsuda, M. 1942a. Zur Kenntnis der Koreanischen Trichopteren. *Memoirs of the College of Science, Kyoto Imperial University, Series B* 17:227-237.
- Tsuda, M. 1942b. Japanische Trichopteren I. Systematik. *Memoirs of the College of Science, Kyoto Imperial University, Series B* 17:239-339.
- Tsuda, M. and I. Akagi. 1955. On the Japanese species of genus *Goera*. *Bulletin of the Biogeographical Society of Japan* 16:235-238 (in Japanese).
- Tsuda, M. and I. Akagi. 1962. Trichoptera. In: M. Tsuda (ed.), *Aquatic Entomology*. Hokuryukan, Tokyo. pp. 112-148 (in Japanese).
- Tsuda, M. and S. Kuwayama. 1950. Trichoptera. In: T. Ishii et al. (eds.), *Iconographia Insectorum Japonicorum* 2nd edition. Hokuryukan, Tokyo. pp. 413-428 (in Japanese).
- Uenishi, M. 1993. Genera and species of leptocerid Caddisflies in Japan. In: C. Otto (ed.), *Proceedings of the 7th International symposium on Trichoptera*. Backhuys Publishers, Leiden. pp. 79-84.
- Ulmer, G. 1905. Zur Kenntniss aussereuropäischer Trichopteren. *Entomologische Zeitung* 66:3-119.
- Ulmer, G. 1906. Neue Beiträge zur Kenntnis aussereuropäischer Trichopteren. *Notes Leyden Museum* 28:1-116.
- Ulmer, G. 1907. Trichopteren. Part. 1. *Collection of Zoologiques du Baron Edm. de Selys Longchamps, Fasc* 6:1-102.
- Ulmer, G. 1908. Japanische Trichoptera. *Deutsche Entomologische Zeitschrift*, 1908:339-355.
- Ulmer, G. 1911. Die von Herrn Hans Sauter auf Formosa gesammelten Trichopteren (Neur.). *Deutsch Entomologische Zeitschrift*, 1911:396-401 (in German).
- Ulmer, G. 1915. Trichoptera des Ostens, besonders von Ceylon und Neu-Guinea. *Deutsche Entomologische Zeitschrift*, 1915:41-75.
- Ulmer, G. 1929. Über einige deutsche Hydroptiliden. *Zoologischen Anzeiger* 80:253-266.
- Ulmer, G. 1930. Trichopteren von den Philippinen und von den Sunda-Inseln. *Treubia* 11:373-498.
- Ulmer, G. 1932. Aquatic insects of China. Article III. Neue

- chinesische Trichopteren, nebst übersicht über die bisher aus China, bekannten arten. Peking Natural History Bulletin 7:39-70.
- Uy, C.J.C., N. Kuhara and Y.J. Bae. 2019. Taxonomic review of the Northeast Asian species of *Kisaura* (Philopotamidae) with description of a new species. Zoosymposia 14:289-299.
- Walker, F. 1852. Catalogue of the Specimens of Neuropterous Insects in the Collection of the British Museum, Part I: Phryganides-Perlides. London: British Museum.
- Weaver, J.S. III. 2002. A synonymy of the caddisfly genus *Lepidostoma* Rambur (Trichoptera: Lepidostomatidae), including a species checklist. Tijdschrift voor Entomologie 145:173-192.
- Wiggins, G.B. 1968. Contributions to the systematics of the caddisfly family Molannidae in Asia (Trichoptera), Life Sciences Contribution 72. Royal Ontario Museum, Toronto.
- Wiggins, G.B. 1996. Larvae of the North American caddisfly genera (Trichoptera). University of Toronto Press, Toronto.
- Wiggins, G.B. 1998. The caddisfly family Phryganeidae (Trichoptera). University of Toronto Press, Toronto, Buffalo, London.
- Wiggins, G.B. and J.S. Richardson. 1982. Revision and synopsis of the caddisfly genus *Dicosmoecus* (Trichoptera: Limnephilidae; Dicosmoecinae). Aquatic Insects 4:181-217.
- Yamada, M. 1938. On some trichopterous larvae and pupae from Dagelet Island or Utsuryo-to. Journal of Chosen Natural Science 24:1-5.
- Yang, L. and J.C. Morse. 1988. *Ceraclea* of the People's republic of China (Trichoptera: Leptoceridae). Contributions of the American Entomological Institute 23(4):1-69.
- Yang, L. and J.C. Morse. 2000. Leptoceridae (Trichoptera) of the People's Republic of China. Memoirs of the American Entomological Institute 64:1-309.
- Yang, L.F., C.H. Sun and J.C. Morse. 2016. An amended checklist of the caddisflies of China (Insecta, Trichoptera). Zoosymposia 10:451-479.
- Yoon, I.B. and K.H. Kim. 1988. VI. Order Trichoptera. In: Yoon, I.B. (ed.), Illustrated Encyclopedia of Fauna and Flora of Korea, Vol. 30, Aquatic Insects. Ministry of Education of Korea, Seoul. pp. 430-551 (in Korean).
- Yoon, I.B. and K.H. Kim. 1989a. A systematic study of the caddisfly larvae in Korea (1). Korean Journal of Entomology 19:25-40.
- Yoon, I.B. and K.H. Kim. 1989b. A taxonomic study of the caddisfly larvae in Korea (2). Rhyacophilidae, Glossosomatidae. Korean Journal of Entomology 19:299-318.
- Yoon, I.B. and K.H. Kim. 1994. Order 29. Trichoptera. In ESK and KSAE (eds.), Checklist of Insects from Korea, Kon-Kuk University Press, Seoul. pp. 311-312 (in Korean).
- Zhou, X. 2007. The larvae of Chinese Hydropsychidae (Insecta: Trichoptera): delimiting species boundaries using morphology and DNA sequences. PhD Thesis, China Agricultural University, China. pp. 1-249.
- Zhou, X., C. Sun and L. Yang. 2009. Four new species of *Hydroptila* (Trichoptera, Hydroptilidae) from China. Acta Zootaxonomica Sinica 34:905-911 (in Chinese with English descriptions).
- Zhou, X., P.B. Frandsen, R.W. Holzenthal, B.R. Beet, K.R. Bennet, R.J. Blacnik, N. Bonada, D. Cartwright, S. Chuluunbat, G.V. Cocks, G.E. Collins, J. deWaard, J. Dean, O.S. Flint, A. Hausmann, L. Hendrich, M. Hess, I.D. Hogg, B.C. Kondratieff, H. Malicky, M.A. Milton, J. Morinière, J.C. Morse, F.N. Mwangi, S.U. Pauls, M.R. Gonzaletz, A. Eine, J.R. Robinson, J. Salokannel, M. Shackleton, C. Zamora-Muñoz, T. Ziesmann and K.M. Kjer. 2016. The Trichoptera barcode initiative: a strategy for generating a species-level tree of life. Philosophical Transactions of the Royal Society, B, 371, 20160025.

Submitted: July 22, 2020

Revised: August 3, 2020

Accepted: August 3, 2020