

Erratum to “Computational analysis of the effect of SOI vertical slot optical waveguide specifications on integrated-optic biochemical waveguide wensitivity”

Hongsik Jung^{1,†}

The original version of this article (Vol. 30, No. 6, pp.395-407, <https://doi.org/10.46670/JSST.2021.30.6.395>) contained an error in the title. It has been changed to “Computational analysis of the effect of SOI vertical slot optical waveguide specifications on integrated-optic biochemical waveguide sensitivity”.

Before Correction

Computational analysis of the effect of SOI vertical slot optical waveguide specifications on integrated-optic biochemical waveguide wensitivity

After Correction

Computational analysis of the effect of SOI vertical slot optical waveguide specifications on integrated-optic biochemical waveguide sensitivity

REFERENCES

- [1] H. Jung, “Computational analysis of the effect of SOI vertical slot optical waveguide specifications on integrated-optic biochemical waveguide wensitivity”, *J. Sens. Sci. Technol.*, Vol. 30, No. 6, pp. 395-407, 2021.

¹Dept. of Electronic & Electrical Engineering, College of Science & Technology, Hongik University

Hongik University, 2639, Sejong-ro, Jochiwon, Sejong 30016, Korea

[†]Corresponding author: hsjung@hongik.ac.kr

(Received: Dec. 15, 2021, Accepted: Jan. 17, 2022)

This is an Open Access article distributed under the terms of the Creative Commons Attribution Non-Commercial License(<https://creativecommons.org/licenses/by-nc/3.0/>) which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.