

Original Article



# CLINICAL STUDY ON EFFECT OF VIRECHANA KARMA (THERAPEUTIC PURGATION)

Harikishan Bamoriya<sup>1\*</sup>, Shachi Chandil<sup>2</sup>, Rani Singh<sup>3</sup>

### **ABSTRACT**

The study has been carried out for the comparative analysis of relevant literature in order to highlight the present topic "Clinical study on effect on *Virechana karma* (therapeutic purgation)". Total no. of 40 cases has been selected from OPD and IPD of *Panchakarma* department, through proper history taking and clinical examination prior to *VirechanaKarma*. Only *VirechanaKarmaYogya* subjects were selected for the *VirechanaKarma*. Analysis of *VirechanaKarma* on the basis of *Vegiki* (purgative bouts), *Maniki* (quantity), *Langiki* (clinical features) and *Aantiki* (end product) features were done in this study. In this study a highly significant relief was found in patients i.e. p<0.001 due to *Virechana* mainly vitiated *PittaDosha* (the heat energy in the body) and secondary *Kaphadosha* (mucus) and *VataDosha* (subtle energy associated with movement) are being expelled out which might have accounted for better relief in *VirechanYogya* (indicated) individuals (Pitta Pradhan *Vyadhi* (vitiated *pitta*), *RaktajRoga* (hemopoietic diseases), *ShodhanYogyaAvastha* (detoxification), etc.) in the above group of patients. *VirechanaDravyas* have properties like *Tikshna* (hyperfunction), *Sukshma*(subtle), *Ushna* (heat), etc. are described in *Ayurvedic* classics which play a vital role in the mode of action of *VirechanaKarma* has also been explained under probable mode of action.

Keywords Virechana, Panchakarma, Pitta dosha, Kapha dosha, Vata dosha.

#### INTRODUCTION

Ayurveda is science of life and longevity. It isn't just highlighting on prevention of diseases but in addition also encourages the maintenance of wellbeing through close consideration of balance in one's life by right thinking, diet and way of living. It empowers one to see how to create this balance of body, mind and consciousness according to one's own constitution. The dependable factor behind any action, procedure or execution is called as Karma (CharakaSamhita, Sutrasthan, 1/54).

Charaka has considered Vamana (emesis) and Virechana (purgation) also as Karma. According to Chakrapani, Brimhana (nourishment) etc. should also be considered as Karma. Dosha (fundamental factors), Dhatu (fundamental elements), Malas (waste product of body) and Srotas (minute channels) and etc. are helpful in the assessment of AushadhaKarma (action of drug) on the basis of their effects on Sharira (body) (Charaka Samhita, Sutra sthan, 1/49). The

\*Correspondence: Harikishan Bamoriya

E-mail: hbamoriya1@gmail.com

Received Jan 28, 2022; Accepted Feb 22, 2022; Published Feb 28, 2022 doi: http://dx.doi.org/10.5667/CellMed.2022.002

©2022 by CellMed Orthocellular Medicine Pharmaceutical Association This is an open access article under the CC BY-NC license.

(http://creative commons.org/licenses/by-nc/3.0/)

aim of Ayurveda is to maintain health of a healthy person and treat the diseased one. The first aim can be fulfilled by the diet and life style such as Ritucharya (seasonal regimen), Dincharya (daily regimen), Abhayanga (massage), Dhupana (fumigation), Nasya (Erhines), etc. Above all comes under the category of Karma. The second aim can be fulfilled by diet, many drugs and procedures which are described by ancient Ayurvedic sages like Vamana, Virechan, Basti, Nasya, Snehana, Swedana, etc. All these are part of Chikitsa (treatment) and goes under the heading of Karma (CharakaSamhita, Sutrasthan, 30/26).

Panchakarma (bio-purificatory methods) is a science for purification of the body. Since the vitiation of Doshas beyond a particular level produces Doshavaishamya (defect in fundamental factor) which will in general accumulate in the Srotasa (minute channels) of the body which are to be evacuated for maintaining equilibrium either at the state of health or disease. Panchakarma treats the sickness as well as keeps up all strength of the body in great and excellent way. Capacity of clearing, predominance and adequacy of the procedures focus on of Dosha eradication and large number of activities are characteristics of Panchakarma procedures. Panchakarma therapy is a systematize Samshodhana Therapy under which all methodology of purification incorporated. The Panchakarma therapy is classified as following:

■ *PurvaKarma* (pre-procedure) - It includes the following:

<sup>&</sup>lt;sup>1\*</sup>Assistant Professor (Samhita evum Siddhant), SASSAM College of Ayurvedic Sciences & Hospital, Bhopal (M.P.), India, <sup>2</sup>Assistant Professor (Dravyaguna), SAM College of Ayurvedic Sciences & Hospital, Bhopal (M.P.), India, <sup>3</sup>Professor (Department of Siddhant Darshan), Faculty of Ayurveda, IMS BHU, Varanasi (U.P.), India.

- 1. Deepana (augments metabolism)
- Pachana (pacification of undigested product of metabolism)
- 3. Snehana (oleation)
- 4. Swedana (sudation)
- PradhanaKarma (Main therapy) The PradhanaKarmas are as give below:
  - 1. VamanaKarma (Therapeutic emesis)
  - 2. VirechanaKarma (Therapeutic purgation)
  - 3. AnuvasanaBasti (Therapeutic oil based enema)
  - 4. AsthapanaBasti (Therapeutic decoction based enema)
  - 5. NasyaKarma / ShiroVirechana (Erhines)
- Pashchat Karma (post therapy) It includes the procedures like Samsarjana Krama (specific diet post bowel cleansing), specially planned.

#### Virechana

The procedure in which, the elimination of vitiated *Doshas* is expelled through the lower part *i.e* anal route is known as *Virechana* (*CharakaSamhita*, *kalpasthan*, 1/4). "*Adhobhaga*" signifies "*Guda*" remarked by *Chakrapani* (*CharakaSamhita*, *Kalpasthan*, 1/4-*Chakrapani*). *Virechana* is a restorative medicated purgative remedy that is intended for expelling out vitiated *Dosha* and *Mala* through the anal route. *Virechana* Karma is explicit for the elimination of vitiated *PittaDosha* as well as for *KaphaDosha* (*CharakaSamhita*, *Sutrasthana*, 25/40). *Pitta* is firmly related with Agni, which is responsible for the digestive and metabolic processes in the body.

Indications of *virechana* are in *Jwara* (fever), *Pandu* (anaemia), *Vatarakta* (gout), *amavata* (rheumatoid arthritis), *Shwasa* (respiratory disease), *Kasa* (cough), *Shotha* (inflammation), *Kushtha* (leprosy), *Vyanga* (melisma) and etc. (*Ashtanghridaya*, *sutrasthana*).

The present study was planned with the objectives to collect, explore and interpret the subject matter on *Virechana Karma* from various sources. The entire study has been done in terms of *Samsodhana* (cleansing) therapy mainly *Virechana Karma*. Therefore, the study is based on practical approach of *Virechana karma* in various samples.

# MATERIALAND METHOD

Virechana Karma is a process in which waste products i.e. vitiated Doshas are eliminated through the lower channels i.e. through the anus. According to Ashtanga Sangrah, VirechanaKarma is not merely a therapy for Pittaja disorders but for the Kapha, too (Ashtanga Sangrah, Sutra sthan, 27/4). The natural external route to expel out such Doshas is anal route, so in such conditions Virechana is indicated. According to AcharyaCharaka, Karma is action in the form of curative efforts. It is the combination and separation which takes place at a time or simultaneously (Charaka Samhita, Sutra sthan, 1/52). Hence, present study was undertaken. Prior approval of human Institutional Ethical Committee (No. ECR/BHU/693/Inst/UP/2013/ Re-registration 31.1.2017) of Banaras Hindu University was obtained before commencing clinical study.

**Selection of Patients**: Total no. of 40 cases have been selected from OPD and IPD of *Panchakarma* department, S.S.H., I.M.S., B.H.U., Varanasi through proper history taking and clinical examination prior to *Virechana Karma*. Only *Virechana Karma Yogya* subjects were selected for the *Virechana Karma*.

#### **Inclusion criteria:**

- Virechana Yogya individuals, as per Ayurvedic literatures. (Pitta Pradhan Vyadhi, Raktaj Roga, Shodhan Yogya Avasthaa and etc.) (Charaka Samhita, Sidhi sthan, 2/13)
- Age group 16 to 60 years.
- Patients, who had given their consent to undergo treatment

#### **Exclusion criteria:**

- Virechana Ayogya individual, as per Ayurvedic literatures. (Sama Avastha (severe phase), Aashukari Roga (fast acting), Adhamarga Vegit Roga (anal urge), etc.) (Charaka Samhita, Sidhi sthan, 2/11)
- Age group Below 16 year and above 60 years.
- The patients who were not willing to be included in the study.

Follow up study: Single follow up was taken in 15 to 21 days.

Grouping: Single group study.

#### Procedure of Virechana Karma

A) Purva karma

- i. Deepana and pachana Patients were admitted in hospital after selecting them with inclusion criteria, for further procedure. Routine examination i.e. Temperature, Blood pressure, Pulse were daily assessed along with routine systemic examination. Before the Snehana Karma of this group, Agni (metabolic fire) and Kostha (Gastrointestinal tract) assessment were done in every patient (Charaka Samhita, Sutra sthan, 13/67). In all the patients, to regulate the Agni, Deepana and Pachana (The patients were first given Chitrakadi Vati 2bd and Lavanabhaskar Churna in the dose of 3 grams twice a day for 3 days for the purpose of Deepana and Pachana) medicine was given (Ashtang Hridaya, sutra sthan, 13/28).
- ii. Snehapana: For Snehapana medicated Ghrita (melted butter) or GauGhritta was administered after Deepana and Pachana at 7.00 am with lukewarm water as *Anupana* (post prandial drink). The initial dose of Ghrita was started with 30 ml (test dose) on the first day (AshtangHridya, Sutrasthan, 16/17). Dose of Ghrita was gradually increased by 30 ml (means for first day 30ml, for second day 60 ml for third day 90 ml and so on). Snehapana was administered for 3, 5 or 7 days as per the criteria of SamyakaSnigdhaLakshana (symptoms of adequate oleation) (CharakaSamhita, Sutrasthan, 13/65) Patient was advised to avoid excessive wind, direct sunlight, emotional aggravation, exercise, heavy work, excessive talking, laughing, standing and journey during this period. The patient was advised not to take any type of diet till he gets the strong sensation of Kshudha (appetite). Patient was advised to have lukewarm water till appetite is appeared (CharkaSamhita, Sutrasthan, 13/22; Ashtanghridya, Sutrasthan, 16/20).
- iii. Abhyanga and Swedana: After Samyaka Snigdha Lakshana, Ghrita was stopped and patients were administered with Abhyanga and Swedana for 3 days (Charaka Samhita, Sutrasthan, 13/18). Abhyanga was done with lukewarm Taila (oil) (any medicated oil or coconut oil or sesame oil) was applied to the whole body. Patient was transferred to Vaspa Sweda room after Abhyanga and was given Vaspa Sweda (stream sudation) for 15-20 minutes.

iv. Diet in the evening of gap day (Before *Virechana*): One day before at night, prior to *Virechana* therapy, he/she had given the diet consisting of the *Snighdha* (unctuousness), *Drava* (fluidity), *Ushna* (heat), *Masa Rasa* (meat soup), and *Bhat* (rice). The diet should have *Kapha* alleviating properties which will result in satisfying *Virechana*. Therefore, *Laghu Aahar* (light diet) and lukewarm water should be given (*Charaka Samhita, Siddhi sthan*, 1/8; *Sushruta Samhita, Chikitsa sthan*, 33/20).

# B) Pradhana Karma (Virechana Karma)

Administration of Virechaka Yoga (Dose): According to Acharya Sushruta, the Virechaka Dravya Dose depends upon Vyadhi (disease), Agni and PurushBala (strength). (SushrutaSutrasthan 39/10). AcharyaVagabhatta suggests not to fix parameter for dose determination, the following factors need consideration: VyadhiBala (Severity of disease), Kostha (GIT), Vaya (Age), Desha(Climate), Kala (weather/season) (SushrutaSamhita, Chikistasthan). AcharyaCharaka describes the following as the effects of an ideal dose of VirechanakaDravya are maximum elimination of Doshas with minimum Dose, occurrence of spontaneous Virechana, Virechana leading to alleviation of the disease, Absence of complications (CharakaSamhita, Sutrasthan, 15/7).

#### C) Paschata Karma (Samsarjana Krama)

By analyzing the procedure, conclusion regarding the grade of purification was deduced. It was evaluated whether the purification was *Uttama* (excellent), *Madhyama* (medium) or *Hina* (least), and accordingly the *Samsarjana Krama* was planned (*Charaka Samhita*, *Siddhisthan*, 1/11). For the respective three types (Grades) of the purification, the regimen of 3, 5 and 7 days were opted for the patients. In case of *Hina*, *Madhyama* or *Uttama* purification *Peya-Vilepi-Mudga Yusha* (rice water) and Rice with *Mudga Yusha* (Gram soup) were served for one meal time, two meals time and three meals time respectively, starting from the evening of the *Virechana* day.

# ■ Assessment Criteria (*Charaka Samhita, Siddhisthan*, 1/14 - Chakrapani)

- 1. Vegiki It depends upon the numbers of Virechana. So the Vegawhich comes with much force to expel the stool may be termed as Vega as Doshas are accumulating in the Pakvashaya (rectum).
- Maniki Maniki criteria seems impractical as nowadays it is very difficult to assess in different condition.
- 3. Antiki It depends upon the end product which should be Kapha (mucus). This is the most important criteria and is very carefully observed throughout the process: Virechana process continuously goes on expelling the Doshas with the stool. Firstly Mutra (urine) pass out, followed by Mala (faeces). Then Pitta Dosha appears to expel out. After that, Kapha Dosha expelled out (Charaka Samhita, siddhi sthan, 1/17). Lastly at the end Vata Dosha is expelled. The changes taking place in the expulsion of vitiated matter were monitored. If Virechana ends by Kapha expulsion, it is considered as Samyaka Virechana (proper). If it is only Pitta expulsion, it is Asamyaka Virechana.
- 4. Laingiki It depends upon the signs and symptoms which appear after Virechana Karma. Laingiki criteria is based on the symptoms of Samyaka Virechana.

Measurement of *Aantiki, Vagiki, Maniki*, and *Laingiki* are the features of *Samyaka Virechana Karma* (proper therapeutic purgation therapy) (Table 1). So, the patient has been assessed by *Samyakayoga*, *Atiyoga* and *Ayoga Lakshana*. *Maniki* criteria seem impractical as nowadays it is very difficult to assess in different condition.

Table 1. Measurement of Aantiki, Vagiki, Maniki, and Laingiki

	Avara	Madhya	Pravara
Aantiki	Kapha-anta (whtitsh fecal matter with mucus)	Kapha-anta	Kapha-anta
Vegiki	10 times	20 times	30 times
Maniki	2Prastha	3Prastha	4Prastha
Laingiki	Samyaka Yoga	Samyaka Yoga	Samyaka Yoga

Samyakayoga Lakshana: (adequate) (Charaka Samhita, Siddhi sthan, 1/17)

- Srotoshuddhi(detoxification of minute channels)
- Laghuta (lightness)
- *Vatanulomana* (downward movement of *vata*)
- *Urjas* (enthusiasm)
- Indriya-prasadan (improve sensory and motor function)
- Rugprasadan (subside diseases)
- Agnivirdhi (increase metabolic fire)
- *Vitta-pitta-kaphanilamprapti* (sequential expulsion of faeces)

Ayoga Lakshana: (inadequate) (Charaka Samhita, Siddhi sthan, 1/18)

- Kaphaprakopa (vitiation of kapha)
- *Vaataprakopa* (vitiation of *vata*)
- Gaurava (heaviness)
- Chardi (vomiting)
- Vittasanga (constipation)
- Aruchi (anorexia)
- Pittaprakopa (vitiation of pitta)
- Agnimaandhya (decrease in metabolism)
- Tandra (drowsiness)
- Vatapratilomatva (abnormal movement of vata)
- Pratishya (coryza)

Atiyoga Lakshana: (excessive) (Charaka Samhita, Siddhi sthan, 1/19)

- *Kaphachayajyikara* (disease of reduced *kapha*)
- Vatachayajvikaara (disease of reduced vata)
- Pittachayajvikaara (disease of reduced pitta)
- *Angamarda* (bodyache)
- Vepathu (tremor)
- Tamahpravesh (blackout)
- Supti (numbness)
- Raktachayajvikar (disease of reduced Rakta)

- Klama(tiredness)
- Nindranasha (insomnia)
- *Unmaad* (insanity)
- Hikka (hiccups)

Apathya (contraindicated): Oil, spices, curd, pickle, meat, fish, eggs and cold eatables.

# STATISTICAL SIGNIFICANCE

Chi square test has been calculated to test the significance of difference between two categorical variables. Whereas the expected frequency will come less than five, the chi square test has been calculated by pooling the rows or columns.

Chi-square ( $\chi$ 2) test calculations is done on SPSS Tool developed by IBM (Version – 26 released on 09 April 2019).

- p<0.05 is considered statistically significant.
- p<0.01 or p<0.001 as statistically highly significant.
- p>0.05as not statistically significant.

# **OBSERVATION & RESULT**

Clinical profile of patient

#### Virechana Karma

Table 2. Showing mean time for Virechana and Vega Kala

Mean Time Required For Virechana Yoga to Act	2.15 hours
Mean Total VegaKala From First To Last Vega	6.20 hours

The present study revealed that the mean time required for onset of *Virechana Vegas* after administration of mentioned *Virechana Yoga* to act was 2.15 hours and the mean time taken for total *Virechana* process from first *Vega* to last *Vega* was 6.20 hours.

# Vaigiki Shuddhi wise distribution of 40 Patients

Table 3. Showing Vaigiki Shuddhi in patients

Type of Shuddhi	No. of Vega	No. of Pts.	Percentage	Statistical Value
Avara	Up to 10	4	10	_
Madhyama	> 10 - 20	24	60	$\chi^2 = 18.66$ <b>P</b> =0.000
Pravara	> 20 - 30	8	20	




Fig.1 Bar diagram shows Vaigiki Shuddhiin patients

Maximum no. of patients i.e. 24 (60%) patients showed *Madhyama Shuddhi*. Average patients showed *Pravar* 

Shuddhii.e. 8 patients (20%) and minimum patients showed Avara Shuddhi i.e. 4 patients (10%).

# Distribution of 40 patients according to Antiki Shuddhi

Table 4. Showing Antiki Shuddhi in patients

G	N. CD.:	ъ .	0 1371
Symptoms	No. of Patients	Percent	Statistical Value
Kaphanta	26	65	$\chi^2 = 7.11$
Drava Malanta	10	25	P=0.007




Fig.2 Bar diagram shows Antiki Shuddhi in patients

# Distribution of patients as per Laingiki Shuddhi achieved after Virechana

Table 5. Showing LaingikiShuddhi in patients

Laksana	Patient	Statistical Value
Samyakayoga	36 (90%)	2
Ayoga	2(5%)	$\chi^2 = 61.07$ <b>P</b> = 0.000
Atiyoga	1 (2.5%)	2 0.000




Fig.3 Bar diagram shows LaingikiShuddhi in patients

Maximum patients showed *Samyaka Lakshana* (features of proper clearance) i.e. 36 patients (90%) and 2 patients (5%) showed

Ayoga Lakshana and only 1 patient (2.5%) showed Atiyoga Lakashana.

# Samsarjana Krama wise distribution of Patients

Table 6. Showing Samsarjana Kramain patients

Type of Samsarjana Krama	No. of days	No. of Pts.	Percentage	Statistical Value
Avara	3	3	7.5	
Madhyama	5	28	70	$\chi^2 = 32.16$ $P = 0.000$
Pradhana	7	5	12.5	




Fig.3 Bar diagram shows Samsarjana Kramain patients

Maximum no. of patients i.e. 28 (70%) patients showed *Madhyama Samsarjana Krama*. Average patients showed *Pradhana Samsarjana Krama* i.e. 5 patients (12.5%) and

minimum patients showed Avara Samsarjana Krama i.e. 3 patients (7.5%).

# Samyakayoga Suddhi Lakshana

Table 7. Showing Samyakayoga Suddhi Lakshanain patients

Lakshana	Patient	Lakshana	Patient
Srotoshuddhi	19	Indriya-prasadan	21
Laghuta	36	Rugprasadan	11
Vatanulomana	36	Agnivirdhi	32
Urjas	14	Vitta-Pitta-Kaphanilamprapti	36

In this study, *Vata—Pitta-Kapha Nihasarana*, *Vatanulomana* and *Laghuta* were observed in 36 patients (90%). *Agni Vriddhi* was observed in 32 patients (80%). *Indriya Prasadan* was reported by21

patients (52.5%). *Sroto Shuddhi* was observed in 19 patients (47.5%). *Urjas* was observed in 14 patients (35%). *Rugprasadan* was observed in 11 patients (27.5%).

# Ayoga

Vegiki - The first patient had no Vega of Virechana and the Second patient had only one Vega of Virechana.

Table 8. Showing AyogaLakshana in patients

Kaphaprakopa	0	Pittaprakopa	1
Vaataprakopa	2	Agnimaandhya	1
Gaurava	2	Tandra	1
Chardi	2	Vatapratilomatva	2
Vittasanga	2	Pratishyay	0
Aruchi	1		

**Atiyoga** 

Vegiki - Patient having 37 Vega of Virechana

Lengiki -

Table 3. Showing <u>Auyogu</u> Lukshana in patients					
Kaphachayajvikar	0	Pittachayajvikaara	0		
Vatachayajvikaara	1	Raktachayajvikar	0		
Angamarda	1	Klama	1		
Vepathu	0	Nindranasha	1		
Balaabhava	0	Unmaad	0		
Tamahpravesh	1	Hikka	0		
Supti	1				

Table 9. Showing AtivogaLakshana in patients

# STATISTICAL SIGNIFICANCE

- ► Statistically highly significant difference (P<0.000) was obtained on *Vaigiki Shuddhi* because Maximum no. of patients i.e. 24(60%) patients showed *Madhyama Shuddhi*.
- ▶ Statistically highly significant difference (P<0.007) was obtained on *Antiki Shuddhi* since Maximum patients showed *Kaphanta Virechana* i.e. 26 (65%) patients which is the essential criteria for *Samayaka Virechana*.
- ▶ Statistically highly significant difference (P<0.000) was obtained on *Laingiki Shuddhi* as maximum patients showed *Samyaka Lakshana* i.e. 36 (90%) patients.
- ▶ Statistically highly significant difference (P<0.000) was obtained on *Samsarjana Krama* because maximum no. of patients i.e. 28 (70%) patients showed *Madhyama Samsarjana Krama*.

# RESULT AND DISCUSSION

# Reason of Samayaka Virechana Karma:

Samyaka Virechana Karma depends on Chikitsa Chatushpada. These Chatushpada includes Bhishag, Rogi, Dravya and Upasthata (Charaka Samhita, Sutrasthan, 9/33).

- > Bhishag (physician) The physician should choose the Yogya patient and explain the full procedure of Virechana Karma, assessment of Purva, Pradhahan and Pashchat Karma should be done. In case of adverse effect of the therapy, the management should be done properly. The physician should be Yuktigya/knower of the Yukti.
- Rogi (patient) Counselling of patient, patient should follow the procedure of the therapy, the patient should know Do and don't, and should be in contact with doctor.
- Aushadhi (medication) Standard medicine should be used. In case of adverse effect, the medicines for it should bept already.
- > Upasthata (nurse/ attender) The attainder should motivate the patient for taking the therapy. Attendants should help the patient to follow do and don't. The Attendants should prepare meals of Samsarjan Karma for patient after the therapy and follow the instruction before and after the therapy.

These four components of treatment, when they are having requisite and specific qualities helps in proper *Virechana Karma* in particular but if in any condition these components are not having appropriate qualities, then it will

cause improper Virechana Karma which may cause complication too.

# Effect of therapy:

The results obtained in above group of patients of *Virechana*, on each parameter are being discussed here as under;

# Samyaka Suddhi Lakshana

Vata-Pitta-Kapha Nihasarana, Vatanulomana and Laghuta was observed in 36 patients (90%). Agnivriddhi was observed in 32 patients (80%). Indriya Prasadana was reported by 21 patients (52.5%). Srotoshuddhi was observed in 19 patients (47.5%). Urjas was observed in 14 patients (35%). Rugprasadan was observed in 11 patients (27.5%).

- i. **Srotoshuddhi (cleansing of minute channels)** When *Vikrita Pitta, Kapha, Mala, etc.* which are causing *Marga Avarodha* are expelled out through *Virechana* hence, *Vyadhi Shamana* occurs.
- ii. Indriyaprasadana Gyanendriya and Karemendriya Prasannata (lightness in senses) occurs. Dalhana has told that Kaya Mana Prasadata occurs from this Manasuddhi.
- iii. Agnipradipta(increase in metabolism) After Samyaka Virechana Agni will be little bit increased as all the Doshas and fluid contents are eliminated, hence the person feels Kshudha (hunger) and Trushna (thirst).
- iv. Laghutavama (lightness in body) After Samayaka Virechana person feels Laghutuvam because Vikrita Dosha, Dushya and Ama etc. are eliminated. And for every 500 ml of fluid elimination, one pound of weight will be decreased. Hence person feels lightness in the body.
- v. *Urjasa* (enthusiasm) After *Samyaka Virechana Karma*, the person feel enthusiasm in his/her body because of above mentioned *Samyaka Suddhi Lakshana*.
- vi. Rugprasadana (disease alleviation) The symptoms of disease alleviation is appeared for which the Virechana therapy was administrated.

Reason of Ayoga Lakshana - 2 patients showed Ayoga Lakshana because one of them had taken more quantity of water with Virechana Aushadi despite of explaining the quantity to the patient which leads to vomiting of entire Virechana medicine and causes no Virechana. And for in the other patient the Koshtha analysis was not done properly and the patient had taken small quantity of Virechana Aushadi which causes less Vega Pravruti during Virechana.

**Reason of** *Atiyoga Lakshana* - Only one patient showed *Atiyoga Lakshana* because the patient had taken more

quantity of *Virechana Aushadhi* even though the dose was told properly and explain by the physician himself which leads to more *Vega Pravruti* during *Virechana*. To stop the *Vegas Sthambhan Aushadi (Kutajghan Vati)* had given to the patient, and for electrolytes balance lukewarm water with electrode powder is given from time to time. Intake of meal was stopped for a while and patient was under proper supervision for 2 days.

**Reason of Dropout** - Only one patient had not completed the therapy because during *Snehapana* the patient was not tolerating the *Abhyantara Snehana* (*Ghrita Pana*) and left the therapy.

# **Probable mode of action of** *Virechana* **therapy** (Charaka. Kalpasthan 1/5 – Chakrapani)

The properties of *Virechana Dravyas* are *Ushna*, *Tikshna*, *Sukshma*, *Vyavayi*, *Vikasi* etc. are mentioned in *Ayurvedic* classics which play a vital role in the mode of action of *Virechana Karma*.

- Ushna Ushna Guna has Agneya property and hence "Vishyandana" occurs i.e. 'Vilininam Kurvanti' (Chakrapani). Hence it facilitates movement of morbid Doshas towards Kostha. It also assists to Tikshana property to perform its action.
- 2) Tikshana Tikshna property of Virechana Dravya performs the function of "Sanghatabhedana", 'Chakrapani' quoted the word 'Vicchindayanti' (Ch. Ka. 1/5 Chakrapani). It means to break the complex morbid matter into smaller molecules. According to Dalhana, it is responsible for quick excretion. Thus, Tikshna property breaks the Mala and morbid Dosha in micro form leading to expulsion.
- 3) Sukshma Sukshma Guna due to its Anupravanabhava, i.e. "Anutvat Pravanabhavach (Ch. Ka. 1/5 Chakrapani) its helps to dilate the channel and to pass the drug into micro-channel. This property helps to remove the morbid matter from micro-channels and brings them to Kostha leading to expulsion.
- 4) *Vyavayi* (spreading) Due to this, drugs spreads quickly throughout the body and starts their action before its digestion. Due to *Vyavayi Guna, Virechaka* drugs spreads all over the body without changing their form. Some scholars included this property under '*Drava*' property.
- 5) Vikasi (opening channels) Due to this property drugs loosens the Dhatu Bandhana (Sharangadhar Purvakhand 4). It creates the Dhatu Shaithilyata (Dalhana). Hence drugs initiates their action without being digested. From all these properties Doshas are driven to Kostha.

Now on the basis of above description of *Virechana Dravya's* properties it can be conclude that due to their *Vyavayi, Vikasi, Sukshma Guna, Virechana* drugs reaches to the micro channels and by virtue of its *Ushna, Tikshna Guna* it scrapes out and liquefies morbid *Mala* and compact *Doshas*. In this way, *Virechana* Drugs brings *Shakhagat Mala (impurities in limbs)* to *Koshtha (GIT)* and consequently expels out form the body.

Virechaka drugs carry out the Virechana due to the Prabhava or Achintya Virya of drug rather than its above properties. No doubt these properties help to do so but drug should have that Prabhava. The drugs which are having Jala

(water) and Pruthvi (earth) Mahabhutas dominancy have a natural tendency to go downwards and thus they can assist in induction of Virechana. If drugs are having all above said properties but if it is not having Virechaka Prabhava then it will not induce the Virechana Karma. Hence we can say, that drugs act by its active principle can be said as Virya (potency) or Prabhava not by Guna (property), but properties assist in carrying the function of drug.

Previous Researches done on Virechanakarma are

- Paradkar Hemant et al. has done observational study on 48 years old male patient to showeffect of *Virechana* in Psoriasis (Paradkar Hemant *et al.*, 2014).
- S. Sangeeta Sharma et al. presented a case study over 19 years old male patient to showeffect of *Virechana Karma* in the treatment of Psoriasis (S. Sangeeta Sharma et al., 2013).
- 3. Prachi dalvi conducted a study at jamnagar, in 2002 and concluded that *Virechana* removes the *Kapha* along with *Pitta*. (Prachi dalvi, 2002).
- 4. *Virechana* showed significant relief in signs and symptoms of bronchial asthma. In a study conducted on 24 patients the breath holding capacity and peak expiratory flow rate improved, when compared with pacifying therapy. (KA Ghosh *et al.*, 2012).
- 5. In a case report on rheumatoid arthritis, *virechana* showed significant reduction in RA factor to 50 IU/ml from earlier level of 94 IU/ml. *Virechana* followed by avoidance of allergens reduced the CRP level from 22.7mg/l to 1.8 mh/l. After 3 months of follow up the IgE levels reduced from 680kU/l to 53.7 kU/l. The 40% relief in pain and stiffness of joints were reported soon after the virechana (Gupta SK *et al.*, 2015).

### **CONCLUSION**

40 patients for Virechana were registered in this out of which total 39 patients completed therapy. In this study during assessment of Virechana Karma maximum no. of patients lying under following criteria. In Vegiki, Madhyama Shuddhi was observed mainly in 24 patients. In Antiki, Kaphanta was observed mostly in 26 patients and lastly in Laingiki, Samyaka Lakshana was observed in 36 patients. In this study a highly significant relief was found in patients i.e. p<0.001. Due to Virechana mainly Vitiated Pitta Dosha and secondary Kapha dosha and Vata Dosha are being expelled out which might have accounted for better relief in Virechan Yogya individuals (Pitta Pradhan Vyadhi, Raktaj Roga, Shodhan Yogya Avastha, etc.) in the above group of patients. Panchakarma is the ultimate tool for better maintenance of health, prevention and curing of diseases. Judicious and appropriate application of Panchakarma could be the right way for our practitioners. It is upto the practitioner to choose the right method of Shodhana after assessing the disease as well as the patient. Virechana in particular can be used as a regular treatment modality for OPD and IPD patients. Many of the acute conditions can be treated by using virechana karma as a therapeutic procedure.

# **Scope for Further Research**

The present study shows that *Virechana* can be indicated for *Virechana Yogya* individuals. The present study was carried

on small sample size for a limited period of time and it showed encouraging results. However, to be more confirmative regarding standardization of proper *Virechana karma* further study should be conducted on large sample size for longer duration.

#### **ACKNOWLEDGEMENT**

None

# CONFLICT OF INTEREST

The authors have no conflicting financial interests.

#### REFERENCES

Acharya Bhramanand Tripathi. *Charaka Samhita* (Hindi Translation). Vol (I), (Delhi: Chaukhambha Sanskrit Pratishthan), 2005.

Acharya Bhramanand Tripathi. *Charaka Samhita* (Hindi Translation). Vol (II), (Delhi: Chaukhambha Sanskrit Pratishthan), 2005.

Acharya YT. *Agnivesa, Charaka Samhita*, with *Chakrapaanidatta*, ed. *Ayurved Dipika*, Commentary. Reprint ed. (Varanasi: Chaukhambha Orientalia), 2011.

Bhishaga ratna kunjalal kaviratna. *Sushrut Samhita* English Translation 5<sup>th</sup>, (Varanasi: Chaukhambha Sanskrit series office), 1999.

G Shrinivasa Acharaya. Panchakarma Illustrated, (Varanasi: Chaukhamba Sanskrit Pratishthan), 2009.

Gupta Atrideva. Hindi Commentary on *Astanga Sangraha*, Vol. I & II Reprint Edition, (Varanasi: Chaukhambha Krishnadas Academy), 2005.

Gupta Atrideva. Vidyotini Hindi Commentary on *AstangaHridaya*, Reprint Edition,(Varanasi: Chaukhambha Prakashan), 2011.

Gupta SK, Thakar AB, Dudhamal TS, Nema A. Management of *Amavata* (rheumatoid arthritis) with diet and *Virechana karma*, *Ayu*, 2015; 36:413-5.

IBM Corp. Released 2019. IBM SPSS Statistics for Windows, Version 26.0. Armonk, (NY: IBM Corp.), 2019

KA Ghosh, Paresh CT. Clinical effect of *Virechana* and *ShamanaChikitsa* in *Tamaka Shwasa* (Bronchial Asthma), *Ayu*, 2012; 33(2): 238–242.

Kaviraj Ambikadutta shastri. *Sushruta Samhita* Vol (I) (Hindi Translation). Reprinted, (Delhi: Chaukhamba Sanskrit sansthan), 2014.

Kaviraj Ambikadutta shastri. *Sushruta Samhita* Vol (II) (Hindi Translation). Reprinted, (Delhi: Chaukhamba Sanskrit sansthan), 2014.

KR Shri Kantha Murthy. *Ashtanga Hrdayam*, English Translation, 4<sup>th</sup> ed., (Varanasi: Krishna Das Academy), 1999.

KR Shri Kantha Murthy. *Ashtanga Sangraha*, English Translation, 2<sup>nd</sup>ed., (Varanasi: Chaukhambha Orientalia), 1999.

KR Shrikanthamurty. *Sarngdhara samhita*, English Translation, 4<sup>th</sup> ed., (Varanasi: Chaukhambha Orientalia), 2001

Paradkar Hemant *et al.*, Effect of *Virechana* without Prior *Vaman* in Psoriasis, *IAMJ*, 2014; 2(4).

Prachi Dalvi. Role of *Virechana* and *AmalakyadiRasayana* in the management of *Amavata* (Rheumatoid arthritis) *IPGT&RA Jamnagar*, 2002.

PV Sharma. *Charaka samhita*, English Translation, (Varanasi: Chaukhambha Orientalia), 1994.

- S. Sangeeta Sharma *et al.*, Effect of *Virechana Karma* (Therapeutic Purgation) in the Treatment of Psoriasis: A Case Study, International Conference and Exhibition on Traditional and Alternative Medicine, 2013.
- S. Suresh Babu and P. Jyothi. Research Methodology for *Ayurvedic* Scholars, editor Reprint edition 2<sup>nd</sup>, (Varanasi: Chaukhambha orintalia), 2004.

Vagbhata, Astanga Hridaya, Arundatta. In: Kunte AM, ed. *Sarvangasundari*, Commentary. Reprint ed. (Varanasi: Chaukhambha Orientalia) 2011, pp. 223-227.