



Partial-Thickness Tear of Supraspinatus and Infrapinatus Tendon Revisited: Based on MR Findings

극상건과 극하건 부분 파열의 재고찰: MR 소견을 바탕으로

Sinhye Song, MD , Seul Ki Lee, MD* , Jee-Young Kim, MD

Department of Radiology, St. Vincent's Hospital, College of Medicine, The Catholic University of Korea, Seoul, Korea

<https://doi.org/10.3348/jksr.2021.0124>

J Korean Soc Radiol. 2021;82(6):1366-1387

The publisher and authors would like to draw the reader's attention to an error in the following article: Partial-Thickness Tear of Supraspinatus and Infrapinatus Tendon Revisited: Based on MR Findings.

On page 1367, the subject of the first sentence in the third paragraph has been incorrect. "When partial thickness tear is misinterpreted as a tendinopathy" to "When tendinopathy is misinterpreted as a partial thickness tear."

논문의 1367 페이지 세 번째 단락 첫 번째 문장 "부분 파열에 대해서 건증으로 잘못 해석하는 경우는"이 잘못되어 "건증이 부분 파열로 잘못 해석되는 경우는"으로 수정합니다.

This is an Open Access article distributed under the terms of the Creative Commons Attribution Non-Commercial License (<https://creativecommons.org/licenses/by-nc/4.0>) which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.

ORCID iDs

Sinhye Song
<https://orcid.org/0000-0003-3494-4168>
Seul Ki Lee
<https://orcid.org/0000-0002-6296-5559>
Jee-Young Kim
<https://orcid.org/0000-0003-0950-4427>