

## A Rapid and Simple Method for DNA Preparation of *Magnaporthe oryzae* from Single Rice Blast Lesions for PCR-Based Molecular Analysis

Liyong Dong<sup>1</sup>, Shufang Liu<sup>1</sup>, Jing Li<sup>2</sup>, Didier Tharreau<sup>3,†,‡</sup>, Pei Liu<sup>1</sup>, Dayun Tao<sup>2</sup>, and Qinzhong Yang<sup>1\*</sup>

<sup>1</sup>Agricultural Environment and Resources Institute/Key Laboratory of Green Prevention and Control of Agricultural Transboundary Pests of Yunnan Province, Yunnan Academy of Agricultural Sciences, Kunming 650205, China

<sup>2</sup>Food Crops Research Institute, Yunnan Academy of Agricultural Sciences, Kunming 650205, China

<sup>3</sup>Centre de Coopération Internationale en Recherche Agronomique pour le Développement (CIRAD), UMR BGPI, TA A 54K, 34398 Montpellier, France

<sup>†</sup>Plant Health Institute of Montpellier (PHIM), CIRAD, TA A120/K, 34398 Montpellier, France

<sup>‡</sup>Plant Health Institute of Montpellier (PHIM), University of Montpellier, CIRAD, INRAE, IRD, Montpellier SupAgro, 34398 Montpellier, France

https://doi.org/10.5423/PPJ.NT.02.2022.0017

Plant Pathol. J. 38(6) : 679-684 (2022)

In this article, part of the author's affiliation had been inadvertently omitted. The corrected affiliation appears below. The authors would like to apologize for any inconvenience caused.

### Original version

Liyong Dong<sup>1</sup>, Shufang Liu<sup>1</sup>, Jing Li<sup>2</sup>, Didier Tharreau<sup>3</sup>, Pei Liu<sup>1</sup>, Dayun Tao<sup>2</sup>, and Qinzhong Yang<sup>1\*</sup>

<sup>1</sup>Agricultural Environment and Resources Institute/Key Laboratory of Green Prevention and Control of Agricultural Transboundary Pests of Yunnan Province, Yunnan Academy of Agricultural Sciences, Kunming 650205, China

<sup>2</sup>Food Crops Research Institute, Yunnan Academy of Agricultural Sciences, Kunming 650205, China

<sup>3</sup>Centre de Coopération Internationale en Recherche Agronomique pour le Développement (CIRAD), UMR BGPI, TA A 54K, 34398 Montpellier, France

### Corrected version

Liyong Dong<sup>1</sup>, Shufang Liu<sup>1</sup>, Jing Li<sup>2</sup>, Didier Tharreau<sup>3,†,‡</sup>, Pei Liu<sup>1</sup>, Dayun Tao<sup>2</sup>, and Qinzhong Yang<sup>1\*</sup>

<sup>1</sup>Agricultural Environment and Resources Institute/Key Laboratory of Green Prevention and Control of Agricultural Transboundary Pests of Yunnan Province, Yunnan Academy of Agricultural Sciences, Kunming 650205, China

<sup>2</sup>Food Crops Research Institute, Yunnan Academy of Agricultural Sciences, Kunming 650205, China

<sup>3</sup>Centre de Coopération Internationale en Recherche Agronomique pour le Développement (CIRAD), UMR BGPI, TA A 54K, 34398 Montpellier, France

<sup>†</sup>Plant Health Institute of Montpellier (PHIM), CIRAD, TA A120/K, 34398 Montpellier, France

<sup>‡</sup>Plant Health Institute of Montpellier (PHIM), University of Montpellier, CIRAD, INRAE, IRD, Montpellier SupAgro, 34398 Montpellier, France

---

\*Corresponding author.

Phone) +86-871-65894459, FAX) +86-871-65892112, E-mail) qzhyang@163.com

ORCID

Qinzhong Yang

https://orcid.org/0000-0002-1325-5219