



Corrigendum

Corrigendum to 'Morphine dependence is attenuated by red ginseng extract and ginsenosides Rh2, Rg3, and compound K' [Journal of Ginseng Research Volume 40, Issue 4, October 2016, Pages 445–452]




Tadesse Yayeh, Kyunghwa Yun, Soyong Jang, Seikwan Oh*

Department of Molecular Medicine, School of Medicine, Ewha Womans University, Seoul, Republic of Korea

The authors found a mistaking in selecting western blot images in Figs. 5 and 6. The images of β -actin in Fig. 5 and images of pNR1, NR1, ERK, beta-actin in C of Fig 6 and updated with correct ones. We thought that these updated images might not affect the conclusion of our results. We hope to have opportunity to publish this as a corrigendum in your upcoming JGR.

We would like to express our deep apology to editors of JGR for this inconvenience.




DOI of original article: <https://doi.org/10.1016/j.jgr.2016.08.006>.

* Corresponding author. Department of Molecular Medicine, School of Medicine, Ewha Womans University, Seoul, Republic of Korea.

E-mail address: skoh@ewha.ac.kr (S. Oh).

<https://doi.org/10.1016/j.jgr.2023.06.002>

1226-8453/© 2023 The Korean Society of Ginseng. Publishing services by Elsevier B.V. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).



All values are expressed as mean \pm SE from three independent experiments.